TwinLife

Codebook

TwinLife Face-to-face survey of wave 5

F2F 5, subsamples a and b (data collection 9, 2022-2024)

Scientific Use File ZA6701_person_wid9

Version 9.0.0, June 2025

https://www.twin-life.de/documentation/

Contents

1 How to use the codebook 8

2 Study description 8

3 Data collection 9 (F2F 5) 8

4 Identifiers: IDs on wave, family, household and invidual level 8
fid – family ID (scientific use file) . . . 10
pid – person ID (scientific use file) . . . 10
wid – data collection ID - consecutively numbered (gen) . . . 10

5 Identifiers: Indicator and sample variables 11
cgr – twin birth cohort . . . 11
ptyp – type of respondent . . . 11
ptyp_hq – type of respondent for household questionnaire (gen) . . . 12
wav0100 – subsample (gen) . . . 12
wav0200 – survey wave (gen) . . . 13
wav0300 – part of the survey wave (gen) . . . 13
wav0400 – wave (wav0200, wav0300, wav0100 combined) . . . 14

6 Socio-demographics 15
age0100 – age in years on the date of the family questionnaire (gen) . . . 15
age0100t – age twins in years on the date of the family questionnaire (gen) . . . 15
age0100s – age sibling in years on the date of the family questionnaire (gen) . . . 16
age0101 – age in months on the date of the family questionnaire (gen) . . . 16
age0200 – age in years on 01 January of survey year of subsample (gen) . . . 17
age0201 – age in months on 01 January of survey year of subsample (gen) . . . 18
ewi – Eastern or western federal state (federal state indicator) (gen) . . . 18
gkpol_r – community size classification (political), 4 groups (gen) . . . 19
sex – sex . . . 19

7 Family structure and household characteristics 20
fhc – number of households belonging to the family (gen) . . . 20
fpr0107 – relation to the twins . . . 20
hlt – twin1 lives in household (gen) . . . 21
hlu – twin2 lives in household (gen) . . . 21
hls – sibling lives in household (gen) . . . 22
hlf – father lives in household (gen) . . . 22
hlg – stepfather lives in household (gen) . . . 23
hlm – mother lives in household (gen) . . . 23
hln – stepmother lives in household (gen) . . . 23
hpc – number of persons belonging to the household (gen) . . . 24
liv0210 – housing conditions of the twins (gen) . . . 24
liv0410 – household type (gen) . . . 25
liv0700 – Internet access available in the household (hh) . . . 25

8 Marital status 26
fam0100 – marital status (>= 16 yr) . . . 26
fam0200 – permanent partnership (>= 16 yr) . . . 26
fam0300 – sex of partner (>= 16 yr) . . . 27

fam0304 – highest school-leaving qualification of partner (>=16 y.) 27
fam0306 – highest training qualification from partner (>=16 y.) 28

9 Migration and citizenship **29**
mig0520 – german citizenship available (gen) 29
mig0620 – German citizenship since (year) (gen) 29
mig2000 – country of birth (gen) 30
mig2001 – born in the GDR (gen) 31
mig2100 – country of birth of respondent's mother (gen) 32
mig2101 – born in the GDR - respondent's mother (gen) 33
mig2200 – country of birth of respondent's father (gen) 34
mig2201 – born in the GDR - respondent's father (gen) 35
mig3000 – country of birth - extended (gen) 35
mig3100 – country of birth of respondent's mother - extended (gen) 36
mig3200 – country of birth of respondent's father - extended (gen) 37
mig4000 – migration background (t,u,s, up to the 3rd generation) (gen) 38
mig4100 – migration background (up to the 2nd generation) (gen) 39

10 Zygosity questionnaire **39**
zyg0102 – zygosity: result questionnaire and DNA in F2F1 (gen) 39
zyg0112 – zygosity: result questionnaire and DNA in F2F1 & F2F3 (gen) 40

11 Educational attainment and success **41**
cer0001 – participation in the report card module (gen) 41
cer1001 – photo: consent photo report card 41
cer1001t – photo: consent photo report card (m/f/n/g, t < 18 yr.) 42
cer1001u – photo: consent photo report card (m/f/n/g, u < 18 yr.) 42
cer1001s – photo: consent photo report card (m/f/n/g, s < 18 yr.) 43
cer1002 – photo: consent photo report card (gen) 43
cer1004t – interview: math grade of last report card twin 1 44
cer1004u – interview: math grade of last report card twin 2 44
cer1004s – interview: math grade of last report card sibling 45
cer1005t – interview: german grade of last report card twin 1 45
cer1005u – interview: german grade of last report card twin 2 45
cer1005s – interview: german grade of last report card sibling 46
cer1006t – interview: school class of last report card twin 1 46
cer1006u – interview: school class of last report card twin 2 47
cer1006s – interview: school class of last report card sibling 47
cer1007t – interview: type of school of last report card twin 1 47
cer1007u – interview: type of school of last report card twin 2 48
cer1007s – interview: type of school of last report card sibling 49
cer1010t – last report card: type of report card (m/f/n/g) 49
cer1010u – last report card: type of report card (m/f/n/g) 50
cer1010s – last report card: type of report card (m/f/n/g) 50
cer1013 – interview: annual or final report card (int.) 50
cer1400 – interview: math grade of last report card 51
cer1500 – interview: german grade of last report card 51
cer1600 – interview: school class of last report card 52
cer2000 – photo: year of last report card 52
cer2001 – photo: half-year of last report card 53
cer2002 – photo: school class of last report card 53

cer2003 – photo: type of school of last report card 54
cer2003g – photo: type of school of last report card - extended 55
cer2100 – photo: last report card is final report card 55
cer2101 – photo: type of school of final report card 56
cer2103 – photo: average grade of final report card 56
cer2200 – photo: math grade of last report card 57
cer2201 – photo: german grade of last report card 57
cer2202 – photo: grade of language usage of last report card 58
cer2203 – photo: grade of language usage (oral) of last report card 58
cer2204 – photo: grade of language usage (written) of last report card 58
cer2205 – photo: reading grade of last report card 59
cer2206 – photo: writing grade of last report card 59
cer2207 – photo: orthography grade of last report card 60
cer2208 – photo: english grade of last report card 60
cer2209 – photo: other foreign language in last report card 61
cer2210 – photo: other foreign language grade of last report card 61
cer2211 – photo: chemistry grade of last report card 62
cer2212 – photo: physics grade of last report card 62
cer2213 – photo: biology grade of last report card 63
cer2214 – photo: computer science grade of last report card 63
cer2215 – photo: science grade of last report card 63
cer2216 – photo: regional history and geography grade of last report card 64
cer2217 – photo: social science grade of last report card 64
cer2218 – photo: history grade of last report card 65
cer2219 – photo: geography grade of last report card 65
cer2220 – photo: political science grade of last report card 66
cer2221 – photo: political science/economics grade of last report card 66
cer2222 – photo: religion grade of last report card 67
cer2223 – photo: ethics grade of last report card 67
cer2224 – photo: philosophy grade of last report card 67
cer2225 – photo: art grade of last report card 68
cer2226 – photo: music grade of last report card 68
cer2227 – photo: textile design grade of last report card 69
cer2228 – photo: business and employment studies grade of last report card . . . 69
cer2229 – photo: technics grade of last report card 70
cer2230 – photo: carpentry and handicrafts grade of last report card 70
cer2231 – photo: home economics grade of last report card 71
cer2232 – photo: economics grade of last report card 71
cer2233 – photo: sports grade of last report card 71
cer2235 – photo: further subject 1 grade in last report card 72
cer2237 – photo: further subject 2 grade in last report card 72
cer2239 – photo: further subject 3 grade in last report card 73
cer2241 – photo: further subject 4 grade in last report card 73
cer2300 – photo: behavioral grade (participation) in last report card (gen) 74
cer2301 – photo: behav. grade (participation) written assess. in last report card (gen) 74
cer2302 – photo: behavioral grade (social behavior) in last report card (gen) 75
cer2303 – photo: behav. grade (social behavior) written assess. in last report card (gen) 75
cer3000 – photo: number of additional subjects - uncoded 76
cer3002 – photo: type of assessment of last report card 76

cer4001 – last report card: report card at hand - CAPIbyPhone 77
cer4002t – consent report card photography twin 1 - capibyphone (m/f/n/g) 77
cer4002u – consent report card photography twin 2 - capibyphone (m/f/n/g) . . . 78
cer4002s – consent report card photography sibling - capibyphone (m/f/n/g) . . . 78
cer4004t – last report card: maths grade - CAPIbyPhone (m/f/n/g) 79
cer4004u – last report card: maths grade - CAPIbyPhone (m/f/n/g) 79
cer4004s – last report card: maths grade - CAPIbyPhone (m/f/n/g) 80
cer4005t – last report card: german grade - CAPIbyPhone (m/f/n/g) 80
cer4005u – last report card: german grade - CAPIbyPhone (m/f/n/g) 80
cer4005s – last report card: german grade - CAPIbyPhone (m/f/n/g) 81
cer4006t – last report card: class - CAPIbyPhone (m/f/n/g) 81
cer4006u – last report card: class - CAPIbyPhone (m/f/n/g) 82
cer4006s – last report card: grade - CAPIbyPhone (m/f/n/g) 82
cer4007t – last report card: type of school - CAPIbyPhone (m/f/n/g) 82
cer4007u – last report card: type of school - CAPIbyPhone (m/f/n/g) 83
cer4007s – last report card: type of school - CAPIbyPhone (m/f/n/g) 84
cer4010t – last report card: type of report card - CAPIbyPhone (m/f/n/g) 84
cer4010u – last report card: type of report card - CAPIbyPhone (m/f/n/g) 85
cer4010s – last report card: type of report card - CAPIbyPhone (m/f/n/g) 85
cer4013 – last report card: type of report card CAPIbyPhone (m/f/n/g) 85
cer4400 – last report card: maths grade - CAPIbyPhone 86
cer4500 – last report card: german grade - CAPIbyPhone 86
cer4600 – last report card: grade - CAPIbyPhone 87
cer4700 – last report card: type of school - CAPIbyPhone 87
eca0100 – highest degree of school: type (>= 15 yr) 88
eca0102 – no school degree: type of last school (>= 15 yr) 88
eca0104 – school of general education: year of graduation (>= 15 yr) 89
eca0105 – highest educational degree: final grade (>= 15 yr) 89
eca0108 – ISCED 1997 (International Standard Classification of Education) (gen) . 90
eca0109 – CASMIN educational classification (gen) 91
eca0130 – highest degree of school (gen) 92
eca0200 – type of vocational training or university degree/diploma/qualification(>= 15 yr) 93
eca0201 – year of vocational training or university degree/diploma/qualification(>= 15 yr) 94
eca0205 – ISCO-08 2-digit based on eca0202 - occupational qualification (gen) . . 94
eca0207 – ISEI based on eca0205 (International Socio Economic Index) (gen) . . . 95
eca0208 – SIOPS based on eca0205 (Standard Int. Occupational Prestige Scale) (gen) 96
eca0220 – further vocational or university degree y/n (> = 15 y.) 97
eca0221 – further vocational or university degree 97
eca0230 – highest vocational or university degree (gen) 98
eca0600t – recommendation for secondary school twin 1 (m/f/n/g) 99
eca0600u – recommendation for secondary school twin 2 (m/f/n/g) 99
eca0600s – recommendation for secondary school sibling (m/f/n/g) 100
eca0601t – transition decision twin 1 (m/f/n/g) 100
eca0601u – transition decision twin 2 (m/f/n/g) 101
eca0601s – educational decision siblings (m/f/n/g) 101
eca0700 – desired school-leaving qualification (t,u,s,p,q, >= 10 yr) 102
eca0700t – desired school-leaving qualification twin 1 ((m,f,n,g), twin<=15 yr) . . . 102
eca0700u – desired school-leaving qualification twin 2 ((m,f,n,g), twin<=15 yr) . . 103

eca0700s – desired school-leaving qualification sibling ((m,f,n,g), sib<=15 yr) . . . 103
eca0701 – probability of attaining desired school-leaving qualification (t,u,s,p,q,>=10yr) 104
eca0701t – probability of twin 1 attaining desired school-leaving qualification (m/f/n/g) 104
eca0701u – probability of twin 2 attaining desired school-leaving qualification (m/f/n/g) 105
eca0701s – probability of sibling attaining desired school-leaving qualification (m/f/n/g) 106
eca0900 – new school graduation since last interview (>= 15 yr) 106
eca0901 – new school graduation: type (>= 15 yr) 107
eca0903 – new school graduation: month (>= 15 yr) 108
eca0904 – new school graduation: year (>= 15 yr) 108
eca0906 – new school graduation: average grade (>= 15 yr) 108
eca1000 – new vocational qualification or academic degree since last interview (>= 15 yr) 109
eca1001 – new vocational qualification: vocational training (>= 15 yr) 109
eca1002 – new vocational qualification: vocational school, business school (>= 15 yr) 110
eca1003 – new vocational qualification: schools for healthcare (>= 15 yr) 110
eca1004 – new vocational qualification: professional school, technical college (>= 15 yr) 111
eca1005 – new vocational qualification: training for civil servants (>= 15 yr) 111
eca1006 – new vocational qualification: occupational retraining (>= 15 yr) 112
eca1007 – new academic degree: university of applied sciences (>= 15 yr) 112
eca1008 – new academic degree: university, technical or other universities (>= 15 yr) 113
eca1009 – new academic degree: doctoral degree/habilitation (>= 15 yr) 113
eca1019 – new other qualification (>= 15 yr) 114
eca1098 – new qualification: do not know (>= 15 yr) 114
eca1099 – new qualification: not specified (>= 15 yr) 115
eca1205 – ISCO-08 2-digit based on eca1202 - training occupation since last int. (gen) 115
eca1207 – ISEI based on eca1205 - training occupation since last int. (gen) 117
eca1208 – SIOPS based on eca1205 - training occupation since last int. (gen) . . . 117
eca1215 – ISCO-08 2-digit based on eca1203 - follow-up training occupation from F2F3 (gen) 118
eca1217 – ISEI based on eca1215 - follow-up training occupation from F2F3 (gen) . 120
eca1218 – SIOPS based on eca1215 - follow-up training occupation from F2F3 (gen) 120
eca1225 – ISCO-08 2-digit based on eca1204 - follow-up training occupation from F2F4 (gen) 121
eca1227 – ISEI based on eca1225 - follow-up training occupation from F2F4 (gen) 123
eca1228 – SIOPS based on eca1225 - follow-up training occupation from F2F4 (gen) 123
edu0100 – school attendance (t,u,s,p,q, <22 yr) 124
edu0100t – school attendance twin 1 (m/f/n/g) 125
edu0100u – school attendance twin 2 (m/f/n/g) 125
edu0100s – school attendance sibling (m/f/n/g) 125
edu0300 – In training (>= 15 yr) 126
edu0301 – type of training (>= 15 yr) 126
edu0303 – type of higher education (>= 15 yr) 127
edu0305 – education: further education (>= 15 yr) 127
edu0307 – type of vocational education (>= 15 yr) 128
edu0310 – twins same vocational education (t,u, >= 14 yr) 129
edu0311 – twins in the same university (t,u, >= 14 yr) 129
edu0312 – twins study of same subject (t,u, >= 14 yr) 129
edu0400 – type of school (> 10 yr) 130
edu0400t – type of school twin 1 (m/f/n/g) 131

edu0400u – type of school twin 2 (m/f/n/g) . . . 131
edu0400s – type of school sibling (m/f/n/g) . . . 132
edu0402 – school class (> 10 yr) . . . 133
edu0511 – twins in the same school - self-report (t,u, > 13 yr) . . . 133
edu0512 – twins in the same class - self-report (t,u, > 13 yr) . . . 134
edu0521 – twins in same school since school class (t,u, >= 13 yr) . . . 134
edu0523 – twins not in the same school since school class (t,u, >= 13 yr) . . . 135
edu0531 – twins in the same class since school class (t,u, >= 13 yr) . . . 135
edu0533 – twins not in the same class since school class (t,u, >= 13 yr) . . . 136
edu0700 – school climate: good student-teacher relation (t,u,s, >= 13 yr) . . . 137
edu0701 – school climate: students' well-being is important (t,u,s, >= 13 yr) . . . 137
edu0800 – student-teacher interaction: fair treatment (t,u,s, >= 13 yr) . . . 138
edu0801 – student-teacher interaction: extra help (t,u,s, >= 13 yr) . . . 138
edu0802 – student-teacher interaction: teachers listening students (t,u,s, >= 13 yr) 139
edu0901 – school pressure/stress: tension (t,u,s, >= 13 yr) . . . 139
edu0902 – school pressure/stress: difficulties falling asleep (t,u,s, >= 13 yr) . . . 140
edu0903 – school pressure/stress: I react very irritably (t,u,s, >= 13 yr) . . . 140
edu0904 – school pressure/stress:think about school problems in my free time(t,u,s,>=13yr) 141
edu0905 – school pressure/stress: I'm exhausted (t,u,s, >= 13 yr) . . . 141
edu0906 – school pressure/stress: the pressure at school is too high (t,u,s, >= 13 yr) 142
edu0907 – school pressure/stress: no time for other things (t,u,s, >= 13 yr) . . . 142
edu1000t – extent of school support (t, >=5 yr) . . . 143
edu1000u – extent of school support (u, >=5 yr) . . . 143
edu1000s – extent of school support (s, >=5 yr) . . . 144
edu1001t – extracurricular activities: homework help (t, >=5 yr) . . . 144
edu1001u – extracurricular activities: homework help (u, >=5 yr) . . . 145
edu1001s – extracurricular activities: homework help (s, >=5 yr) . . . 145
edu1002t – extracurricular activities: support groups (t, >=5 yr) . . . 146
edu1002u – extracurricular activities: support groups (u,>=5 yr) . . . 147
edu1002s – extracurricular activities: support groups (s, >=5 yr) . . . 147
edu1003t – extracurricular activities: learning opportunities (t, >=5 yr) . . . 148
edu1003u – extracurricular activities: learning opportunities (u, >=5 yr) . . . 148
edu1003s – extracurricular activities: learning opportunities (s, >=5 yr) . . . 149
edu1004t – extracurricular activities: projects (t, >=5 yr) . . . 149
edu1004u – extracurricular activities: projects (u, >=5 yr) . . . 150
edu1004s – extracurricular activities: projects (s, >=5 yr) . . . 151
edu1005t – extracurricular activities: leisure activities (t,>=5 yr) . . . 151
edu1005u – extracurricular activities: leisure activities (u, >=5 yr) . . . 152
edu1005s – extracurricular activities: leisure activities (s, >=5 yr) . . . 152
edu1006t – extracurricular activities: hot lunches (t, >=5 yr) . . . 153
edu1006u – extracurricular activities: hot lunches (u, >=5 yr) . . . 153
edu1006s – extracurricular activities: hot lunches (s, >=5 yr) . . . 154

12 Acadamic self-concept 155
spa0300 – academic self-concept: talent for mathematics . . . 155
spa0301 – academic self-concept: ability in mathematics . . . 155
spa0302 – academic self-concept: problem-solving in mathematics . . . 156
spa0400 – academic self-concept: talent for subject German . . . 156
spa0401 – academic self-concept: ability in subject German . . . 157
spa0402 – academic self-concept: problem-solving in German . . . 157
spa0500 – academic self-concept: to be good at my job . . . 158

spa0501 – academic self-concept: to be good at my job compared to co-workers . . 159
spa0502 – academic self-concept: high job skills after training period 159
spa0503 – academic self-concept: to be satisfied with my job performance 160
spa0504 – academic self-concept: to have high skills at work 161

13 Motivation **161**
imo0103 – intrinsic motivation: looking f. to learning interesting things (t,u,s <=10 yr) 161
imo0104 – intrinsic motivation: looking f. to understanding diff. things (t,u,s <=10 yr) 162
imo0105 – intrinsic motivation: looking f. to learning as much as possible (t,u,s <=10 yr) 162
imo0300 – intrinsic motivation: I like doing math 163
imo0301 – intrinsic motivation: Math is fun 164
imo0302 – intrinsic motivation: Math is interesting 165
imo0400 – intrinsic motivation: I like learning German 165
imo0401 – intrinsic motivation: German is fun 166
imo0402 – intrinsic motivation: German is interesting 167
imo0500 – learning motivation: to learn interesting things (>= 10 yr) 168
imo0501 – learning motivation: understanding difficult things (>= 10 yr) 168
imo0502 – learning motivation: learning as much as possible. (>= 10 yr) 169
imo0550 – learning motivation: to learn interesting things (< 10 yr) 170
imo0551 – learning motivation: understanding difficult things (< 10 yr) 170
imo0552 – learning motivation: learning as much as possible. (< 10 yr) 171
imo0600 – performance motivation job: learning interesting things (>= 16 yr) . . 172
imo0601 – performance motivation job: getting food for thought (>= 16 yr) 172
imo0602 – performance motivation job: gaining a deeper understanding (>= 16 yr) 173
imo0700 – performance motivation: good performance is important (>= 16 yr) . . 174
imo0701 – performance motivation: good grades are important (>= 7 & <= 15 yr) . 174
imo0702 – performance motivation: readiness to make a major effort (>= 16 yr) . 175

14 Employment status of household members **176**
hpr0101 – employment status - kindergarten/child care institution 176
hpr0102 – employment status - in school - first education path 176
hpr0103 – employment status - training/uni./further education/other edu. 177
hpr0104 – employment status - employed full-time 177
hpr0105 – employment status - employed part-time - also in more than one job . . 177
hpr0106 – employment status - vocational training/apprenticeship/retraining . . 178
hpr0107 – employment status - marginally employed/mini-job/1-euro-job 178
hpr0109 – employment status - voluntary military service 179
hpr0110 – employment status - voluntary social/ecological year 179
hpr0111 – employment status - unemployed/seeking employment 180
hpr0112 – employment status - maternity/parental leave/special leave 180
hpr0113 – employment status - housewife/househusband 181
hpr0114 – employment status - in (early) retirement/occupational disability 181
hpr0115 – employment status - partial retirement with zero working hours 181
hpr0116 – employment status - not employed 182
hpr0117 – employment status - in private care 182
hpr0120 – employment status - other 183
hpr0198 – employment status - don't know 183
hpr0199 – employment status - not specified - refused to answer 183

15 Employment status, current position and job-related burden 184
emp0200 – maternity/parental leave (>= 15 yr) . . . 184
emp0300 – registered as unemployed (>= 15 yr) . . . 185
emp0400 – employment (>= 16 yr) . . . 185
emp0503 – ISCO-08 of occ. activity, 2 digits based on emp0500 (gen) . . . 186
emp0505 – ISEI based on ISCO-08 (International Socio Economic Index) (gen) . 188
emp0506 – SIOPS based on ISCO-08 (Standard Int. Occupational Prestige Scale) (gen) . . . 189
emp0508 – EGP based on ISCO-08 (Erikson-Goldthorpe-Portocarero-class scheme) (gen) . . . 189
emp0515 – ESeC based on ISCO-08 (European Socio-economic Classification) (gen) 191
emp0600 – occupational status (>= 16 yr) . . . 192
emp0601 – occupational status as blue-collar laborer (>= 16 yr) . . . 192
emp0602 – occupational status as self-employed (>= 16 yr) . . . 193
emp0603 – number of employees . . . 193
emp0604 – occupational status as trainee / intern (>= 16 yr) . . . 194
emp0605 – occupational status as white-collar employee (>= 16 yr) . . . 194
emp0606 – type of managerial position (>= 16 yr) . . . 195
emp0607 – occupational status as civil servant (>= 16 yr) . . . 195
emp0700 – working for current employer since - month (>= 16 yr) . . . 196
emp0701 – working for current employer since - year (>= 16 yr) . . . 196
emp0702 – public service (>= 16 yr) . . . 197
emp0703 – temporary employment (>= 16 yr) . . . 197
emp0704 – type of employment contract (>= 16 yr) . . . 198
emp0705 – agreed working time per week in hours (>= 16 yr) . . . 198
emp0706 – actual number of weekly working hours (>= 16 yr) . . . 199
emp0708 – mini- or midi-job (>= 16 yr) . . . 199
emp0709 – WZ 2008, 2 digits based on emp0707 (German class. of economic sectors) 200
emp0720 – proportion of home office with professional activity . . . 201
emp2400 – impact of corona short-time work . . . 201

16 Wages, income, welfare dependency 202
ass0100 – assets . . . 202
inc0103 – monthly personal gross income in categories . . . 202
inc0110 – monthly personal gross income (>= 15 yr) (inc0100 manip.) (gen) . . . 203
inc0120 – flag: yearly income integrated in inc0110 (gen) . . . 204
inc0200 – perceived income justice (>= 16 yr) . . . 204
inc0300 – public services in hh: child benefit (HH) . . . 205
inc0301 – public services in hh: children's allowance (HH) . . . 205
inc0302 – public services in hh: parental benefit (HH) . . . 206
inc0303 – public services in hh: continued payment of wages during maternity leave (HH) . . . 206
inc0304 – public services in hh: short-time working allowance (HH) . . . 207
inc0305 – public services in hh: unemployment benefit type I (HH) . . . 207
inc0306 – public services in hh: unemployment benefit type II (HH) . . . 208
inc0307 – public services in hh: subsistence allowance (HH) . . . 208
inc0308 – publ.serv. in hh:subsist. inc. for elderly or people w. reduced earning cap.(HH) . . . 208
inc0309 – public services in hh: housing allowance apart from unempl. benefit type II(HH) . . . 209
inc0310 – public services in hh: other social allowances (HH) . . . 209

inc0311 – public services in hh: nursing care insurance services (HH) 210
inc0312 – public services in hh: child care subsidy (HH) 210
inc0313 – public services in hh: alimony payment for children (HH) 211
inc0314 – publ. serv. in hh: alimony payment by former partner - not for children (HH) 211
inc0315 – public services in hh: retirement pension (HH) 212
inc0316 – public services in hh: sick pay (HH) 212
inc0317 – public services in hh: alimony advance (HH) 213
inc0318 – public services in hh: other benefits/allowances (HH) 213
inc0397 – public services in hh: none (HH) 214
inc0398 – public services in hh: don't know (HH) 214
inc0399 – public services in hh: not specified - refused to answer (HH) 214
inc0401 – monthly household net income of all hh members (inc0400 inc0404 manip.) (gen) 215
inc0411 – net equivalent hh-income (modif.OECD scheme) using inc0401 inc0403 age0200 (gen) 216
inc0420 – flag: yearly income integrated in inc0401 (gen) 217
inc0422 – flag: multiple of child allowance specified in inc0401 (gen) 217
inc0423 – flag: categorical income integrated in inc0401 (gen) 218

17 Job autonomy **218**
aut0101 – job autonomy: autonomous time management 218
aut0102 – job autonomy: autonomous work planning 219
aut0103 – job autonomy: mainly routine activities 220

18 Political orientation and participation **220**
pop0100 – interest in politics (>= 10 yr) 220
pop0200 – political activity: attending political meetings/discussions/protest (>= 10 yr) 221
pop0201 – political activity: participating in (online) petitions (>= 10 yr) 221
pop0202 – political activity: boycott of companies/products (>= 10 yr) 222
pop0300 – participation in last parliamentary election (>= 18 yr) 222
pop0301 – hypothetical participation in election (>= 10 yr) 223
pop0302 – political leanings: party (>= 10 yr) 224
pop0310 – political leanings: party (gen) 224

19 Social networks **225**
net0100 – trust: overall (>= 13 yr) 225
net0101 – trust: you can't trust anybody nowadays (>= 13 yr) 226
net0102 – trust: be careful about trusting strangers (>= 13 yr) 227
net0203 – number of close friends (>= 8 yr) 228
net0209 – number of close friends in the household (>= 8 yr) 228
net0600 – loneliness (>= 10 yr) 228

20 Trust in public institutions **229**
tru0100 – trust in the police 229
tru0101 – trust in the judiciary and courts 230
tru0102 – trust in the federal government 230
tru0103 – trust in public media 231
tru0104 – trust in non-profit organizations and initiatives 231
tru0105 – trust in religious institutions 232

tru0110 – change in trust in the police . . . 232
tru0111 – change in trust in the judiciary and courts . . . 233
tru0112 – change in trust in the federal government . . . 233
tru0113 – change in trust in public media . . . 234
tru0114 – changing trust in non-profit organizations and initiatives . . . 234
tru0115 – change in trust in religious institutions . . . 235

21 Global life satisfaction 235
gls0100 – satisfaction: life almost ideal (>=16 yr) . . . 236
gls0200 – satisfaction: excellent life conditions (>=16 yr) . . . 236
gls0300 – satisfaction: satisfied with life (>=16 yr) . . . 237
gls0400 – satisfaction: most important wishes in life fulfilled (>=16 yr) . . . 237
gls0500 – satisfaction: would change almost nothing in new life (>=16 yr) . . . 238
gls0600 – satisfaction: life as favored (t,u,s, <= 15 yr) . . . 239
gls0700 – satisfaction: excellent things in life (t,u,s, <= 15 yr) . . . 239
gls0800 – satisfaction: happy with life (t,u,s, <= 15 yr) . . . 240
gls0900 – satisfaction: most important wishes in life fulfilled (t,u,s, <= 15 yr) . . . 241
gls1000 – satisfaction: same life in new life (t,u,s, <= 15 yr) . . . 241

22 Domains of life satisfaction 242
sat0100 – satisfaction: health (>= 10 yr) . . . 242
sat0101 – satisfaction: job (>= 10 yr) . . . 243
sat0102 – satisfaction: school, if attending (>= 10 yr) . . . 244
sat0103 – satisfaction: personal income (>= 10 yr) . . . 244
sat0104 – satisfaction: leisure time (>= 10 yr) . . . 245
sat0105 – satisfaction: family life (>= 10 yr) . . . 246
sat0106 – satisfaction: partnership (>= 10 yr) . . . 247
sat0107 – satisfaction: friends (>= 10 yr) . . . 247

23 Burden and stress 248
bus0100 – quarrels: frequency of quarrels with partner . . . 248
bus0101 – quarrels: burden of quarrels with the partner . . . 249
bus0200t – quarrels: twin 1's burden of quarrel with the partner (m,f,n,g) . . . 249
bus0200u – quarrels: twin 2's burden of quarrel with the partner (m,f,n,g) . . . 250
bus0200s – quarrels: stress to sibling caused by quarrels with partner (m,f,n,g) . . . 251
bus0300 – quarrels: frequency of quarrels between parents currently (t,u,s) . . . 251
bus0311 – quarrels: burden of quarrels between parents (t,u,s, >=10 yr) . . . 252
bus0330 – quarrels: frequency of quarrels between parents in the past (t,u,s) . . . 253
bus0331 – quarrels: burden of quarrels between parents in the past (t,u,s) . . . 253
bus0400 – quarrels: frequency: quarrel between parent and step parent (t,u,s) . . . 254
bus0420 – quarrels: stress caused by quarrels between parent and stepparent (t,u,s) 255
ebi0100 – parental stress: personally restricted (>= 16 yr) . . . 255
ebi0101 – parental stress: relationship problems (>= 16 yr) . . . 256
ebi0102 – parental stress: problems understanding (children) (>= 16 yr) . . . 256
ebi0103 – parental stress: irritability (>= 16 yr) . . . 257
ebi0104 – parental stress: parenting skills (>= 16 yr) . . . 258
ebi0105 – parental stress: social isolation (>= 16 yr) . . . 258
sts0100 – Overall stress . . . 259

24 Subjective perceptions of inequality 259
ugs0100 – injustice sensitivity: victim sensitivity - undeservedly better (> = 13yr) . . . 259

ugs0101 – injustice sensitivity: victim sensitivity - fall into their lap (> = 13yr) . . . 260
ugs0200 – injustice sensitivity: social structure (> = 14 yr) . . . 260

25 Subjective social status 261
sss0100 – subjective social status, ladder 10 rungs (>=16 yr) . . . 261

26 Perception of threats from crises 262
cri0100 – threat from war in ukraine (>= 10 yr) . . . 262
cri0101 – threat from energy crisis and/or supply shortages (>= 10 yr) . . . 262
cri0102 – threat from climate crisis (>= 10 yr) . . . 263
cri0103 – threat from inflation (>= 10 yr) . . . 264

27 Subjective physical health 264
she0200 – last 24 months: state of health (>= 10 yr) . . . 264
she0200t – last 24 months: state of health twin 1 (m/f/n/g) . . . 265
she0200u – last 24 months: state of health twin 2 (m/f/n/g) . . . 265
she0200s – last 24 months: state of health sibling (m/f/n/g) . . . 266

28 Objective physical health / Diagnoses 266
bdy0100 – height in cm (>= 10 yr) . . . 266
bdy0100t – height in cm twin 1 (m/f/n/g) . . . 267
bdy0100u – height in cm twin 2 (m/f/n/g) . . . 267
bdy0100s – height in cm sibling (m/f/n/g) . . . 268
bdy0100_dht – difference between several height values (gen) . . . 268
bdy0100_hgt – height in cm: corrected (gen) . . . 268
bdy0100_nht – number of height values given (gen) . . . 269
bdy0200 – weight in kg (>= 10 yr) . . . 269
bdy0200t – weight in kg twin 1 (m/f/n/g) . . . 270
bdy0200u – weight in kg twin 2 (m/f/n/g) . . . 270
bdy0200s – weight in kg sibling (m/f/n/g) . . . 270
bdy0200_dwt – difference between several weight values (gen) . . . 271
bdy0200_nwt – number of weight values given (gen) . . . 271
bdy0200_wgt – weight in kg: corrected (gen) . . . 272
bdy0300 – BMI: corrected (gen) . . . 272
bdy1001 – flag: peculiarities height (gen) . . . 273
bdy1002 – flag: peculiarities weight (gen) . . . 273
bdy1003 – flag: peculiarities BMI (gen) . . . 274
dia3110 – diagnosis last 24 months: sleeping disorder (>= 14 y.) . . . 274
dia3210 – diagnosis last 24 months: diabetes (>= 14 y.) . . . 274
dia3310 – diagnosis last 24 months: respiratory illness (>= 14 y.) . . . 275
dia3410 – diagnosis last 24 months: heart disease (>= 14 y.) . . . 275
dia3510 – diagnosis last 24 months: cancer (>= 14 y.) . . . 276
dia3610 – diagnosis last 24 months: stroke (>= 14 y.) . . . 276
dia3710 – diagnosis last 24 months: migraine (>= 14 y.) . . . 277
dia3810 – diagnosis last 24 months: hypertension (>= 14 y.) . . . 277
dia3910 – diagnosis last 24 months: anxiety disorder (>= 14 y.) . . . 278
dia4010 – diagnosis last 24 months: alcohol alcohol addiction (>= 14 y.) . . . 278
dia4097 – diagnosis last 24 months: no disease detected (>= 14 y.) . . . 279
dia4098 – diagnosis last 24 months: don't know (>= 14 y.) . . . 279
dia4099 – diagnosis last 24 months: no information (>= 14 y.) . . . 280
dia4110 – diagnosis last 24 months: depressive disorder (>= 14 y.) . . . 280

dia4210 – diagnosis last 24 months: joint disease (>= 14 y.) 281
dia4310 – diagnosis last 24 months: chronic back problems (>= 14 y.) 281
dia4410 – diagnosis last 24 months: physical disability (>= 14 y.) 281
dia4510 – diagnosis last 24 months: other physical or mental illness (>= 14 y.) . . . 282
dia4710 – diagnosis last 24 months: ADHD/ADD (>= 14 yr) 282
dia5210 – diagnosis last 24 months: allergies (>= 14 y.) 283
dia5310 – diagnosis last 24 months: skin diseases (>= 14 y.) 283
dia5510 – diagnosis last 24 months: cholesterol (>= 14 y.) 284
dia5610 – diagnosis last 24 months: defective vision (>= 14 y.) 284
dia5710 – diagnosis last 24 months: reading/spelling disorder (>= 14 y.) 285
dia5810 – diagnosis last 24 months: dyscalculia (>= 14 y.) 285
dia5910 – diagnosis last 24 months: thyroid disease (>= 14 y.) 286
dia7010t – diagnosis last 24 months: respiratory illness (twin 1) (m,f,g,n) 286
dia7010u – diagnosis last 24 months: respiratory illness (twin 2) (m,f,g,n) 287
dia7010s – diagnosis last 24 months: respiratory illness (sibling) (m,f,g,n) 287
dia7110t – diagnosis last 24 months: allergies (twin 1) (m,f,g,n) 288
dia7110u – diagnosis last 24 months: allergies (twin 2) (m,f,g,n) 288
dia7110s – diagnosis last 24 months: allergies (sibling) (m,f,g,n) 289
dia7210t – diagnosis last 24 months: neurodermatitis (twin 1) (m,f,g,n) 289
dia7210u – diagnosis last 24 months: neurodermatitis (twin 2) (m,f,g,n) 290
dia7210s – diagnosis last 24 months: neurodermatitis (sibling) (m,f,g,n) 290
dia7310t – diagnosis last 24 months: defective vision (twin 1) (m,f,g,n) 291
dia7310u – diagnosis last 24 months: defective vision (twin 2) (m,f,g,n) 291
dia7310s – diagnosis last 24 months: defective vision (sibling) (m,f,g,n) 292
dia7410t – diagnosis last 24 months: eating disorder (twin 1) (m,f,g,n) 292
dia7410u – diagnosis last 24 months: eating disorder (twin 2) (m,f,g,n) 292
dia7410s – diagnosis last 24 months: eating disorder (sibling) (m,f,g,n) 293
dia7510t – diagnosis last 24 months: motor dysfunction (twin 1) (m,f,g,n) 293
dia7510u – diagnosis last 24 months: motor dysfunction (twin 2) (m,f,g,n) 294
dia7510s – diagnosis last 24 months: motor dysfunction (sibling) (m,f,g,n) 294
dia7610t – diagnosis last 24 months: mental disability (twin 1) (m,f,g,n) 295
dia7610u – diagnosis last 24 months: mental disability (twin 2) (m,f,g,n) 295
dia7610s – diagnosis last 24 months: mental disability (sibling) (m,f,g,n) 296
dia7710t – diagnosis last 24 months: physical disability (twin 1) (m,f,g,n) 296
dia7710u – diagnosis last 24 months: physical disability (twin 2) (m,f,g,n) 297
dia7710s – diagnosis last 24 months: physical disability (sibling) (m,f,g,n) 297
dia7810t – diagnosis last 24 months: anxiety disorder (twin 1) (m,f,g,n) 298
dia7810u – diagnosis last 24 months: anxiety disorder (twin 2) (m,f,g,n) 298
dia7810s – diagnosis last 24 months: anxiety disorder (sibling) (m,f,g,n) 299
dia7910t – diagnosis last 24 months: social behavior disorder (twin 1) (m,f,g,n) . . 299
dia7910u – diagnosis last 24 months: social behavior disorder (twin 2) (m,f,g,n) . 300
dia7910s – diagnosis last 24 months: social behavior disorder (sibling) (m,f,g,n) . 300
dia8010t – diagnosis last 24 months: ADHD/ADD (twin 1) (m,f,g,n) 301
dia8010u – diagnosis last 24 months: ADHD/ADD (twin 2) (m,f,g,n) 301
dia8010s – diagnosis last 24 months: ADHD/ADD (sibling) (m,f,g,n) 302
dia8097t – diagnosis last 24 months: no disease detected (twin 1) (m,f,g,n) 302
dia8097u – diagnosis last 24 months: no disease detected (twin 2) (m,f,g,n) 303
dia8097s – diagnosis last 24 months: no disease detected (sibling) (m,f,g,n) 303
dia8098t – diagnosis last 24 months: don't know (twin 1) (m,f,g,n) 304
dia8098u – diagnosis last 24 months: don't know (twin 2) (m,f,g,n) 304

dia8098s – diagnosis last 24 months: don't know (sibling) (m,f,g,n) 304
dia8099t – diagnosis last 24 months: no information (twin 1) (m,f,g,n) 305
dia8099u – diagnosis last 24 months: not specified (twin 2) (m,f,g,n) 305
dia8099s – diagnosis last 24 months: no information (sibling) (m,f,g,n) 306
dia8110t – diagnosis last 24 months: reading/spelling disorder (twin 1) (m,f,g,n) . 306
dia8110u – diagnosis last 24 months: reading/spelling disorder (twin 2) (m,f,g,n) . 307
dia8110s – diagnosis last 24 months: reading/spelling disorder (sibling) (m,f,g,n) 307
dia8210t – diagnosis last 24 months: dyscalculia (twin 1) (m,f,g,n) 308
dia8210u – diagnosis last 24 months: dyscalculia (twin 2) (m,f,g,n) 308
dia8210s – diagnosis last 24 months: dyscalculia (sibling) (m,f,g,n) 309
dia8310t – diagnosis last 24 months: stuttering (twin 1) (m,f,g,n) 309
dia8310u – diagnosis last 24 months: stuttering (twin 2) (m,f,g,n) 310
dia8310s – diagnosis last 24 months: stuttering (sibling) (m,f,g,n) 310
dia9010t – diagnosis last 24 months: chronic diseases (twin 1) (m,f,g,n) 311
dia9010u – diagnosis last 24 months: chronic diseases (twin 2) (m,f,g,n) 311
dia9010s – diagnosis last 24 months: chronic diseases (sibling) (m,f,g,n) 312
dia9110t – diagnosis last 24 months: chronic disease - diabetes (twin 1) (m,f,g,n) . 312
dia9110u – diagnosis last 24 months: chronic disease - diabetes (twin 2) (m,f,g,n) . 313
dia9110s – diagnosis last 24 months: chronic disease - diabetes (sibling) (m,f,g,n) 313
dia9210t – diagnosis last 24 months: chronic disease - heart disease (twin 1) (m,f,g,n) 313
dia9210u – diagnosis last 24 months: chronic disease - heart disease (twin 2) (m,f,g,n) 314
dia9210s – diagnosis last 24 months: chronic disease - heart disease (sibling) (m,f,g,n) 314
dia9310t – diagnosis last 24 months: chronic disease - migraine (twin 1) (m,f,g,n) 315
dia9310u – diagnosis last 24 months: chronic disease - migraine (twin 2) (m,f,g,n) 315
dia9310s – diagnosis last 24 months: chronic disease - migraine (sibling) (m,f,g,n) 316
dia9410t – diagnosis last 24 months: chronic disease - epilepsy (twin 1) (m,f,g,n) . 316
dia9410u – diagnosis last 24 months: chronic disease - epilepsy (twin 2) (m,f,g,n) . 317
dia9410s – diagnosis last 24 months: chronic disease - epilepsy (sibling) (m,f,g,n) 317
dia9510t – diagnosis last 24 months: other chronic disease (twin 1) (m,f,g,n) . . . 317
dia9510u – diagnosis last 24 months: other chronic disease (twin 2) (m,f,g,n) . . . 318
dia9510s – diagnosis last 24 months: other chronic disease (sibling) (m,f,g,n) . . . 318
dia9910t – diagnosis last 24 months: chronic disease - none of the above (twin 1) (m,f,g,n) 319
dia9910u – diagnosis last 24 months: chronic disease - none of the above (twin 2) (m,f,g,n) 319
dia9910s – diagnosis last 24 months: chronic disease - none of the above (sib) (m,f,g,n) 320
imp0100 – limited due to illnesses/diseases 320
imp0100t – twin 1 limited due to illnesses (m/f/n/g) 321
imp0100u – twin 2 limited due to illnesses (m/f/n/g) 321
imp0100s – sibling limited due to illnesses (m/f/n/g) 321

29 Depression **322**
bdi0100 – depression: I'm sad (>= 10 yr) 322
bdi0101 – depression: I am pessimistic about my future (>= 10 yr) 323
bdi0102 – depression: I feel like a failure (>= 10 yr) 323
bdi0103 – depression: difficult to enjoy anything (>= 10 yr) 324
bdi0104 – depression: disappointed in myself (>= 10 yr) 324
bdi0105 – depression: blame myself for mistakes and weaknesses (>= 10 yr) . . . 325
bdi0106 – depression: think about hurting myself (>= 10 yr) 325

30 Health-related behavior **326**
doc0200 – visits to the doctor in the last 24 months 326
doc0200t – twin 1 visit to the doctor in the last 24 months (m/f/n/g) 327
doc0200u – twin 2 visit to the doctor in the last 24 months (m/f/n/g) 327
doc0200s – sibling visit to the doctor in the last 24 months (m/f/n/g) 328
doc0201 – visits to the doctor in the last 24 months: frequency 328
doc0201t – number of visits to the doctor by twin 1 in the last 24 months (m/f/n/g) 329
doc0201u – number of visits to the doctor by twin 2 in the last 24 months (m/f/n/g) 329
doc0201s – number of visits to the doctor by sibling in the last 24 months (m/f/n/g) 330
hbe0100 – smoking behavior (>= 16 yr) 330
hbe0101 – smoking behavior: age at beginning (>= 16 yr) 331
hbe0200 – alcohol consumption: age at beginning (>= 16 yr) 331
hbe0202 – excessive alcohol consumption: frequency (>= 16 yr) 331
hbe0210 – excessive alcohol consumption: beer - number of glasses (>= 16 yr) . . 332
hbe0220 – excessive alcohol consumption: wine - number of glasses (>= 16 yr) . . 332
hbe0230 – excessive alcohol consumption: high-proof alcohol - number of glasses (>= 16 yr) 333
hbe0240 – extent of alcohol consumption: beer (>= 16 yr) 333
hbe0241 – extent of alcohol consumption: wine, sparkling wine (>= 16 yr) 334
hbe0242 – extent of alcohol consumption: high-proof alcohol (>= 16 yr) 335
hbe0250 – alcohol consumption: impairment at work (>= 16 yr) 335
hbe0300 – medication with side-effects (>= 16 yr) 336
hbe0400 – preventive health care (>= 16 yr) 336
pac0100 – physical activity at work - number of days per week 337
pac0101 – physical activity at work - time/working day: hours 337
pac0102 – physical activity at work - time/working day: minutes 338
pac0200 – longer distances on foot or by bike - number of days per week 339
pac0201 – longer distances on foot or by bike - time / day: hours 340
pac0202 – longer distances on foot or by bike - time / day: minutes 340
pac0300 – physical activity in leisure time - number of days per week 341
pac0301 – physical activity in leisure time - time / day: hours 341
pac0302 – physical activity in leisure time - time / day: minutes 342
pac0400 – time spent with physical activities per week in minutes (>= 17 yr) (gen) 342
pac0401 – WHO classification of sufficient physical activity per week (>= 17 yr) (gen) 343
pac0410 – time spent with physical activities per week in minutes (<=16y) (gen) . 343
pac0411 – WHO classification of sufficient physical activity per week (<=16y) (gen) 344

31 Puberty **344**
pub0100 – puberty started: physical change (t,u,s, > 10 & <= 16 yr) 344
pub0200 – physical change - subj. feeling (t,u,s, > 10 & <= 16 yr) 345
pub0300 – puberty started: thoughts and feelings (t,u,s, > 10 & <= 16 yr) 345
pub0301 – thoughts and feelings - subj. feeling (t,u,s, > 10 & <= 16 yr) 346
pub0400 – menstruation - already started (t, u, s, >= 11 & <= 16 yr) 346
pub0401 – menstruation - age (t, u, s, >= 11) 347

32 Emotional impairment **347**
emi0120 – psych. impairment (currently): little interest or pleasure (>=16 yr) . . . 348
emi0121 – psych. impairment (currently): dejection, hopelessness (>=16 yr) . . . 348
emi0122 – psych. impairment (currently): nervousness, anxiety (>=16 yr) 349
emi0123 – psych. impairment (currently): no control over worries (>=16 yr) 349
emi0124 – psych. impairment (currently): difficulty concentrating (>=16 yr) 350

emi0125 – psych. impairment (currently): difficulty focusing on goals (>=16 yr) . 350
emi0220 – psych. impairment (recents days): little interest or pleasure (<=15 yr) . 351
emi0221 – psych. impairment (recents days): dejection, hopelessness (<=15 yr) . . 351
emi0222 – psych. impairment (recents days): nervousness, anxiety (<=15 yr) . . . 351
emi0223 – psych. impairment (recents days): no control over worries (<=15 yr) . . 352
emi0224 – psych. impairment (recents days): difficulty concentrating (<=15 yr) . . 352
emi0225 – psych. impairment (recents days): difficulty focusing on goals (<=15 yr) 353

33 Internalizing problem behavior 353
int0100 – I have frequent headaches/stomach aches (>= 10 yr) 353
int0101 – I'm often worried (>= 10 yr) 354
int0102 – I'm often unhappy or depressed (>= 10 yr) 354
int0103 – I'm nervous in new situations (>= 10 yr) 355
int0104 – I have a lot of fears (>= 10 yr) 355
int0105 – I'm usually on my own (>= 10 yr) 355
int0106 – I have one or more good friends (>= 10 yr) 356
int0107 – Other people my age generally like me (>= 10 yr) 356
int0108 – I get teased or bullied by others (>= 10 & <18 yr) 357
int0109 – I get on better with adults than with people my own age (>= 10 & <18 yr) 357
int0110 – I'm withdrawn (>= 18 yr) 358
int0111 – Other people pick on me or bully me (>= 18 yr) 358

34 Externalizing problem behavior 359
ext0100 – I'm often restless (>= 10 yr) 359
ext0101 – I'm always moving, fidgeting (>= 10 & <18 yr) 359
ext0102 – I'm easily distracted and unfocused (>= 10 yr) 360
ext0103 – I think before acting (>= 10 yr) 360
ext0104 – I finish what I start and am able to concentrate (>= 10 yr) 361
ext0105 – I get mad easily (>= 10 yr) 361
ext0106 – I normally do what people tell me to do (>= 10 yr) 362
ext0107 – I attack others physically (>= 10 yr) 362
ext0108 – People claim that I lie (>= 10 yr) 363
ext0109 – I take things that don't belong to me (>= 10 yr) 363

35 Deviant and delinquent Behavior 364
del0100 – delinquency ever: fare dodging (t,u,s, >= 10 & <= 18 yr) 364
del0104 – delinquency last 24 months: fare dodging (t,u,s, >= 11 & <= 18 yr) 364
del0105 – delinquency last 24 months: fare dodging frequency (t,u,s, >= 11 & <= 18 yr) 365
del0200 – delinquency ever: away over night (t,u,s, >= 10 & <= 18 yr) 366
del0204 – delinquency last 24 months: away over night (t,u,s, >= 11 & <= 18 yr) . . 366
del0205 – delinquency last 24 months: away over night frequency (t,u,s, >= 11 & <= 18 yr) 367
del0300 – delinquency ever: skipping school (t,u,s, >= 10 & <= 18 yr) 368
del0304 – delinquency last 24 months: skipping school (t,u,s, >= 11 & <= 18 yr) . . 368
del0305 – delinquency last 24 months: skipping school frequency (t,u,s, >= 11 & <= 18 yr) 369
del0400 – delinquency ever: shoplifting (>= 10 yr) 369
del0404 – delinquency last 24 months: shoplifting (>= 11 yr) 370
del0405 – delinquency last 24 months: shoplifting frequency (>= 11 yr) 371
del0500 – delinquency ever: stealing from classmates or others (>= 10 yr) 372

del0504 – delinquency last 24 months: stealing from classmates or others (>= 11 yr) 372
del0505 – delinquency last 24 months: stealing from others frequency (>= 11 yr) . 373
del0600 – delinquency ever: graffiti/scratching (>= 10 yr) 374
del0604 – delinquency last 24 months: graffiti/scratching (>= 11 yr) 374
del0605 – delinquency last 24 months: graffiti/scratching frequency (>= 11 yr) . . 375
del0700 – delinquency ever: vandalism (>= 10 yr) 376
del0704 – delinquency last 24 months: vandalism (>= 11 yr) 377
del0705 – delinquency last 24 months: vandalism frequency (>= 11 yr) 377
del0800 – delinquency ever: cyber bullying (>= 10 yr) 378
del0804 – delinquency last 24 months: cyber bullying (>= 11 yr) 379
del0805 – delinquency last 24 months: cyber bullying frequency (>= 11 yr) 379
del0900 – delinquency ever: illegal downloading (>= 10 yr) 380
del0904 – delinquency last 24 months: illegal downloading (>= 11 yr) 381
del0905 – delinquency last 24 months: illegal downloading frequency (>= 11 yr) . 382
del1000 – delinquency ever: bullying classmates (t,u,s,p,q,>=10&<=18 yr) 382
del1004 – delinquency last 24 months: bullying classmates (t,u,s >=11 & <=18 yr) . 383
del1005 – delinquency last 24 months: bullying classmates frequency (t,u,s>=11 & <=18 yr) 383
del1100 – delinquency ever: threatening/robbing (>= 10 yr) 384
del1104 – delinquency last 24 months: threatening/robbing (>= 11 yr) 385
del1105 – delinquency last 24 months: threatening/robbing frequency (>= 11 yr) . 385
del1200 – smoking ever (t,u,s, >= 10 & <= 16 yr) 386
del1201 – age first time smoking (t,u,s, >= 10 & <= 16 yr) 387
del1202 – smoked several times (t,u,s, >= 10 & <= 16 yr) 387
del1203 – smoking frequency (t,u,s, >= 10 & <= 16 yr) 388
del1300 – drinking alcohol ever (t,u,s, >= 10 & <= 15 yr) 388
del1301 – age first time alcohol (t,u,s, >= 10 & <= 15 yr) 389
del1302 – alcohol several times (t,u,s, >= 10 & <= 15 yr) 390
del1304 – ever drunk (t,u,s, >= 10 & <= 15 yr) 390
del1305 – age first time drunk (t,u,s, >= 10 & <= 15 yr) 391
del1309 – being drunk: frequency (t,u,s, >= 10 & <= 15 yr) 391
del1400 – delinquency ever: beating someone up (>= 10 yr) 392
del1404 – delinquency last 24 months: beating someone up (>= 11 yr) 392
del1405 – delinquency last 24 months: beating someone up frequency (>= 11 yr) . 393
del1500 – delinquency ever: consuming drugs (>= 10 yr) 394
del1505 – delinquency last 24 months: consuming drugs frequency (>= 10 yr) . . 394
del1600 – delinquency ever: driving without license (>= 10 yr) 395
del1604 – delinquency last 24 months: driving without license (>= 11 yr) 396
del1605 – delinquency last 24 months: driving without license frequency (>= 11 yr) 396
del1700 – delinquency ever: driving drunk/under drugs (>= 10 yr) 397
del1704 – delinquency last 24 months: driving drunk/under drugs (>= 11 yr) . . . 398
del1705 – delinquency last 24 months: driving drunk/under drugs frequency (>= 11 yr) 398
dev0100 – frequency: getting angry (self-assessment) (t,u,s, <11 yr) 399
dev0101 – frequency: listening to parents (self-assessment) (t,u,s, <11 yr) 400
dev0102 – frequency: arguments with other children (self-assessment) (t,u,s, <11 yr) 400
dev0103 – frequency: cheating / lying (self-assessment) (t,u,s, <11 yr) 401

36 Personality / Temperament **401**
per0100 – personality: thorough (>= 10 yr) 401
per0101 – personality: talkative (>= 10 yr) 402

per0102 – personality: rude (>= 10 yr) . . . 403
per0103 – personality: creative (>= 10 yr) . . . 403
per0104 – personality: anxious (>= 10 yr) . . . 404
per0105 – personality: forgiving nature (>= 10 yr) . . . 405
per0106 – personality: lazy (>= 10 yr) . . . 406
per0107 – personality: sociable (>= 10 yr) . . . 406
per0108 – personality: values artistic experiences (>= 10 yr) . . . 407
per0109 – personality: easily nervous (>= 10 yr) . . . 408
per0110 – personality: efficient (>= 10 yr) . . . 409
per0111 – personality: reserved, quiet (>= 10 yr) . . . 409
per0112 – personality: considerate and kind (>= 10 yr) . . . 410
per0113 – personality: active imagination (>= 10 yr) . . . 411
per0114 – personality: relaxed (>= 10 yr) . . . 411
per0115 – personality: eager for knowledge (>= 10 yr) . . . 412
per0116 – personality: carefree (>= 10 yr) . . . 413
per0200 – willingness to take risks (>= 10 yr) . . . 414
per0300 – patience (>= 10 yr) . . . 414

37 Self-esteem 415
ses0100 – feeling of worthlessness (>= 10 yr) . . . 415
ses0101 – liking oneself the way one is (>= 10 yr) . . . 416
ses0102 – being satisfied with oneself (>= 10 yr) . . . 416

38 Self-regulation 417
srg0100 – self-regulation: new projects distract me from previous ones (t,u,s,p,q,>=10 yr) . . . 417
srg0200 – self-regulation: choose to pursue different goals (t,u,s,p,q, >= 10 yr) . . . 418
srg0300 – self-regulation: constantly interested in new pursuits (t,u,s,p,q, >= 10 yr) 418
srg0400 – self-regulation: doing bad things, if they are fun (t,u,s,p,q, >= 10 yr) . . . 419
srg0500 – self-regulation: pleasure keeps me from getting work done (t,u,s,p,q, >= 10 yr) . . . 420
srg0600 – self-regulation: desire for more self-discipline (t,u,s,p,q, >= 10 yr) . . . 420

39 Optimism 421
lot0100 – optimism: expect the best (>= 10 yr) . . . 421
lot0101 – optimism: I am optimistic about the future (>= 10 yr) . . . 421
lot0102 – optimism: expect more good things than bad things (>= 10 yr) . . . 422

40 Self-efficacy 423
sef0100 – relying on own abilities in difficult situations (>= 10 yr) . . . 423
sef0101 – ability to solve problems (>= 10 yr) . . . 423
sef0102 – ability of solving tasks (>= 10 yr) . . . 424

41 Locus of control and coping 424
cis0100 – coping: task orientation: learn from mistakes (>= 16 yr) . . . 425
cis0101 – coping: emotional: worry about what to do (>= 16 yr) . . . 425
cis0102 – coping: distraction: visit a friend (>= 16 yr) . . . 426
cis0103 – coping: task orientation: take corrective action immediately (>= 16 yr) . . . 426
cis0104 – coping: emotional: blame myself (>= 16 yr) . . . 427
cis0105 – coping: distraction: buy myself something (>= 16 yr) . . . 427
cis0106 – coping: task orientation: control over situation (>= 16 yr) . . . 428

cis0107 – coping: emotional: anxious of not being able to cope (>= 16 yr) 428
cis0108 – coping: distraction: go out for a snack or meal (>= 16 yr) 429
svk0100 – stress control: self control - I make a plan (t,u,s, < 16 yr) 430
svk0101 – stress control: thoughts/resignation - think about the situation (t,u,s,<16 yr) 430
svk0102 – stress control: distraction - read something (t,u,s, < 16 yr) 431
svk0103 – stress control: self-control - find out the problem (t,u,s, < 16 yr) 431
svk0104 – stress control: thoughts/resignation - everything pointless (t,u,s, < 16 yr) 432
svk0105 – stress control: distraction - play something (t,u,s, < 16 yr) 433
svk0106 – stress control: self-control - consider what I can do (t,u,s, < 16 yr) 433
svk0107 – stress control: thoughts/resignation - rather avoid it (t,u,s, < 16 yr) . . . 434
svk0108 – stress control: distraction - get comfy (t,u,s, < 16 yr) 435

42 Quality of home environment 435
hoe0100 – regular bedtime routine (t,u,s, >= 10 & <= 13 yr) 435
hoe0110 – regular bedtime routine (t,u,s, <=9 yr) 436
hoe0200 – cannot think clearly at home (>= 10 yr) 437
hoe0210 – cannot think clearly at home (t,u,s, <=9 yr) 437
hoe0300 – at home everything is chaotic. (>= 10 yr) 438
hoe0310 – at home everything is chaotic. (<= 9 yr) 439
hoe0400 – at home everything is under control. (>= 10 yr) 439
hoe0410 – at home everything is under control. (t,u,s, <=9 yr) 440
hoe0500 – at home TV almost always on. (>= 10 yr) 440
hoe0510 – at home the TV is almost always on. (t,u,s, <=9 yr) 441
hoe0600 – the atmosphere at home is quiet. (>= 10 yr) 442
hoe0610 – the atmosphere at home is calm. (t,u,s, <=9 yr) 442

43 Media use 443
med0100 – computer use: hrs/day during school or work week (>= 10 yr) 443
med0200 – computer use: hrs/day on weekend (>= 10 yr) 444
med0300 – internet usage: hrs/day during school or work week (>= 10 yr) 444
med0400 – internet usage: hrs/day on weekend (>= 10 yr) 445
med0500 – PC games: hrs/day during school or work week (>= 10 yr) 446
med0600 – PC games: hrs/day on weekend (>= 10 yr) 446
med0700 – game console: hrs/day during school or work week (>= 10 yr) 447
med0800 – game console: hrs/day on weekend (>= 10 yr) 447
med0900 – TV/DVD: hrs/day during school or work week (>= 10 yr) 448
med1000 – TV/DVD: hrs/day on weekend (>= 10 yr) 448
med1100 – mobile phone: ownership 449
med1101 – mobile phone: age at the beginning 449
med1200 – mobile phone: concentration 450
med1201 – mobile phone: not miss anything 451
med1202 – mobile phone: longer use than intended 452
med1203 – mobile phone: criticized by parents 452

44 Experiences of discrimination 453
dis0100 – experience with discrimination (>= 13 yr) 453
dis0200 – discrimination on grounds of ethnic or cultural background (>= 13 yr) . 453
dis0201 – burden of discrimination on grounds of ethnic or cultural background (>= 13 yr) 454
dis0300 – discrimination on grounds of sex (>= 13 yr) 454

dis0301 – burden of discrimination on grounds of sex (>= 13 yr) 455
dis0400 – discrimination on grounds of religion (>= 13 yr) 455
dis0401 – burden of discrimination on grounds of religion (>= 13 yr) 456
dis0500 – discrimination on grounds of age (>= 13 yr) 456
dis0501 – burden of discrimination on grounds of age (>= 13 yr) 457
dis0600 – discrimination on grounds of sexual identity (>= 13 yr) 457
dis0601 – burden of discrimination on grounds of sexual identity (>= 13 yr) 458
dis0700 – discrimination on grounds of disability (>= 13 yr) 458
dis0701 – burden of discrimination on grounds of disability (>= 13 yr) 459
dis0799 – discrimination because of: not specified (refused to answer) (>= 13 yr) . 459
dis0800 – discrimination due to: other (>= 13 yr) 460
dis0801 – stress caused by discrimination due to: other (>= 13 yr) 460

45 Bullying **461**
bul0100 – bullying: frequency of teasing recently (>= 10 yr) 461
bul0101 – bullying: stress caused by teasing recently (>= 10 yr) 462
bul0200 – bullying: frequency of rumors recently (>= 10 yr) 462
bul0201 – bullying: stress caused by rumors recently (>= 10 yr) 462
bul0300 – bullying: frequency of exclusion recently (>= 10 yr) 463
bul0301 – bullying: stress caused by exclusion recently (>= 10 yr) 463
bul0400 – bullying: frequency of physical threats recently (>= 10 yr) 464
bul0401 – bullying: stress caused by physical threats recently (>= 10 yr) 464
bul0500 – bullying: frequency of teasing (t,u,s, <=10 yr) 465
bul0501 – bullying: stress caused by teasing (t,u,s, <=10 yr) 465
bul0600 – bullying: frequency of physical threat (t,u,s, <=10 yr) 466
bul0601 – bullying: stress caused by physical threat (t,u,s, <=10 yr) 466
bul0700 – bullying: frequency of exclusion (t,u,s, <=10 yr) 467
bul0701 – bullying: stress caused by exclusion (t,u,s, <=10 yr) 467
bul0800 – bullying: frequency of rumors (t,u,s, <=10 yr) 468
bul0801 – bullying: stress caused by rumors (t,u,s, <=10 yr) 468

46 Life events **469**
lev0100 – life events: separation (>= 10 yr) 469
lev0101 – life events: separation ever before (>= 10 yr) 469
lev0103 – life events: separation subj. rating (>= 10 yr) 470
lev0300 – life events: separation parents (t,u,s,p,q, >= 10 yr) 470
lev0301 – life events: separation parents ever before (t,u,s,p,q, >= 10 yr) 471
lev0303 – life events: separation parents subj. rating (t,u,s,p,q, >= 10 yr) 471
lev0500 – life events: new relationship (>= 10 yr) 471
lev0501 – life events: new relationship ever before (>= 10 yr) 472
lev0503 – life events: new relationship (>= 10 yr) 472
lev0900 – life events: money worries (>= 14 yr) 473
lev0901 – life events: money worries ever before (>= 14 yr) 473
lev1000 – life events: money worries family member (>= 10 yr) 474
lev1001 – life events: money worries family member ever before (>= 10 yr) 475
lev1100 – life events: Pregnancy/ birth (>= 16 yr) 475
lev1101 – life events: Pregnancy/ birth ever before (t,u,s,p,q,n,g, >= 16 yr) 476
lev1103 – life events: Pregnancy/ birth subj. Rating (>= 16 yr) 476
lev1600 – life events: own accident/ illness (>= 10 yr) 477
lev1601 – life events: own accident/ illness ever before (>= 10 yr) 477
lev1800 – life events: own job loss (>= 16 yr) 477

lev1801 – life events: own job loss ever before (>= 16 yr) 478
lev1803 – life events: own job loss subj. rating (>= 16 yr) 478
lev2100 – life events: Death (>= 10 yr) 479
lev2101 – life events: Death ever before (>= 10 yr) 479
lev2103 – life events: Death subj. rating (>= 10 yr) 480
lev2111 – life events: Death twin 1 (>= 10 yr) 480
lev2112 – life events: Death twin 2 (>= 10 yr) 481
lev2113 – life events: Death sibling (>= 10 yr) 481
lev2114 – life events: Death child (>= 10 yr) 481
lev2115 – life events: Death parents (>= 10 yr) 482
lev2116 – life events: Death stepparents (>= 10 yr) 482
lev2117 – life events: Death parents-in- law (>= 10 yr) 482
lev2118 – life events: Death grandparents (>= 10 yr) 483
lev2119 – life events: Death grandparents of the partner (>= 10 yr) 483
lev2120 – life events: Death aunt/uncle (>= 10 yr) 484
lev2121 – life events: Death partner (>= 10 yr) 484
lev2122 – life events: Death another familiar person (>= 10 yr) 484
lev2123 – life events: Death another non-familiar person (>= 10 yr) 485
lev2197 – life events: Death not assigned (>= 10 yr) 485
lev2199 – life events: Death not specified (>= 10 yr) 486
lev2600 – life events: school class repeated (t,u,s,p,q, >= 10 yr) 486
lev2601 – life events: school class repeated ever before (t,u,s,p,q, >= 10 yr) 486
lev2603 – life events: school class repeated subject. feeling (t,u,s,p,q, >= 10 yr) . . 487

47 Life transitions **487**
tra0100 – transitions: moving out of parental home (t,u,s) 487
tra0100t – transitions twin 1: moving out of parental home (m,f,n,g) 488
tra0100u – transitions twin 2: moving out of parental home (m,f,n,g) 488
tra0100s – transitions sibling: moving out of parental home (m,f,n,g) 489
tra0101 – transitions: moving out subj. rating (t,u,s) 489
tra0101t – transitions twin 1: moving out parent subj. rating (m,f,n,g) 490
tra0101u – transitions twin 2: moving out parent proxy rating (m,f,n,g) 490
tra0101s – transitions sibling: moving out parent proxy rating (m,f,n,g) 491
tra0200 – transitions: change from sec. school (t,u,s) 492
tra0200t – transitions twin 1: change from sec. school (m,f,n,g) 492
tra0200u – transitions twin 2: change from sec. school (m,f,n,g) 493
tra0200s – transitions sibling: change from sec. school (m,f,n,g) 493
tra0201 – transitions: change from sec. school subj. rating (t,u,s) 494
tra0201t – transitions twin 1: change from sec. school parent subj. rating (m,f,n,g) 494
tra0201u – transitions twin 2: change from sec. school parent subj. rating (m,f,n,g) 495
tra0201s – transitions sibling: change from sec. school parent subj. rating (m,f,n,g) 495
tra0300 – transitions: dropping out from training/university (t,u,s) 496
tra0300t – transitions twin 1: dropping out from training/university (m,f,n,g) . . . 497
tra0300u – transitions twin 2: dropping out from training/university (m,f,n,g) . . 497
tra0300s – transitions sibling: dropping out from training/university (m,f,n,g) . . 497
tra0301 – transitions: dropping out from training/university subj. (t,u,s) 498
tra0301t – transitions twin 1: dropping out from training/uni parent subj. rating (m,f,n,g) 499
tra0301u – transitions twin 2: dropping out from training/uni parent subj. rating (m,f,n,g) 499
tra0301s – transitions sibling: dropping out from training/uni parent subj. (m,f,n,g) 500

tra0400t – transitions twin 1: enrollment (m,f,n,g) . . . 500
tra0400u – transitions twin 2: enrollment (m,f,n,g) . . . 501
tra0400s – transitions sibling: enrollment (m,f,n,g) . . . 501
tra0401t – transitions twin 1: enrollment parent subj. rating (m,f,n,g) . . . 502
tra0401u – transitions twin 2: enrollment parent subj. rating (m,f,n,g) . . . 502
tra0401s – transitions sibling: enrollment parent subj. rating (m,f,n,g) . . . 503
tra0500 – transitions: change to sec.school (t,u,s, <= 14 yr) . . . 504
tra0500t – transitions twin 1: change to sec.school (m,f,n,g) . . . 504
tra0500u – transitions twin 2: change to sec.school (m,f,n,g) . . . 505
tra0500s – transitions sibling: change to sec.school (m,f,n,g) . . . 505
tra0501 – transitions: change to sec.school subj. rating (t,u,s, <= 14 yr) . . . 505
tra0501t – transitions twin 1: change to sec.school parent subj. rating (m,f,n,g) . . 506
tra0501u – transitions twin 2: change to sec.school parent subj. rating (m,f,n,g) . 507
tra0501s – transitions sibling: change to sec.school parent subj. rating (m,f,n,g) . 507
tra0600 – self - starting a family (t,u,s) . . . 508
tra0600t – transitions twin 1: starting a family (m,f,n,g) . . . 508
tra0600u – transitions twin 2: starting a family (m,f,n,g) . . . 509
tra0600s – transitions sibling: starting a family (m,f,n,g) . . . 509
tra0601 – transitions: starting a family - subj. feeling (t,u,s) . . . 510
tra0601t – transitions twin 1: starting a family - subj. feeling (m,f,n,g) . . . 510
tra0601u – transitions twin 2: starting a family - subj. feeling (m,f,n,g) . . . 511
tra0601s – transitions sibling: starting a family - subj. feeling (m,f,n,g) . . . 512

48 COVID-19 supplementary survey: current socio-economic situation, behavior and health 512
cov0002t – health of twin 1 during the corona pandemic (m/f/n/g) . . . 513
cov0002u – health of twin 2 during the corona pandemic (m/f/n/g) . . . 513
cov0002s – health of sibling during the corona pandemic (m/f/n/g) . . . 513
cov0410 – difficulty: homeoffice (>=16 yr) . . . 514
cov0703 – have own children (t,u,s, >= 16 yr) . . . 514
cov0704 – worries about future of children . . . 515
cov0711 – form of teaching . . . 515
cov0713 – evaluation of own learning performance in the last 12 months . . . 516
cov0720 – school-aged child present (>=16 yr) . . . 516
cov0721 – worries: lose touch (>=16 yr) . . . 517
cov0722 – worries: poorer school-leaving qualification (>=16 yr) . . . 517
cov0723 – worries: impaired development (>=16 yr) . . . 518
cov0724 – perception of competence: support in homeschooling (>=16 yr) . . . 518
cov0725 – utilization of support services (>=16 yr) . . . 518
cov0900 – impact of corona: health (>=16 yr) . . . 519
cov0901 – impact of corona: economic situation (>=16 yr) . . . 520
cov0902 – impact of corona: opportunities for education and training (>=16 yr) . . 520
cov0903 – impact of corona: personal freedom (>=16 yr) . . . 521
cov0904 – impact of corona: social life (>=16 yr) . . . 521
cov0905 – impact of corona: health (<=15 yr) . . . 522
cov0906 – impact of corona: performance at school (<=15 yr) . . . 523
cov0907 – impact of corona: relationships with other people (<=15 yr) . . . 523
cov0908 – impact of corona: professional situation (>=16 yr) . . . 524
cov1000 – stress & strain: social isolation / loneliness (>=16 yr) . . . 525
cov1001 – stress & strain: being separated from important people (>=16 yr) . . . 525
cov1002 – stress & strain: lack of leisure activities (>=16 yr) . . . 526
cov1003 – stress & strain: unregulated daily routine/weekly rhythm (>=16 yr) . . . 527

cov1004 – stress & strain: increased need for childcare (>=16 yr) 527
cov1005 – stress & strain: home schooling of children (>=16 yr) 528
cov1006 – stress & strain: overwork at job (>=16 yr) 529
cov1007 – stress & strain: restriction of civil rights (>=16 yr) 529
cov1008 – stress & strain: seeing friends and relatives less often (<=15 yr) 530
cov1009 – stress & strain: sports less often (<=15 yr) 531
cov1010 – stress & strain: unregulated daily routine (<=15 yr) 531
cov1011 – stress & strain: schooling at home (<=15 yr) 532
cov1012 – stress & strain: compulsory mask-wearing (<=15 yr) 533
cov1013 – stress & strain: mandatory corona testing (<=15 yr) 533
cov1014 – stress & strain: compulsory mask-wearing (>=16 yr) 534
cov1015 – stress & strain: mandatory corona testing (>=16 yr) 535
cov1016 – stress & strain: proof of vaccination or recovery status 535
cov1017 – stress & strain: children's home quarantine 536
cov1020 – burden of pandemic in general 537
cov1022 – positive effects of pandemic 537
cov1200 – stress & support: more arguments at home 538
cov1201 – stress & support: worse mood at home 538
cov1202 – stress & support: better family life at home 539
cov1203 – stress & support: more cohesion at home 539
cov1204 – stress & support: more activities at home together 540
cov1205 – stress & support: more appreciation by other family members 540
cov1206 – stress & support: socializing with friends or relatives 541
cov1400 – behavioral changes: washing/disinfecting hands (>=16 yr) 541
cov1401 – behavioral changes: shopping super markets (>=16 yr) 542
cov1402 – behavioral changes: visiting public places/events (>=16 yr) 542
cov1403 – behavioral changes: use of public transport (>=16 yr) 543
cov1404 – behavioral changes: staying at home (>=16 yr) 543
cov1405 – behavioral changes: visiting family (>=16 yr) 544
cov1406 – behavioral changes: meeting with acquaintances and friends (>=16 yr) . 545
cov1407 – behavioral changes: washing hands (<=15 yr) 545
cov1408 – behavioral changes: shopping supermarkets (<=15 yr) 546
cov1409 – behavioral changes: visiting public places (<=15 yr) 546
cov1410 – behavioral changes: use of public transport (<=15 yr) 547
cov1411 – behavioral changes: staying at home (<=15 yr) 548
cov1412 – behavioral changes: visiting family (<=15 yr) 548
cov1413 – behavioral changes: meeting friends (<=15 yr) 549
cov1900 – attitude towards general mandatory corona vaccination (>=16 yrs.) . . . 549
cov2000 – number of COVID infections 550
cov2000t – number of COVID infections twin 1 (m/f/n/g) 550
cov2000u – number of COVID infections twin 2 (m/f/n/g) 551
cov2000s – number of COVID infections sibling (m/f/n/g) 551
cov2101 – 1. detection of infection: PCR test 552
cov2101t – 1. detection of infection in twin 1: PCR test (m/f/n/g) 552
cov2101u – 1. detection of infection in twin 2: PCR test (m/f/n/g) 553
cov2101s – 1. detection of infection in sibling: PCR test (m/f/n/g) 553
cov2102 – 1. detection of infection: officially confirmed rapid test 554
cov2102t – 1. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g) 554
cov2102u – 1. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g) 555
cov2102s – 1. detection of infection in sibling: officially confirmed rapid test (m/f/n/g) 555

cov2103 – 1. detection of infection: self-administered rapid test 556
cov2103t – 1. detection of infection in twin 1: self-administered rapid test (m/f/n/g) 557
cov2103u – 1. detection of infection in twin 2: self-administered rapid test (m/f/n/g) 557
cov2103s – 1. detection of infection in sibling: self-administered rapid test (m/f/n/g) 558
cov2104 – 1. detection of infection: self-diagnosis (without test) 558
cov2104t – 1. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g) 559
cov2104u – 1. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g) 559
cov2104s – 1. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g) 560
cov2105 – 1. detection of infection: don't know 560
cov2105t – 1. detection of infection in twin 1: don't know (m/f/n/g) 561
cov2105u – 1. detection of infection in twin 2: don't know (m/f/n/g) 561
cov2105s – 1. detection of infection in sibling: don't know (m/f/n/g) 562
cov2106 – 1. detection of infection: not specified 562
cov2106t – 1. detection of infection in twin 1: not specified (m/f/n/g) 563
cov2106u – 1. detection of infection in twin 2: not specified (m/f/n/g) 563
cov2106s – 1. detection of infection in sibling: not specified (m/f/n/g) 564
cov2107 – month of the first COVID detection 565
cov2107t – month of the first COVID detection in twin 1 (m/f/n/g) 565
cov2107u – month of the first COVID detection in twin 2 (m/f/n/g) 566
cov2107s – month of the first COVID detection in sibling (m/f/n/g) 567
cov2108 – year of the first COVID detection 568
cov2108t – year of the first COVID detection in twin 1 (m/f/n/g) 568
cov2108u – year of the first COVID detection in twin 2 (m/f/n/g) 569
cov2108s – year of the first COVID detection in sibling (m/f/n/g) 570
cov2109 – course of the first COVID infection 570
cov2109t – course of the first COVID infection in twin 1 (m/f/n/g) 571
cov2109u – course of the first COVID infection in twin 2 (m/f/n/g) 572
cov2109s – course of the first COVID infection in sibling (m/f/n/g) 572
cov2110 – severity of restriction due to first COVID infection 573
cov2110t – severity of restriction due to first COVID infection in twin 1 (m/f/n/g) . 574
cov2110u – severity of restriction due to first COVID infection in twin 2 (m/f/n/g) 574
cov2110s – severity of restriction due to first COVID infection in sibling (m/f/n/g) 575
cov2111 – duration of restriction due to 1st COVID infection in months 576
cov2111t – duration of restriction due to 1st COVID infection in mths for twin 1 (m/f/n/g) 577
cov2111u – duration of restriction due to 1st COVID infection in mths for twin 2 (m/f/n/g) 578
cov2111s – duration of restriction due to 1st COVID infection in mths for sibling (m/f/n/g) 578
cov2112 – duration of restriction due to 1st COVID infection in days 579
cov2112t – duration of restriction due to 1st COVID infection in days for twin 1 (m/f/n/g) 580
cov2112u – duration of restriction due to 1st COVID infection in days for twin 2 (m/f/n/g) 581
cov2112s – duration of restriction due to 1st COVID infection in days for sibling (m/f/n/g) 582
cov2121 – COVID symptoms with 1st infection: fatigue 583
cov2121t – COVID symptoms with 1st infection in twin 1: fatigue (m/f/n/g) 583
cov2121u – COVID symptoms with 1st infection in twin 2: fatigue (m/f/n/g) . . . 584
cov2121s – COVID symptoms with 1st infection in sibling: fatigue (m/f/n/g) . . . 584

cov2122 – COVID symptoms with 1st infection: nausea 585
cov2122t – COVID symptoms with 1st infection in twin 1: nausea (m/f/n/g) . . . 586
cov2122u – COVID symptoms with 1st infection in twin 2: nausea (m/f/n/g) . . . 586
cov2122s – COVID symptoms with 1st infection in sibling: nausea (m/f/n/g) . . . 587
cov2123 – COVID symptoms with 1st infection: pain in the limbs 587
cov2123t – COVID symptoms with 1st infection in twin 1: pain in the limbs (m/f/n/g) 588
cov2123u – COVID symptoms with 1st infection in twin 2: pain in the limbs (m/f/n/g) 588
cov2123s – COVID symptoms with 1st infection in sibling: pain in the limbs (m/f/n/g) 589
cov2124 – COVID symptoms with 1st infection: diarrhea 590
cov2124t – COVID symptoms with 1st infection in twin 1: diarrhea (m/f/n/g) . . . 590
cov2124u – COVID symptoms with 1st infection in twin 2: diarrhea (m/f/n/g) . . 591
cov2124s – COVID symptoms with 1st infection in sibling: diarrhea (m/f/n/g) . . 591
cov2125 – COVID symptoms with 1st infection: sore throat 592
cov2125t – COVID symptoms with 1st infection in twin 1: sore throat (m/f/n/g) . 592
cov2125u – COVID symptoms with 1st infection in twin 2: sore throat (m/f/n/g) . 593
cov2125s – COVID symptoms with 1st infection in sibling: sore throat (m/f/n/g) . 594
cov2126 – COVID symptoms with 1st infection: respiratory problems 594
cov2126t – COVID symptoms with 1st infection in twin 1: respiratory problems (m/f/n/g) 595
cov2126u – COVID symptoms with 1st infection in twin 2: respiratory problems (m/f/n/g) 595
cov2126s – COVID symptoms with 1st infection in sibling: respiratory problems (m/f/n/g) 596
cov2127 – COVID symptoms with 1st infection: fever 597
cov2127t – COVID symptoms with 1st infection in twin 1: fever (m/f/n/g) 597
cov2127u – COVID symptoms with 1st infection in twin 2: fever (m/f/n/g) 598
cov2127s – COVID symptoms with 1st infection in sibling: fever (m/f/n/g) 598
cov2128 – COVID symptoms with 1st infection: cough 599
cov2128t – COVID symptoms with 1st infection in twin 1: cough (m/f/n/g) 599
cov2128u – COVID symptoms with 1st infection in twin 2: cough (m/f/n/g) . . . 600
cov2128s – COVID symptoms with 1st infection in sibling: cough (m/f/n/g) . . . 601
cov2129 – COVID symptoms with 1st infection: olfactory disorder 601
cov2129t – COVID symptoms with 1st infection in twin 1: olfactory disorder (m/f/n/g) 602
cov2129u – COVID symptoms with 1st infection in twin 2: olfactory disorder (m/f/n/g) 602
cov2129s – COVID symptoms with 1st infection in sibling: olfactory disorder (m/f/n/g) 603
cov2130 – COVID symptoms with 1st infection: headache 603
cov2130t – COVID symptoms with 1st infection in twin 1: headache (m/f/n/g) . . 604
cov2130u – COVID symptoms with 1st infection in twin 2: headache (m/f/n/g) . . 605
cov2130s – COVID symptoms with 1st infection in sibling: headache (m/f/n/g) . 605
cov2131 – COVID symptoms with 1st infection: shivering 606
cov2131t – COVID symptoms with 1st infection in twin 1: shivering (m/f/n/g) . . 606
cov2131u – COVID symptoms with 1st infection in twin 2: shivering (m/f/n/g) . . 607
cov2131s – COVID symptoms with 1st infection in sibling: shivering (m/f/n/g) . . 607
cov2132 – COVID symptoms with 1st infection: sniffles 608
cov2132t – COVID symptoms with 1st infection in twin 1: sniffles (m/f/n/g) . . . 609
cov2132u – COVID symptoms with 1st infection in twin 2: sniffles (m/f/n/g) . . . 609
cov2132s – COVID symptoms with 1st infection in sibling: sniffles (m/f/n/g) . . . 610
cov2133 – COVID symptoms with 1st infection: taste disorder 610
cov2133t – COVID symptoms with 1st infection in twin 1: taste disorder (m/f/n/g) 611
cov2133u – COVID symptoms with 1st infection in twin 2: taste disorder (m/f/n/g) 611

cov2133s – COVID symptoms with 1st infection in sibling: taste disorder (m/f/n/g) 612
cov2134 – COVID symptoms with 1st infection: other selected 613
cov2134t – COVID symptoms with 1st infection in twin 1: other selected (m/f/n/g) 613
cov2134u – COVID symptoms with 1st infection in twin 2: other selected (m/f/n/g) 614
cov2134s – COVID symptoms with 1st infection in sibling: other selected (m/f/n/g) 614
cov2137 – COVID symptoms with 1st infection: none of these 615
cov2137t – COVID symptoms with 1st infection in twin 1: none of these (m/f/n/g) 615
cov2137u – COVID symptoms with 1st infection in twin 2: none of these (m/f/n/g) 616
cov2137s – COVID symptoms with 1st infection in sibling: none of these (m/f/n/g) 617
cov2138 – COVID symptoms with 1st infection: don't know 617
cov2138t – COVID symptoms with 1st infection in twin 1: don't know (m/f/n/g) . 618
cov2138u – COVID symptoms with 1st infection in twin 2: don't know (m/f/n/g) . 618
cov2138s – COVID symptoms with 1st infection in sibling: don't know (m/f/n/g) 619
cov2139 – COVID symptoms with 1st infection: not specified 619
cov2139t – COVID symptoms with 1st infection in twin 1: not specified (m/f/n/g) 620
cov2139u – COVID symptoms with 1st infection in twin 2: not specified (m/f/n/g) 621
cov2139s – COVID symptoms with 1st infection in sibling: not specified (m/f/n/g) 621
cov2140 – acute strain due to first COVID infection 622
cov2140t – acute strain due to first COVID infection of twin 1 (m/f/n/g) 622
cov2140u – acute strain due to first COVID infection of twin 2 (m/f/n/g) 623
cov2140s – acute strain due to first COVID infection of sibling (m/f/n/g) 624
cov2141 – long-term strain due to 1st COVID infection (>4 weeks) 625
cov2141t – long-term strain due to 1st COVID infection of twin 1 (>4 weeks) (m/f/n/g) 626
cov2141u – long-term strain due to 1st COVID infection of twin 2 (>4 weeks) (m/f/n/g) 627
cov2141s – long-term strain due to 1st COVID infection of sibling (>4 weeks) (m/f/n/g) 628
cov2201 – 2. detection of infection: PCR test 628
cov2201t – 2. detection of infection in twin 1: PCR test (m/f/n/g) 629
cov2201u – 2. detection of infection in twin 2: PCR test (m/f/n/g) 629
cov2201s – 2. detection of infection in sibling: PCR test (m/f/n/g) 630
cov2202 – 2. detection of infection: officially confirmed rapid test 631
cov2202t – 2. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g) 631
cov2202u – 2. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g) 632
cov2202s – 2. detection of infection in sibling: officially confirmed rapid test (m/f/n/g) 632
cov2203 – 2. detection of infection: self-administered rapid test 633
cov2203t – 2. detection of infection in twin 1: self-administered rapid test (m/f/n/g) 633
cov2203u – 2. detection of infection in twin 2: self-administered rapid test (m/f/n/g) 634
cov2203s – 2. detection of infection in sibling: self-administered rapid test (m/f/n/g) 634
cov2204 – 2. detection of infection: self-diagnosis (without test) 635
cov2204t – 2. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g) 635
cov2204u – 2. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g) 636
cov2204s – 2. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g) 636
cov2205 – 2. detection of infection: don't know 637
cov2205t – 2. detection of infection in twin 1: don't know (m/f/n/g) 638
cov2205u – 2. detection of infection in twin 2: don't know (m/f/n/g) 638
cov2205s – 2. detection of infection in sibling: don't know (m/f/n/g) 639
cov2206 – 2. detection of infection: not specified 639
cov2206t – 2. detection of infection in twin 1: not specified (m/f/n/g) 640
cov2206u – 2. detection of infection in twin 2: not specified (m/f/n/g) 640

cov2206s – 2. detection of infection in sibling: not specified (m/f/n/g) 641
cov2207 – month of the second COVID detection 641
cov2207t – month of the second COVID detection in twin 1 (m/f/n/g) 642
cov2207u – month of the second COVID detection in twin 2 (m/f/n/g) 643
cov2207s – month of the second COVID detection in sibling (m/f/n/g) 644
cov2208 – year of the second COVID detection 645
cov2208t – year of the second COVID detection in twin 1 (m/f/n/g) 645
cov2208u – year of the second COVID detection in twin 2 (m/f/n/g) 646
cov2208s – year of the second COVID detection in sibling (m/f/n/g) 646
cov2209 – course of the second COVID infection (>= 16 yr) 647
cov2209t – course of the second COVID infection in twin 1 (m/f/n/g) 648
cov2209u – course of the second COVID infection in twin 2 (m/f/n/g) 648
cov2209s – course of the second COVID infection in sibling (m/f/n/g) 649
cov2210 – severity of restriction due to second COVID infection 649
cov2210t – severity of restriction due to second COVID infection in twin 1 (m/f/n/g) 650
cov2210u – severity of restriction due to second COVID infection in twin 2 (m/f/n/g) 651
cov2210s – severity of restriction due to second COVID infection in sibling (m/f/n/g) 652
cov2211 – duration of restriction due to 2nd COVID infection in months 652
cov2211t – duration of restriction due to 2nd COVID infection in mths for twin 1 (m/f/n/g) 653
cov2211u – duration of restriction due to 2nd COVID infection in mths for twin 2 (m/f/n/g) 654
cov2211s – duration of restriction due to 2nd COVID infection in mths for sibling (m/f/n/g) 655
cov2212 – duration of restriction due to 2nd COVID infection in days 655
cov2212t – duration of restriction due to 2nd COVID infection in days for twin 1 (m/f/n/g) 656
cov2212u – duration of restriction due to 2nd COVID infection in days for twin 2 (m/f/n/g) 657
cov2212s – duration of restriction due to 2nd COVID infection in days for sibling (m/f/n/g) 658
cov2221 – COVID symptoms with 2nd infection: fatigue 659
cov2221t – COVID symptoms with 2nd infection in twin 1: fatigue (m/f/n/g) . . . 659
cov2221u – COVID symptoms with 2nd infection in twin 2: fatigue (m/f/n/g) . . 660
cov2221s – COVID symptoms with 2nd infection in sibling: fatigue (m/f/n/g) . . 661
cov2222 – COVID symptoms with 2nd infection: nausea 661
cov2222t – COVID symptoms with 2nd infection in twin 1: nausea (m/f/n/g) . . . 662
cov2222u – COVID symptoms with 2nd infection in twin 2: nausea (m/f/n/g) . . 662
cov2222s – COVID symptoms with 2nd infection in sibling: nausea (m/f/n/g) . . 663
cov2223 – COVID symptoms with 2nd infection: pain in the limbs 664
cov2223t – COVID symptoms with 2nd infection in twin 1: pain in the limbs (m/f/n/g) 664
cov2223u – COVID symptoms with 2nd infection in twin 2: pain in the limbs (m/f/n/g) 665
cov2223s – COVID symptoms with 2nd infection in sibling: pain in the limbs (m/f/n/g) 665
cov2224 – COVID symptoms with 2nd infection: diarrhea 666
cov2224t – COVID symptoms with 2nd infection in twin 1: diarrhea (m/f/n/g) . . 666
cov2224u – COVID symptoms with 2nd infection in twin 2: diarrhea (m/f/n/g) . 667
cov2224s – COVID symptoms with 2nd infection in sibling: diarrhea (m/f/n/g) . 668

cov2225 – COVID symptoms with 2nd infection: sore throat 668
cov2225t – COVID symptoms with 2nd infection in twin 1: sore throat (m/f/n/g) 669
cov2225u – COVID symptoms with 2nd infection in twin 2: sore throat (m/f/n/g) 669
cov2225s – COVID symptoms with 2nd infection in sibling: sore throat (m/f/n/g) 670
cov2226 – COVID symptoms with 2nd infection: respiratory problems 670
cov2226t – COVID symptoms with 2nd infection in twin 1: respiratory problems (m/f/n/g) 671
cov2226u – COVID symptoms with 2nd infection in twin 2: respiratory problems (m/f/n/g) 672
cov2226s – COVID symptoms with 2nd infection in sibling: respiratory problems (m/f/n/g) 672
cov2227 – COVID symptoms with 2nd infection: fever 673
cov2227t – COVID symptoms with 2nd infection in twin 1: fever (m/f/n/g) 673
cov2227u – COVID symptoms with 2nd infection in twin 2: fever (m/f/n/g) . . . 674
cov2227s – COVID symptoms with 2nd infection in sibling: fever (m/f/n/g) . . . 674
cov2228 – COVID symptoms with 2nd infection: cough 675
cov2228t – COVID symptoms with 2nd infection in twin 1: cough (m/f/n/g) . . . 676
cov2228u – COVID symptoms with 2nd infection in twin 2: cough (m/f/n/g) . . . 676
cov2228s – COVID symptoms with 2nd infection in sibling: cough (m/f/n/g) . . 677
cov2229 – COVID symptoms with 2nd infection: olfactory disorder 677
cov2229t – COVID symptoms with 2nd infection in twin 1: olfactory disorder (m/f/n/g) 678
cov2229u – COVID symptoms with 2nd infection in twin 2: olfactory disorder (m/f/n/g) 678
cov2229s – COVID symptoms with 2nd infection in sibling: olfactory disorder (m/f/n/g) 679
cov2230 – COVID symptoms with 2nd infection: headache 680
cov2230t – COVID symptoms with 2nd infection in twin 1: headache (m/f/n/g) . 680
cov2230u – COVID symptoms with 2nd infection in twin 2: headache (m/f/n/g) . 681
cov2230s – COVID symptoms with 2nd infection in sibling: headache (m/f/n/g) . 681
cov2231 – COVID symptoms with 2nd infection: shivering 682
cov2231t – COVID symptoms with 2nd infection in twin 1: shivering (m/f/n/g) . 682
cov2231u – COVID symptoms with 2nd infection in twin 2: shivering (m/f/n/g) . 683
cov2231s – COVID symptoms with 2nd infection in sibling: shivering (m/f/n/g) . 684
cov2232 – COVID symptoms with 2nd infection: sniffles 684
cov2232t – COVID symptoms with 2nd infection in twin 1: sniffles (m/f/n/g) . . 685
cov2232u – COVID symptoms with 2nd infection in twin 2: sniffles (m/f/n/g) . . 685
cov2232s – COVID symptoms with 2nd infection in sibling: sniffles (m/f/n/g) . . 686
cov2233 – COVID symptoms with 2nd infection: taste disorder 686
cov2233t – COVID symptoms with 2nd infection in twin 1: taste disorder (m/f/n/g) 687
cov2233u – COVID symptoms with 2nd infection in twin 2: taste disorder (m/f/n/g) 688
cov2233s – COVID symptoms with 2nd infection in sibling: taste disorder (m/f/n/g) 688
cov2234 – COVID symptoms with 2nd infection: other selected 689
cov2234t – COVID symptoms with 2nd infection in twin 1: other selected (m/f/n/g) 689
cov2234u – COVID symptoms with 2nd infection in twin 2: other selected (m/f/n/g) 690
cov2234s – COVID symptoms with 2nd infection in sibling: other selected (m/f/n/g) 690
cov2237 – COVID symptoms with 2nd infection: none of these 691
cov2237t – COVID symptoms with 2nd infection in twin 1: none of these (m/f/n/g) 692
cov2237u – COVID symptoms with 2nd infection in twin 2: none of these (m/f/n/g) 692
cov2237s – COVID symptoms with 2nd infection in sibling: none of these (m/f/n/g) 693

cov2238 – COVID symptoms with 2nd infection: don't know 693
cov2238t – COVID symptoms with 2nd infection in twin 1: don't know (m/f/n/g) 694
cov2238u – COVID symptoms with 2nd infection in twin 2: don't know (m/f/n/g) 694
cov2238s – COVID symptoms with 2nd infection in sibling: don't know (m/f/n/g) 695
cov2239 – COVID symptoms with 2nd infection: not specified 696
cov2239t – COVID symptoms with 2nd infection in twin 1: not specified (m/f/n/g) 696
cov2239u – COVID symptoms with 2nd infection in twin 2: not specified (m/f/n/g) 697
cov2239s – COVID symptoms with 2nd infection in sibling: not specified (m/f/n/g) 697
cov2240 – acute strain due to second COVID infection 698
cov2240t – acute strain due to second COVID infection of twin 1 (m/f/n/g) 699
cov2240u – acute strain due to second COVID infection of twin 2 (m/f/n/g) . . . 699
cov2240s – acute strain due to second COVID infection of sibling (m/f/n/g) . . . 700
cov2241 – long-term strain due to 2nd COVID infection (>4 weeks) 701
cov2241t – long-term strain due to 2nd COVID infection of twin 1 (>4 weeks) (m/f/n/g) 702
cov2241u – long-term strain due to 2nd COVID infection of twin 2 (>4 weeks) (m/f/n/g) 703
cov2241s – long-term strain due to 2nd COVID infection of sibling (>4 weeks) (m/f/n/g) 704
cov2301 – 3. detection of infection: PCR test 705
cov2301t – 3. detection of infection in twin 1: PCR test (m/f/n/g) 705
cov2301u – 3. detection of infection in twin 2: PCR test (m/f/n/g) 706
cov2301s – 3. detection of infection in sibling: PCR test (m/f/n/g) 706
cov2302 – 3. detection of infection: officially confirmed rapid test 707
cov2302t – 3. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g) 707
cov2302u – 3. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g) 708
cov2302s – 3. detection of infection in sibling: officially confirmed rapid test (m/f/n/g) 708
cov2303 – 3. detection of infection: self-administered rapid test 709
cov2303t – 3. detection of infection in twin 1: self-administered rapid test (m/f/n/g) 709
cov2303u – 3. detection of infection in twin 2: self-administered rapid test (m/f/n/g) 710
cov2303s – 3. detection of infection in sibling: self-administered rapid test (m/f/n/g) 710
cov2304 – 3. detection of infection: self-diagnosis (without test) 711
cov2304t – 3. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g) 711
cov2304u – 3. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g) 712
cov2304s – 3. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g) 713
cov2305 – 3. detection of infection: don't know 713
cov2305t – 3. detection of infection in twin 1: don't know (m/f/n/g) 714
cov2305u – 3. detection of infection in twin 2: don't know (m/f/n/g) 714
cov2305s – 3. detection of infection in sibling: don't know (m/f/n/g) 715
cov2306 – 3. detection of infection: not specified 715
cov2306t – 3. detection of infection in twin 1: not specified (m/f/n/g) 716
cov2306u – 3. detection of infection in twin 2: not specified (m/f/n/g) 716
cov2306s – 3. detection of infection in sibling: not specified (m/f/n/g) 717
cov2307 – month of the third COVID detection 717
cov2307t – month of the third COVID detection in twin 1 (m/f/n/g) 718
cov2307u – month of the third COVID detection in twin 2 (m/f/n/g) 719
cov2307s – month of the third COVID detection in sibling (m/f/n/g) 719
cov2308 – year of the third COVID detection 720
cov2308t – year of the third COVID detection in twin 1 (m/f/n/g) 721

cov2308u – year of the third COVID detection in twin 2 (m/f/n/g) 721
cov2308s – year of the third COVID detection in sibling (m/f/n/g) 722
cov2309 – course of the third COVID infection 723
cov2309t – course of the third COVID infection in twin 1 (m/f/n/g) 723
cov2309u – course of the third COVID infection in twin 2 (m/f/n/g) 724
cov2309s – course of the third COVID infection in sibling (m/f/n/g) 725
cov2310 – severity of restriction due to third COVID infection 725
cov2310t – severity of restriction due to third COVID infection in twin 1 (m/f/n/g) 726
cov2310u – severity of restriction due to third COVID infection in twin 2 (m/f/n/g) 727
cov2310s – severity of restriction due to third COVID infection in sibling (m/f/n/g) 727
cov2311 – duration of restriction due to 3rd COVID infection in months 728
cov2311t – duration of restriction due to 3rd COVID infection in mths for twin 1 (m/f/n/g) 729
cov2311u – duration of restriction due to 3rd COVID infection in mths for twin 2 (m/f/n/g) 730
cov2311s – duration of restriction due to 3rd COVID infection in mths for sibling (m/f/n/g) 730
cov2312 – duration of restriction due to 3rd COVID infection in days 731
cov2312t – duration of restriction due to 3rd COVID infection in days for twin 1 (m/f/n/g) 732
cov2312u – duration of restriction due to 3rd COVID infection in days for twin 2 (m/f/n/g) 733
cov2312s – duration of restriction due to 3rd COVID infection in days for sibling (m/f/n/g) 733
cov2321 – COVID symptoms with 3rd infection: fatigue 734
cov2321t – COVID symptoms with 3rd infection in twin 1: fatigue (m/f/n/g) . . . 735
cov2321u – COVID symptoms with 3rd infection in twin 2: fatigue (m/f/n/g) . . . 735
cov2321s – COVID symptoms with 3rd infection in sibling: fatigue (m/f/n/g) . . 736
cov2322 – COVID symptoms with 3rd infection: nausea 736
cov2322t – COVID symptoms with 3rd infection in twin 1: nausea (m/f/n/g) . . . 737
cov2322u – COVID symptoms with 3rd infection in twin 2: nausea (m/f/n/g) . . 738
cov2322s – COVID symptoms with 3rd infection in sibling: nausea (m/f/n/g) . . 738
cov2323 – COVID symptoms with 3rd infection: pain in the limbs 739
cov2323t – COVID symptoms with 3rd infection in twin 1: pain in the limbs (m/f/n/g) 739
cov2323u – COVID symptoms with 3rd infection in twin 2: pain in the limbs (m/f/n/g) 740
cov2323s – COVID symptoms with 3rd infection in sibling: pain in the limbs (m/f/n/g) 740
cov2324 – COVID symptoms with 3rd infection: diarrhea 741
cov2324t – COVID symptoms with 3rd infection in twin 1: diarrhea (m/f/n/g) . . 742
cov2324u – COVID symptoms with 3rd infection in twin 2: diarrhea (m/f/n/g) . . 742
cov2324s – COVID symptoms with 3rd infection in sibling: diarrhea (m/f/n/g) . . 743
cov2325 – COVID symptoms with 3rd infection: sore throat 743
cov2325t – COVID symptoms with 3rd infection in twin 1: sore throat (m/f/n/g) . 744
cov2325u – COVID symptoms with 3rd infection in twin 2: sore throat (m/f/n/g) 744
cov2325s – COVID symptoms with 3rd infection in sibling: sore throat (m/f/n/g) 745
cov2326 – COVID symptoms with 3rd infection: respiratory problems 746
cov2326t – COVID symptoms with 3rd infection in twin 1: respiratory problems (m/f/n/g) 746

cov2326u – COVID symptoms with 3rd infection in twin 2: respiratory problems (m/f/n/g) . . . 747
cov2326s – COVID symptoms with 3rd infection in sibling: respiratory problems (m/f/n/g) . . . 747
cov2327 – COVID symptoms with 3rd infection: fever . . . 748
cov2327t – COVID symptoms with 3rd infection in twin 1: fever (m/f/n/g) . . . 748
cov2327u – COVID symptoms with 3rd infection in twin 2: fever (m/f/n/g) . . . 749
cov2327s – COVID symptoms with 3rd infection in sibling: fever (m/f/n/g) . . . 750
cov2328 – COVID symptoms with 3rd infection: cough . . . 750
cov2328t – COVID symptoms with 3rd infection in twin 1: cough (m/f/n/g) . . . 751
cov2328u – COVID symptoms with 3rd infection in twin 2: cough (m/f/n/g) . . . 751
cov2328s – COVID symptoms with 3rd infection in sibling: cough (m/f/n/g) . . . 752
cov2329 – COVID symptoms with 3rd infection: olfactory disorder . . . 752
cov2329t – COVID symptoms with 3rd infection in twin 1: olfactory disorder (m/f/n/g) 753
cov2329u – COVID symptoms with 3rd infection in twin 2: olfactory disorder (m/f/n/g) . . . 754
cov2329s – COVID symptoms with 3rd infection in sibling: olfactory disorder (m/f/n/g) . . . 754
cov2330 – COVID symptoms with 3rd infection: headache . . . 755
cov2330t – COVID symptoms with 3rd infection in twin 1: headache (m/f/n/g) . . 755
cov2330u – COVID symptoms with 3rd infection in twin 2: headache (m/f/n/g) . 756
cov2330s – COVID symptoms with 3rd infection in sibling: headache (m/f/n/g) . 756
cov2331 – COVID symptoms with 3rd infection: shivering . . . 757
cov2331t – COVID symptoms with 3rd infection in twin 1: shivering (m/f/n/g) . . 758
cov2331u – COVID symptoms with 3rd infection in twin 2: shivering (m/f/n/g) . 758
cov2331s – COVID symptoms with 3rd infection in sibling: shivering (m/f/n/g) . 759
cov2332 – COVID symptoms with 3rd infection: sniffles . . . 759
cov2332t – COVID symptoms with 3rd infection in twin 1: sniffles (m/f/n/g) . . . 760
cov2332u – COVID symptoms with 3rd infection in twin 2: sniffles (m/f/n/g) . . 760
cov2332s – COVID symptoms with 3rd infection in sibling: sniffles (m/f/n/g) . . 761
cov2333 – COVID symptoms with 3rd infection: taste disorder . . . 762
cov2333t – COVID symptoms with 3rd infection in twin 1: taste disorder (m/f/n/g) 762
cov2333u – COVID symptoms with 3rd infection in twin 2: taste disorder (m/f/n/g) 763
cov2333s – COVID symptoms with 3rd infection in sibling: taste disorder (m/f/n/g) 763
cov2334 – COVID symptoms with 3rd infection: other selected . . . 764
cov2334t – COVID symptoms with 3rd infection in twin 1: other selected (m/f/n/g) 764
cov2334u – COVID symptoms with 3rd infection in twin 2: other selected (m/f/n/g) 765
cov2334s – COVID symptoms with 3rd infection in sibling: other selected (m/f/n/g) 766
cov2337 – COVID symptoms with 3rd infection: none of these . . . 766
cov2337t – COVID symptoms with 3rd infection in twin 1: none of these (m/f/n/g) 767
cov2337u – COVID symptoms with 3rd infection in twin 2: none of these (m/f/n/g) 767
cov2337s – COVID symptoms with 3rd infection in sibling: none of these (m/f/n/g) 768
cov2338 – COVID symptoms with 3rd infection: don't know . . . 768
cov2338t – COVID symptoms with 3rd infection in twin 1: don't know (m/f/n/g) . 769
cov2338u – COVID symptoms with 3rd infection in twin 2: don't know (m/f/n/g) 770
cov2338s – COVID symptoms with 3rd infection in sibling: don't know (m/f/n/g) 770
cov2339 – COVID symptoms with 3rd infection: not specified . . . 771
cov2339t – COVID symptoms with 3rd infection in twin 1: not specified (m/f/n/g) 771
cov2339u – COVID symptoms with 3rd infection in twin 2: not specified (m/f/n/g) 772
cov2339s – COVID symptoms with 3rd infection in sibling: not specified (m/f/n/g) 772

cov2340 – acute strain due to third COVID infection 773
cov2340t – acute strain due to third COVID infection of twin 1 (m/f/n/g) 774
cov2340u – acute strain due to third COVID infection of twin 2 (m/f/n/g) 775
cov2340s – acute strain due to third COVID infection of sibling (m/f/n/g) 775
cov2341 – long-term strain due to 3rd COVID infection (>4 weeks) 776
cov2341t – long-term strain due to 3rd COVID infection of twin 1 (>4 weeks) (m/f/n/g) 777
cov2341u – long-term strain due to 3rd COVID infection of twin 2 (>4 weeks) (m/f/n/g) 778
cov2341s – long-term strain due to 3rd COVID infection of sibling (>4 weeks) (m/f/n/g) 779
cov2401 – 4. detection of infection: PCR test 780
cov2401t – 4. detection of infection in twin 1: PCR test (m/f/n/g) 780
cov2401u – 4. detection of infection in twin 2: PCR test (m/f/n/g) 781
cov2401s – 4. detection of infection in sibling: PCR test (m/f/n/g) 781
cov2402 – 4. detection of infection: officially confirmed rapid test 782
cov2402t – 4. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g) 782
cov2402u – 4. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g) 783
cov2402s – 4. detection of infection in sibling: officially confirmed rapid test (m/f/n/g) 784
cov2403 – 4. detection of infection: self-administered rapid test 784
cov2403t – 4. detection of infection in twin 1: self-administered rapid test (m/f/n/g) 785
cov2403u – 4. detection of infection in twin 2: self-administered rapid test (m/f/n/g) 785
cov2403s – 4. detection of infection in sibling: self-administered rapid test (m/f/n/g) 786
cov2404 – 4. detection of infection: self-diagnosis (without test) 786
cov2404t – 4. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g) 787
cov2404u – 4. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g) 787
cov2404s – 4. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g) 788
cov2405 – 4. detection of infection: don't know 788
cov2405t – 4. detection of infection in twin 1: don't know (m/f/n/g) 789
cov2405u – 4. detection of infection in twin 2: don't know (m/f/n/g) 789
cov2405s – 4. detection of infection in sibling: don't know (m/f/n/g) 790
cov2406 – 4. detection of infection: not specified 791
cov2406t – 4. detection of infection in twin 1: not specified (m/f/n/g) 791
cov2406u – 4. detection of infection in twin 2: not specified (m/f/n/g) 792
cov2406s – 4. detection of infection in sibling: not specified (m/f/n/g) 792
cov2407 – month of the fourth COVID detection 793
cov2407t – month of the fourth COVID detection in twin 1 (m/f/n/g) 793
cov2407u – month of the fourth COVID detection in twin 2 (m/f/n/g) 794
cov2407s – month of the fourth COVID detection in sibling (m/f/n/g) 795
cov2408 – year of the fourth COVID detection 795
cov2408t – year of the fourth COVID detection in twin 1 (m/f/n/g) 796
cov2408u – year of the fourth COVID detection in twin 2 (m/f/n/g) 796
cov2408s – year of the fourth COVID detection in sibling (m/f/n/g) 797
cov2409 – course of the fourth COVID infection 798
cov2409t – course of the fourth COVID infection in twin 1 (m/f/n/g) 798
cov2409u – course of the fourth COVID infection in twin 2 (m/f/n/g) 799
cov2409s – course of the fourth COVID infection in sibling (m/f/n/g) 799
cov2410 – severity of restriction due to fourth COVID infection 800
cov2410t – severity of restriction due to fourth COVID infection in twin 1 (m/f/n/g) 801
cov2410u – severity of restriction due to fourth COVID infection in twin 2 (m/f/n/g) 802
cov2410s – severity of restriction due to fourth COVID infection in sibling (m/f/n/g) 802

cov2411 – duration of restriction due to 4th COVID infection in months 803
cov2411t – duration of restriction due to 4th COVID infection in mths for twin 1 (m/f/n/g) 804
cov2411u – duration of restriction due to 4th COVID infection in mths for twin 2 (m/f/n/g) 804
cov2411s – duration of restriction due to 4th COVID infection in mths for sibling (m/f/n/g) 805
cov2412 – duration of restriction due to 4th COVID infection in days 806
cov2412t – duration of restriction due to 4th COVID infection in days for twin 1 (m/f/n/g) 806
cov2412u – duration of restriction due to 4th COVID infection in days for twin 2 (m/f/n/g) 807
cov2412s – duration of restriction due to 4th COVID infection in days for sibling (m/f/n/g) 808
cov2421 – COVID symptoms with 4th infection: fatigue 808
cov2421t – COVID symptoms with 4th infection in twin 1: fatigue (m/f/n/g) . . . 809
cov2421u – COVID symptoms with 4th infection in twin 2: fatigue (m/f/n/g) . . . 809
cov2421s – COVID symptoms with 4th infection in sibling: fatigue (m/f/n/g) . . . 810
cov2422 – COVID symptoms with 4th infection: nausea 811
cov2422t – COVID symptoms with 4th infection in twin 1: nausea (m/f/n/g) . . . 811
cov2422u – COVID symptoms with 4th infection in twin 2: nausea (m/f/n/g) . . . 812
cov2422s – COVID symptoms with 4th infection in sibling: nausea (m/f/n/g) . . 812
cov2423 – COVID symptoms with 4th infection: pain in the limbs 813
cov2423t – COVID symptoms with 4th infection in twin 1: pain in the limbs (m/f/n/g) 813
cov2423u – COVID symptoms with 4th infection in twin 2: pain in the limbs (m/f/n/g) 814
cov2423s – COVID symptoms with 4th infection in sibling: pain in the limbs (m/f/n/g) 815
cov2424 – COVID symptoms with 4th infection: diarrhea 815
cov2424t – COVID symptoms with 4th infection in twin 1: diarrhea (m/f/n/g) . . 816
cov2424u – COVID symptoms with 4th infection in twin 2: diarrhea (m/f/n/g) . . 816
cov2424s – COVID symptoms with 4th infection in sibling: diarrhea (m/f/n/g) . . 817
cov2425 – COVID symptoms with 4th infection: sore throat 818
cov2425t – COVID symptoms with 4th infection in twin 1: sore throat (m/f/n/g) . 818
cov2425u – COVID symptoms with 4th infection in twin 2: sore throat (m/f/n/g) 819
cov2425s – COVID symptoms with 4th infection in sibling: sore throat (m/f/n/g) 819
cov2426 – COVID symptoms with 4th infection: respiratory problems 820
cov2426t – COVID symptoms with 4th infection in twin 1: respiratory problems (m/f/n/g) 820
cov2426u – COVID symptoms with 4th infection in twin 2: respiratory problems (m/f/n/g) 821
cov2426s – COVID symptoms with 4th infection in sibling: respiratory problems (m/f/n/g) 822
cov2427 – COVID symptoms with 4th infection: fever 822
cov2427t – COVID symptoms with 4th infection in twin 1: fever (m/f/n/g) 823
cov2427u – COVID symptoms with 4th infection in twin 2: fever (m/f/n/g) 823
cov2427s – COVID symptoms with 4th infection in sibling: fever (m/f/n/g) 824
cov2428 – COVID symptoms with 4th infection: cough 824
cov2428t – COVID symptoms with 4th infection in twin 1: cough (m/f/n/g) 825
cov2428u – COVID symptoms with 4th infection in twin 2: cough (m/f/n/g) . . . 826

cov2428s – COVID symptoms with 4th infection in sibling: cough (m/f/n/g) . . . 826
cov2429 – COVID symptoms with 4th infection: olfactory disorder 827
cov2429t – COVID symptoms with 4th infection in twin 1: olfactory disorder (m/f/n/g) 827
cov2429u – COVID symptoms with 4th infection in twin 2: olfactory disorder (m/f/n/g) 828
cov2429s – COVID symptoms with 4th infection in sibling: olfactory disorder (m/f/n/g) 828
cov2430 – COVID symptoms with 4th infection: headache 829
cov2430t – COVID symptoms with 4th infection in twin 1: headache (m/f/n/g) . . 830
cov2430u – COVID symptoms with 4th infection in twin 2: headache (m/f/n/g) . 830
cov2430s – COVID symptoms with 4th infection in sibling: headache (m/f/n/g) . 831
cov2431 – COVID symptoms with 4th infection: shivering 831
cov2431t – COVID symptoms with 4th infection in twin 1: shivering (m/f/n/g) . . 832
cov2431u – COVID symptoms with 4th infection in twin 2: shivering (m/f/n/g) . 832
cov2431s – COVID symptoms with 4th infection in sibling: shivering (m/f/n/g) . 833
cov2432 – COVID symptoms with 4th infection: sniffles 834
cov2432t – COVID symptoms with 4th infection in twin 1: sniffles (m/f/n/g) . . . 834
cov2432u – COVID symptoms with 4th infection in twin 2: sniffles (m/f/n/g) . . 835
cov2432s – COVID symptoms with 4th infection in sibling: sniffles (m/f/n/g) . . 835
cov2433 – COVID symptoms with 4th infection: taste disorder 836
cov2433t – COVID symptoms with 4th infection in twin 1: taste disorder (m/f/n/g) 836
cov2433u – COVID symptoms with 4th infection in twin 2: taste disorder (m/f/n/g) 837
cov2433s – COVID symptoms with 4th infection in sibling: taste disorder (m/f/n/g) 838
cov2434 – COVID symptoms with 4th infection: other selected 838
cov2434t – COVID symptoms with 4th infection in twin 1: other selected (m/f/n/g) 839
cov2434u – COVID symptoms with 4th infection in twin 2: other selected (m/f/n/g) 839
cov2434s – COVID symptoms with 4th infection in sibling: other selected (m/f/n/g) 840
cov2437 – COVID symptoms with 4th infection: none of these 840
cov2437t – COVID symptoms with 4th infection in twin 1: none of these (m/f/n/g) 841
cov2437u – COVID symptoms with 4th infection in twin 2: none of these (m/f/n/g) 842
cov2437s – COVID symptoms with 4th infection in sibling: none of these (m/f/n/g) 842
cov2438 – COVID symptoms with 4th infection: don't know 843
cov2438t – COVID symptoms with 4th infection in twin 1: don't know (m/f/n/g) . 843
cov2438u – COVID symptoms with 4th infection in twin 2: don't know (m/f/n/g) 844
cov2438s – COVID symptoms with 4th infection in sibling: don't know (m/f/n/g) 844
cov2439 – COVID symptoms with 4th infection: not specified 845
cov2439t – COVID symptoms with 4th infection in twin 1: not specified (m/f/n/g) 846
cov2439u – COVID symptoms with 4th infection in twin 2: not specified (m/f/n/g) 846
cov2439s – COVID symptoms with 4th infection in sibling: not specified (m/f/n/g) 847
cov2440 – acute strain due to fourth COVID infection 847
cov2440t – acute strain due to fourth COVID infection of twin 1 (m/f/n/g) 848
cov2440u – acute strain due to fourth COVID infection of twin 2 (m/f/n/g) 849
cov2440s – acute strain due to fourth COVID infection of sibling (m/f/n/g) 850
cov2441 – long-term strain due to 4th COVID infection (>4 weeks) 851
cov2441t – long-term strain due to 4th COVID infection of twin 1 (>4 weeks) (m/f/n/g) 851
cov2441u – long-term strain due to 4th COVID infection of twin 2 (>4 weeks) (m/f/n/g) 852
cov2441s – long-term strain due to 4th COVID infection of sibling (>4 weeks) (m/f/n/g) 853
cov2501 – 5. detection of infection: PCR test 854
cov2501t – 5. detection of infection in twin 1: PCR test (m/f/n/g) 854
cov2501u – 5. detection of infection in twin 2: PCR test (m/f/n/g) 855
cov2501s – 5. detection of infection in sibling: PCR test (m/f/n/g) 856

cov2502 – 5. detection of infection: officially confirmed rapid test 856
cov2502t – 5. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g) 857
cov2502u – 5. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g) 857
cov2502s – 5. detection of infection in sibling: officially confirmed rapid test (m/f/n/g) 858
cov2503 – 5. detection of infection: self-administered rapid test 858
cov2503t – 5. detection of infection in twin 1: self-administered rapid test (m/f/n/g) 859
cov2503u – 5. detection of infection in twin 2: self-administered rapid test (m/f/n/g) 859
cov2503s – 5. detection of infection in sibling: self-administered rapid test (m/f/n/g) 860
cov2504 – 5. detection of infection: self-diagnosis (without test) 860
cov2504t – 5. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g) 861
cov2504u – 5. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g) 861
cov2504s – 5. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g) 862
cov2505 – 5. detection of infection: don't know 862
cov2505t – 5. detection of infection in twin 1: don't know (m/f/n/g) 863
cov2505u – 5. detection of infection in twin 2: don't know (m/f/n/g) 864
cov2505s – 5. detection of infection in sibling: don't know (m/f/n/g) 864
cov2506 – 5. detection of infection: not specified 865
cov2506t – 5. detection of infection in twin 1: not specified (m/f/n/g) 865
cov2506u – 5. detection of infection in twin 2: not specified (m/f/n/g) 866
cov2506s – 5. detection of infection in sibling: not specified (m/f/n/g) 866
cov2507 – month of the fifth COVID detection 867
cov2507t – month of the fifth COVID detection in twin 1 (m/f/n/g) 867
cov2507u – month of the fifth COVID detection in twin 2 (m/f/n/g) 868
cov2507s – month of the fifth COVID detection in sibling (m/f/n/g) 869
cov2508 – year of the fifth COVID detection 869
cov2508t – year of the fifth COVID detection in twin 1 (m/f/n/g) 870
cov2508u – year of the fifth COVID detection in twin 2 (m/f/n/g) 870
cov2508s – year of the fifth COVID detection in sibling (m/f/n/g) 871
cov2509 – course of the fifth COVID infection 872
cov2509t – course of the fifth COVID infection in twin 1 (m/f/n/g) 872
cov2509u – course of the fifth COVID infection in twin 2 (m/f/n/g) 873
cov2509s – course of the fifth COVID infection in sibling (m/f/n/g) 874
cov2510 – severity of restriction due to fifth COVID infection 874
cov2510t – severity of restriction due to fifth COVID infection in twin 1 (m/f/n/g) 875
cov2510u – severity of restriction due to fifth COVID infection in twin 2 (m/f/n/g) 876
cov2510s – severity of restriction due to fifth COVID infection in sibling (m/f/n/g) 876
cov2511 – duration of restriction due to 5th COVID infection in months 877
cov2511t – duration of restriction due to 5th COVID infection in mths for twin 1 (m/f/n/g) 878
cov2511u – duration of restriction due to 5th COVID infection in mths for twin 2 (m/f/n/g) 878
cov2511s – duration of restriction due to 5th COVID infection in mths for sibling (m/f/n/g) 879
cov2512 – duration of restriction due to 5th COVID infection in days 880
cov2512t – duration of restriction due to 5th COVID infection in days for twin 1 (m/f/n/g) 880
cov2512u – duration of restriction due to 5th COVID infection in days for twin 2 (m/f/n/g) 881

cov2512s – duration of restriction due to 5th COVID infection in days for sibling (m/f/n/g) . . . 882
cov2521 – COVID symptoms with 5th infection: fatigue . . . 882
cov2521t – COVID symptoms with 5th infection in twin 1: fatigue (m/f/n/g) . . . 883
cov2521u – COVID symptoms with 5th infection in twin 2: fatigue (m/f/n/g) . . . 883
cov2521s – COVID symptoms with 5th infection in sibling: fatigue (m/f/n/g) . . . 884
cov2522 – COVID symptoms with 5th infection: nausea . . . 885
cov2522t – COVID symptoms with 5th infection in twin 1: nausea (m/f/n/g) . . . 885
cov2522u – COVID symptoms with 5th infection in twin 2: nausea (m/f/n/g) . . . 886
cov2522s – COVID symptoms with 5th infection in sibling: nausea (m/f/n/g) . . . 886
cov2523 – COVID symptoms with 5th infection: pain in the limbs . . . 887
cov2523t – COVID symptoms with 5th infection in twin 1: pain in the limbs (m/f/n/g) 887
cov2523u – COVID symptoms with 5th infection in twin 2: pain in the limbs (m/f/n/g) . . . 888
cov2523s – COVID symptoms with 5th infection in sibling: pain in the limbs (m/f/n/g) . . . 889
cov2524 – COVID symptoms with 5th infection: diarrhea . . . 889
cov2524t – COVID symptoms with 5th infection in twin 1: diarrhea (m/f/n/g) . . . 890
cov2524u – COVID symptoms with 5th infection in twin 2: diarrhea (m/f/n/g) . . . 890
cov2524s – COVID symptoms with 5th infection in sibling: diarrhea (m/f/n/g) . . . 891
cov2525 – COVID symptoms with 5th infection: sore throat . . . 891
cov2525t – COVID symptoms with 5th infection in twin 1: sore throat (m/f/n/g) . 892
cov2525u – COVID symptoms with 5th infection in twin 2: sore throat (m/f/n/g) 893
cov2525s – COVID symptoms with 5th infection in sibling: sore throat (m/f/n/g) 893
cov2526 – COVID symptoms with 5th infection: respiratory problems . . . 894
cov2526t – COVID symptoms with 5th infection in twin 1: respiratory problems (m/f/n/g) . . . 894
cov2526u – COVID symptoms with 5th infection in twin 2: respiratory problems (m/f/n/g) . . . 895
cov2526s – COVID symptoms with 5th infection in sibling: respiratory problems (m/f/n/g) . . . 895
cov2527 – COVID symptoms with 5th infection: fever . . . 896
cov2527t – COVID symptoms with 5th infection in twin 1: fever (m/f/n/g) . . . 897
cov2527u – COVID symptoms with 5th infection in twin 2: fever (m/f/n/g) . . . 897
cov2527s – COVID symptoms with 5th infection in sibling: fever (m/f/n/g) . . . 898
cov2528 – COVID symptoms with 5th infection: cough . . . 898
cov2528t – COVID symptoms with 5th infection in twin 1: cough (m/f/n/g) . . . 899
cov2528u – COVID symptoms with 5th infection in twin 2: cough (m/f/n/g) . . . 899
cov2528s – COVID symptoms with 5th infection in sibling: cough (m/f/n/g) . . . 900
cov2529 – COVID symptoms with 5th infection: olfactory disorder . . . 901
cov2529t – COVID symptoms with 5th infection in twin 1: olfactory disorder (m/f/n/g) 901
cov2529u – COVID symptoms with 5th infection in twin 2: olfactory disorder (m/f/n/g) . . . 902
cov2529s – COVID symptoms with 5th infection in sibling: olfactory disorder (m/f/n/g) . . . 902
cov2530 – COVID symptoms with 5th infection: headache . . . 903
cov2530t – COVID symptoms with 5th infection in twin 1: headache (m/f/n/g) . . . 903
cov2530u – COVID symptoms with 5th infection in twin 2: headache (m/f/n/g) . 904
cov2530s – COVID symptoms with 5th infection in sibling: headache (m/f/n/g) . 905
cov2531 – COVID symptoms with 5th infection: shivering . . . 905

cov2531t – COVID symptoms with 5th infection in twin 1: shivering (m/f/n/g) . . 906
cov2531u – COVID symptoms with 5th infection in twin 2: shivering (m/f/n/g) . 906
cov2531s – COVID symptoms with 5th infection in sibling: shivering (m/f/n/g) . 907
cov2532 – COVID symptoms with 5th infection: sniffles 907
cov2532t – COVID symptoms with 5th infection in twin 1: sniffles (m/f/n/g) . . . 908
cov2532u – COVID symptoms with 5th infection in twin 2: sniffles (m/f/n/g) . . 909
cov2532s – COVID symptoms with 5th infection in sibling: sniffles (m/f/n/g) . . 909
cov2533 – COVID symptoms with 5th infection: taste disorder 910
cov2533t – COVID symptoms with 5th infection in twin 1: taste disorder (m/f/n/g) 910
cov2533u – COVID symptoms with 5th infection in twin 2: taste disorder (m/f/n/g) 911
cov2533s – COVID symptoms with 5th infection in sibling: taste disorder (m/f/n/g) 911
cov2534 – COVID symptoms with 5th infection: other selected 912
cov2534t – COVID symptoms with 5th infection in twin 1: other selected (m/f/n/g) 913
cov2534u – COVID symptoms with 5th infection in twin 2: other selected (m/f/n/g) 913
cov2534s – COVID symptoms with 5th infection in sibling: other selected (m/f/n/g) 914
cov2537 – COVID symptoms with 5th infection: none of these 914
cov2537t – COVID symptoms with 5th infection in twin 1: none of these (m/f/n/g) 915
cov2537u – COVID symptoms with 5th infection in twin 2: none of these (m/f/n/g) 915
cov2537s – COVID symptoms with 5th infection in sibling: none of these (m/f/n/g) 916
cov2538 – COVID symptoms with 5th infection: don't know 917
cov2538t – COVID symptoms with 5th infection in twin 1: don't know (m/f/n/g) . 917
cov2538u – COVID symptoms with 5th infection in twin 2: don't know (m/f/n/g) 918
cov2538s – COVID symptoms with 5th infection in sibling: don't know (m/f/n/g) 918
cov2539 – COVID symptoms with 5th infection: not specified 919
cov2539t – COVID symptoms with 5th infection in twin 1: not specified (m/f/n/g) 919
cov2539u – COVID symptoms with 5th infection in twin 2: not specified (m/f/n/g) 920
cov2539s – COVID symptoms with 5th infection in sibling: not specified (m/f/n/g) 921
cov2540 – acute strain due to fifth COVID infection 921
cov2540t – acute strain due to fifth COVID infection of twin 1 (m/f/n/g) 922
cov2540u – acute strain due to fifth COVID infection of twin 2 (m/f/n/g) 923
cov2540s – acute strain due to fifth COVID infection of sibling (m/f/n/g) 924
cov2541 – long-term strain due to 5th COVID infection (>4 weeks) 924
cov2541t – long-term strain due to 5th COVID infection of twin 1 (>4 weeks) (m/f/n/g) 925
cov2541u – long-term strain due to 5th COVID infection of twin 2 (>4 weeks) (m/f/n/g) 926
cov2541s – long-term strain due to 5th COVID infection of sibling (>4 weeks) (m/f/n/g) 927
cov2600 – number of COVID19 vaccine doses received 928
cov2600t – number of COVID19 vaccine doses received in twin 1 (m/f/n/g) 928
cov2600u – number of COVID19 vaccine doses received in twin 2 (m/f/n/g) . . . 929
cov2600s – number of COVID19 vaccine doses received in sibling (m/f/n/g) . . . 929

49 Survey and module participation **930**
euek – respondent parents about child 930
f2f_mcapi – participation CAPI (gen) 930
f2f_mcasi – participation CASI (gen) 931
f2f_mcer – recorded certificates (gen) 931
f2f_mhh – participation hh questionnaire (gen) 932
f2f_miva1 – information on living environment by interviewer (gen) 932
f2f_miva2 – information on interview by interviewer (gen) 933
mod1002 – survey mode due pandemic (hh questionnaire) 933
mod1003 – survey mode due pandemic (individual questionnaire) 933

50 Interviewer variables **934**
iid – interviewer ID . . . 934
ini0100 – interviewer: year of birth . . . 934
ini0101 – interviewer: sex . . . 935
ini0102 – interviewer: educational qualification . . . 935
ini0103 – interviewer: year of joining survey institute . . . 935

51 Interviewer assessments **936**
iva0100 – dwelling is neat/messy (intr) . . . 936
iva0101 – home furnishings are simple/expensive (intr) . . . 937
iva0102 – dwelling is well-kept/neglected (intr) . . . 937
iva0103 – dwelling is cramped/spacious (intr) . . . 938
iva0104 – number of books in the household (intr) . . . 938
iva0402 – interference of children with each other in int./tests (intr) . . . 939
iva0403 – interference of parents with each other in int./tests (intr) . . . 940
iva0404 – parents' intervention in survey/testing of twins (intr) . . . 940
iva0405 – intervention of parents in survey / testing of sibling (intr) . . . 941
iva0406 – frequency of disturbances during the interview . . . 942
iva0901 – type of building (intr) . . . 942
iva0902 – condition of the house (intr) . . . 943
iva0903 – safety assessment of the residential area (intr) . . . 943
iva0904 – description of the residential area (intr) . . . 944
iva0905 – environmental pollution in residential area (intr) . . . 945
iva1000 – household edited in previous wave (intr) . . . 945
iva1100 – ease of interview (intr) . . . 946
iva1210 – technical problems during interview (intr) . . . 946

52 Para data **947**
mon_fq – month family questionnaire was conducted (gen) . . . 947
mon_hq – month household questionnaire was conducted (gen) . . . 947
mon_pq – month individual questionnaire was conducted (gen) . . . 948
yea_fq – year family questionnaire was conducted (gen) . . . 948
yea_hq – year household questionnaire was conducted (gen) . . . 948
yea_pq – year individual questionnaire was conducted (gen) . . . 949
new – new respondent - first F2F interview (gen) . . . 949
news – new sibling - first F2F interview (gen) . . . 949

1 How to use the codebook

The codebook includes information and frequencies of all variables that are included in the Scientific Use File of TwinLife. The variables are sorted alphabetically within content-related chapters. The codebook documents the following information for these variables: variable name, variable label, question text (from the major survey instrument - although the question text is usually identical in all survey modes, it may differ in some cases), categories (including the value labels), frequencies, data collections the variable was surveyed in, filter conditions based on the instruments used for the variable, and sources for additional information. The variable label includes information on age groups and person types surveyed. This information serves as rough orientation; for detailed filter conditions of the variable within the instrument/questionnaire, please see the filter conditions documented below the frequency table. Please note: For metric variables or variables with many categories, no frequencies are documented (except for missing categories) in order to avoid long lists of categories. The codebook is based on cross-sectional data.

2 Study description

TwinLife is an interdisciplinary longitudinal study that combines perspectives of psychological and sociological theories with behavioral genetic research. The aim of TwinLife is to examine the interplay of the genetic and environmental mechanisms that influence social inequalities over the life course. The study focuses on education and academic performance, career and labor market attainment, integration and participation in social, cultural and political life, quality of life and perceived capabilities, physical and psychological health as well as behavioral issues and deviant behavior. Therefore, more than 4,000 mono- and dizygotic twin couples from four birth cohorts and their families are interviewed alternately in person and by telephone every year. The population of the TwinLife study are families with same-sex twins in Germany who were 5, 11, 17, and 22-24 years old at the first interview in 2014 or 2015. Thus, birth cohorts are defined as follows:
subsample A: - cohort 1: 2009 - cohort 2: 2003 - cohort 3: 1997 - cohort 4: 1990/1991
subsample B: - cohort 1: 2010 - cohort 2: 2004 - cohort 3: 1998 - cohort 4: 1992/1993
More detailed information you can find on our documentation website `https://www.twin-life.de/documentation/`.

3 Data collection 9 (F2F 5)

The field period for F2F 5 was from Oct 28, 2022 to May 14, 2023 (subsample A) and from Nov 13, 2023 to July 26, 2024 (subsample B). Sub-sample A includes 967 families. Sub-sample B includes 953 families. Thus, a total of 1920 families participated in the F2F5 survey.
The target persons in F2F 5 include: - both twins - their parents or stepparents - one sibling (5 years or older) - partners of twins, provided the twins are at least 18 years old

4 Identifiers: IDs on wave, family, household and invidual level

This chapter contains information on: identifier on family level; identifier on individual level; wave identifier.



Figure 1: Overview of data collections in TwinLife

fid – family ID (scientific use file)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Filter based on instrument: always asked/always generated

pid – person ID (scientific use file)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Filter based on instrument: always asked/always generated

wid – data collection ID - consecutively numbered (gen)

1	1: F2F 1	0
2	2: CATI 1	0
3	3: F2F 2	0
4	4: CATI 2	0
5	5: F2F 3	0
6	6: CATI 3	0
7	7: F2F 4	0
8	8: CATI 4	0
9	9: F2F 5	9155
10	10: COVID-19 Supplementary Survey (Cov 1)	0
11	11: COVID-19 Supplementary Survey (Cov 2)	0
12	12: COVID-19 Supplementary Survey (Cov 3)	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Filter based on instrument: always asked/always generated

5 Identifiers: Indicator and sample variables

This chapter contains information on: person types; sample information; wave identifier.

cgr – twin birth cohort

1	1: twins born 2009/2010	2657
2	2: twins born 2003/2004	2404
3	3: twins born 1997/1998	2057
4	4: twins born 1990-1993	2037
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Filter based on instrument: always asked/always generated

ptyp – type of respondent

1	1: firstborn twin - t	1825
2	2: secondborn twin - u	1810
110	110: partner of first interviewed twin - p	397
120	120: partner of second interviewed twin - q	361
200	200: sibling - s	801
201	201: sibling not participating	219
300	300: mother - m	1630
400	400: father - f	1331
500	500: partner of mother - g	122
600	600: partner of father - n	42
700	700: other person (not surveyed)	609
800	800: unknown person type	8

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Filter based on instrument: always asked/always generated

ptyp_hq – type of respondent for household questionnaire (gen)

1	1: firstborn twin - t	1782
2	2: secondborn twin - u	1453
110	110: partner of first interviewed twin - p	97
120	120: partner of second interviewed twin - q	112
200	200: sibling - s	466
201	201: sibling not participating	0
300	300: mother - m	4032
400	400: father - f	1181
500	500: partner of mother - g	11
600	600: partner of father - n	5
700	700: other person (not surveyed)	0
800	800: unknown person type	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Interviewer: Who is the person that fills in the household questionnaire? Note to interviewer: If both parents or one of the parents live in this household, please ask one of the parents to complete the household form as a preference.`
Filter based on instrument: always asked/always generated

wav0100 – subsample (gen)

1	1: Sample A (start 2014/15)	4585
2	2: Sample B (start 2015/16)	4570
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
wav0100 specifies to which subsample of the whole TwinLife sample a family belongs: a (whose survey started in 2014/2015) or b (whose survey started in 2015/2016). For details about the survey and sampling design of TwinLife, see the methodology report of the first TwinLife survey wave (URL Link).

wav0200 – survey wave (gen)

5		9155
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
Each wave of the TwinLife survey consists of two data collections: A face-to-face (F2F) interview and a telephone (CATI) interview. **wav0200** specifies to which survey wave an observation belongs. For details about the survey and sampling design of TwinLife, see the methodology report of the first TwinLife survey wave (URL Link).

wav0300 – part of the survey wave (gen)

1	1: F2F survey part	9155
2	2: CATI survey part	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
Each wave of the TwinLife survey consists of two data collections: A face-to-face (F2F) interview and a telephone (CATI) interview. **wav0300** specifies to which part of a survey wave an observation belongs. For details about the survey and sampling design of TwinLife, see the methodology report of the first TwinLife survey wave (URL Link).

wav0400 – wave (wav0200, wav0300, wav0100 combined)

111	111: F2F 1, sample A	0
112	112: F2F 1, sample B	0
121	121: CATI 1, sample A	0
122	122: CATI 1, sample B	0
211	211: F2F 2, sample A	0
212	212: F2F 2, sample B	0
221	221: CATI 2, sample A	0
222	222: CATI 2, sample B	0
311	311: F2F 3, sample A	0
312	312: F2F 3, sample B	0
321	321: CATI 3, sample A	0
322	322: CATI 3, sample B	0
411	411: F2F 4, sample A	0
412	412: F2F 4, sample B	0
421	421: CATI 4, sample A	0
422	422: CATI 4, sample B	0
511	511: F2F 5, sample A	4585
512	512: F2F 5, sample B	4570
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
wav0400 is a combination of **wav0200**, **wav0300**, and **wav0100**. It specifies to which concrete data collection (survey wave and part of the survey wave, see **wav0200** and **wav0300**) in which subsample (see **wav0100**) an observation belongs. For details about the survey and sampling design of TwinLife, see the methodology report of the first TwinLife survey wave (URL Link).

6 Socio-demographics

This chapter contains information on: ; socio-demographic information.

age0100 – age in years on the date of the family questionnaire (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	179

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
age0100 gives the age in years to the nearest month at the time of the family questionnaire. This means that the actual date of birth was set to the first day of the month and then the age was calculated. For reasons of data protection, the age in years to the day on the date of the family questionnaire (without change of the day of birth, as in **age0110**) cannot be released in the scientific use file. However, **age0110** is used to filter the questions. In most cases, **age0100** and **age0110** are identical. All age variables are based on the respondent's date of birth. This specification can be corrected by the respondent in each wave and is plausibilized longitudinally for further data processing. In the case of inconsistencies in an individual's date of birth, the most frequently given date of birth is used. If two dates of birth are equally frequent, the most recent is taken. Note that **age0100** in Cov3 is the age at the time of the individual questionnaire, as no family questionnaire is available in the Corona supplement.

age0100t – age twins in years on the date of the family questionnaire (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 2
Question text:
Filter based on instrument: always asked/always generated

Generated variable
age0100 gives the age in years to the nearest month at the time of the family questionnaire. This means that the actual date of birth was set to the first day of the month and then the age was calculated. For reasons of data protection, the age in years to the day on the date of the family questionnaire (without change of the day of birth, as in **age0110**) cannot be released in the scientific use file. However, **age0110** is used to filter the questions. In most cases, **age0100** and **age0110** are identical. All age variables are based on the respondent's date of birth. This specification can be corrected by the respondent in each wave and is plausibilized longitudinally for further data processing. In the case of inconsistencies in an individual's date of birth, the most frequently given date of birth is used. If two dates of birth are equally frequent, the most recent is taken. Note that **age0100** in Cov3 is the age at the time of the individual questionnaire, as no family questionnaire is available in the Corona supplement.

age0100s – age sibling in years on the date of the family questionnaire (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2977
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 2
Question text:
Filter based on instrument: always asked/always generated
Generated variable
age0100 gives the age in years to the nearest month at the time of the family questionnaire. This means that the actual date of birth was set to the first day of the month and then the age was calculated. For reasons of data protection, the age in years to the day on the date of the family questionnaire (without change of the day of birth, as in **age0110**) cannot be released in the scientific use file. However, **age0110** is used to filter the questions. In most cases, **age0100** and **age0110** are identical. All age variables are based on the respondent's date of birth. This specification can be corrected by the respondent in each wave and is plausibilized longitudinally for further data processing. In the case of inconsistencies in an individual's date of birth, the most frequently given date of birth is used. If two dates of birth are equally frequent, the most recent is taken. Note that **age0100** in Cov3 is the age at the time of the individual questionnaire, as no family questionnaire is available in the Corona supplement.

age0101 – age in months on the date of the family questionnaire (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	179

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
age0101 gives the age in months at the time of the family questionnaire, rounded up to the nearest month. This means that the actual date of birth was set to the first day of the month and then the age in months was calculated. All age variables are based on the date of birth given by the respondent. This specification can be corrected by the respondent in each wave and is plausibilized longitudinally for further data processing. In the case of inconsistencies in an individual's date of birth, the most frequently given date of birth is used. If two dates of birth are equally frequent, the most recent is taken. Note that **age0101** in Cov3 is the age at the time of the individual questionnaire, as no family questionnaire is available in the Corona supplement.

age0200 – age in years on 01 January of survey year of subsample (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	179

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
age0200 specifies the age in years at January 1st of the (main) survey year of the subsample. The survey year is defined uniformly for the entire subsample in each wave, although in reality it may differ across families (see variable **yea_fq**). The defined survey years are: F2F 1 subsample a: 2015; F2F 1 subsample b: 2016; CATI 1a: 2016; CATI 1b: 2017; F2F 2a: 2017; F2F 2b: 2018; CATI 2a: 2018; CATI 2b: 2019. All age variables are based on the date of birth provided by the respondent. The specification can be corrected by the respondent in each wave and is plausibilized longitudinally for further data processing. In cases of inconsistent birth date information of an individual, the the most frequently cited date of birth is adopted. If two dates of birth were mentioned equally often, the latest specification is adopted.

age0201 – age in months on 01 January of survey year of subsample (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	179

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
age0201 specifies the age in months at January 1st of the (main) survey year of the subsample. The survey year is defined uniformly for the entire subsample in each wave, although in reality it may differ across families (see variable **yea_fq**). The defined survey years are: F2F 1 subsample a: 2015; F2F 1 subsample b: 2016; CATI 1a: 2016; CATI 1b: 2017; F2F 2a: 2017; F2F 2b: 2018; CATI 2a: 2018; CATI 2b: 2019. All age variables are based on the date of birth provided by the respondent. The specification can be corrected by the respondent in each wave and is plausibilized longitudinally for further data processing. In cases of inconsistent birth date information of an individual, the the most frequently cited date of birth is adopted. If two dates of birth were mentioned equally often, the latest specification is adopted.

ewi – Eastern or western federal state (federal state indicator) (gen)

1	1: Eastern federal state	1676
2	2: Western federal state	7479
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
In order to meet data protection requirements, regional information about a person, household, or family can only be provided in aggregated form. Therefore, an east-west indicator (**ewi**) was generated by dividing the German states (Bundeslaender) into two groups depending on their former affiliation to Western Germany (Federal Republic of Germany)

or Eastern Germany (German Democratic Republic). Baden-Wuerttemberg, Bavaria, Bremen, Hamburg, Hesse, Lower Saxony, North Rhine-Westphalia, Rhineland-Palatinate, Saarland and Schleswig-Holstein belong to former Western Germany; Berlin, Brandenburg, Mecklenburg-West Pomerania, Saxony, Saxony-Anhalt and Thuringia belong to former Eastern Germany. According to the Federal Statistical Office of Germany, Berlin as a whole is count as part of former Eastern Germany. **ewi** is available on the household level. Please note that regional variables are generated from contextual information based on a household's contact address. In case of inconsistencies within a household ID, the regional information of the twins was prioritized over the information of the other household members. However, these inconsistencies occurred only in very rare cases.

gkpol_r – community size classification (political), 4 groups (gen)

1	1: 1 to 19,999 inhabitants	1822
2	2: 20,000 to 99,999 inhabitants	2278
3	3: 100,000 to 499,999 inhabitants	1983
4	4: 500,000 or more inhabitants	3072
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
In order to meet data protection requirements, regional information about a person, household, or family can only be provided in aggregated form. Therefore, the (political) size of the community (politische Gemeindegroessenklasse, **gkpol_7**, structured as follows: 1: 1 to 1,999 inhabitants, 2: 2,000 to 4,999 inhabitants, 3: 5,000 to 19,999 inhabitants, 4: 20,000 to 49,999 inhabitants, 5: 50,000 to 99,999 inhabitants, 6: 100,000 to 499,999 inhabitants, 7: 500,000 or more inhabitants) is classified into four groups and delivered in the SUF data (**gkpol_r**). **gkpol_r** is available on the household level. Please note that regional variables are generated from contextual information based on a household's contact address. In case of inconsistencies within a household ID, the regional information of the twins was prioritized over the information of the other household members. However, these inconsistencies occurred only in very rare cases.

sex – sex

1	1: male	4436
2	2: female	4716
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Generated variable
In each face-to-face survey, there is an option to correct the gender of family members. In general, the last reported gender is included in the dataset. In the F2F4 questionnaire, the gender category 'divers' (third gender) has been introduced. However, as gender is a quasi-identifying attribute, the third category is not provided in the SUF for data protection reasons, as this category has rarely been selected so far. Changes in the gender identity of twins are also not reported in the SUF for data protection reasons.

7 Family structure and household characteristics

This chapter contains information on: characteristics of family members (name, age, gender of twins; name, age, gender and relation to twins of siblings and parents who don't live in household; partners of twins); family members living in the household; housing characteristics; number of households in the family; number of persons belonging to the household.

fhc – number of households belonging to the family (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

fpr0107 – relation to the twins

11	11: firstborn twin	1825
12	12: secondborn twin	1810
21	21: biological mother	1622
22	22: biological father	1323
23	23: adoptive mother	4
24	24: adoptive father	6
25	25: foster mother	5

26	26: foster father	4
28	28: non-biological father, pregnancy by semen donor	0
31	31: partner of mother	119
32	32: partner of father	42
41	41: full biological sibling (both parents are the same as twins)	909
42	42: half sibling (mother is the same as twins)	55
43	43: half sibling (father is the same as twins)	4
44	44: half sibling (one of the parents is the same as twins, which one is unknown)	29
...	(5 rows omitted)	41
61	61: partner of firstborn twin	397
62	62: partner of secondborn twin	361
71	71: other relative	85
72	72: other non-relative	259
81	81: child of firstborn twin	118
82	82: child of secondborn twin	129
90	90: unknown relationship to twins	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Generated variable
Please note: biological siblings can also be adopted or foster siblings in TwinLife. For this reason, no corrections will be made if the mother's age, the sibling's birth year and the information in fpr0107 together seem implausible.

hlt – twin1 lives in household (gen)

0	0: not true	3142
1	1: true	6013
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

hlu – twin2 lives in household (gen)

0	0: not true	3214
1	1: true	5941
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

hls – sibling lives in household (gen)

0	0: not true	6099
1	1: true	3056
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

hlf – father lives in household (gen)

0	0: not true	4254
1	1: true	4901
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

hlg – stepfather lives in household (gen)

0	0: not true	8760
1	1: true	395
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

hlm – mother lives in household (gen)

0	0: not true	3386
1	1: true	5769
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

hln – stepmother lives in household (gen)

0	0: not true	9027
1	1: true	128
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

hpc – number of persons belonging to the household (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	32
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

liv0210 – housing conditions of the twins (gen)

1	1: subletting	185
2	2: in a rented apartment/house	3876
3	3: in residential property, owned by twin alone	84
4	4: in residential property, owned by parents of twins	4262
5	5: in residential property, owned by partner of twin	96
6	6: in residential property, owned by twin and partner together	181
7	7: in residential property, owned by another person	287
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	36
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	73
-95	-95: doesn't apply (screened out)	63
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The housing conditions were surveyed on the household level and the corresponding questions (**liv0200** and **liv0300**/**liv0310** resp.: 'Are you the main tenant, subletter, or owner?') were answered by the person that has filled the household questionnaire. The variable **liv0210** was generated by processing the available information into the twin perspective and on a personal level. Please note that from CATI 1 (**wid** == 2) onwards, the question 'Have you been living here since about a year ago?' (**liv0600**) was asked in advance. Only persons who answered 'No' to this question were asked about their living conditions in **liv0200** and **liv0310**. In the other cases, the previous year's information was inserted. The household type (**liv0400**: 'In what type of household do you live?') was also surveyed in a personal perspective (dependent on the person type that filled the household questionnaire). The question was asked regardless of whether or not a person had indicated that they had already lived in the apartment in the past year (**liv0600**). The information was processed into the generated variable

liv0410 that provides the information in a general and (between person types) comparable perspective.
pairfam Group. (2022). Anchor Codebook, Wave 1 (2008/2009), Release 13.0 (ZA5678 Data file version 13.0.0; GESIS Data Archive). [URL link]

liv0410 – household type (gen)

1	1: household without parents (father, mother, step- or foster parents)	2285
2	2: household of the parents of the twins	5139
3	3: shared apartment/home with roommates	374
4	4: dormitory, student/school dormitory, boarding school, residence for teenagers or similar	51
5	5: other household	19
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	348
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	934
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The housing conditions were surveyed on the household level and the corresponding questions (**liv0200** and **liv0300**/**liv0310** resp.: 'Are you the main tenant, subletter, or owner?') were answered by the person that has filled the household questionnaire. The variable **liv0210** was generated by processing the available information into the twin perspective and on a personal level. Please note that from CATI 1 (**wid** == 2) onwards, the question 'Have you been living here since about a year ago?' (**liv0600**) was asked in advance. Only persons who answered 'No' to this question were asked about their living conditions in **liv0200** and **liv0310**. In the other cases, the previous year's information was inserted. The household type (**liv0400**: 'In what type of household do you live?') was also surveyed in a personal perspective (dependent on the person type that filled the household questionnaire). The question was asked regardless of whether or not a person had indicated that they had already lived in the apartment in the past year (**liv0600**). The information was processed into the generated variable **liv0410** that provides the information in a general and (between person types) comparable perspective.
pairfam Group. (2022). Anchor Codebook, Wave 1 (2008/2009), Release 13.0 (ZA5678 Data file version 13.0.0; GESIS Data Archive). [URL link]

liv0700 – Internet access available in the household (hh)

1	1: yes, slowly	414
2	2: yes, at an adequate pace	3496
3	3: yes, quickly	5163
4	4: no	41
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	14
-99	-99: not specified (refused to answer)	13

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Do you have internet access in your household?`
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)

8 Marital status

This chapter contains information on: partnership and marital status.

fam0100 – marital status (>= 16 yr)

1	1: married, cohabitating	2208
2	2: married, living permanently apart	75
3	3: registered same-sex partnership, cohabitating with partner	29
4	4: registered same-sex partnership, living permanently apart	8
5	5: single	2445
6	6: divorced	218
7	7: widowed	49
8	8: registered same-sex partnership: divorced	1
9	9: registered same-sex partnership: widowed	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1077
-98	-98: don't know	7
-99	-99: not specified (refused to answer)	28

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your marital status?`
Filter based on instrument: module 'questionnaire on relationships' (CASI/CAWI): age0110>=16
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

fam0200 – permanent partnership (>= 16 yr)

1	1: yes	1430
2	2: no	1398
-84	-84: unassignable	0

-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3314
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Are you in a serious / permanent relationship?`
Filter based on instrument: module 'questionnaire on relationships' (CASI/CAWI): age0110>=16 & (fam0100 !=1 & fam0100!=3)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

fam0300 – sex of partner (>= 16 yr)

1	1: male	829
2	2: female	598
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4714
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your partner's sex?`
Filter based on instrument: module 'questionnaire on relationships' (CASI/CAWI): age0110>=16 & fam0200==1
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

fam0304 – highest school-leaving qualification of partner (>=16 y.)

1	1: leaving school without a qualification	7
2	2: elementary/main school leaving certificate (gdr: 8th grade)	46
3	3: secondary school certificate (gdr: 10th grade)	265
4	4: graduation from a specialized secondary school	136

5	5: baccalaureate/university entrance qualification	687
6	6: other school-leaving qualification	33
-81	-81: partner does not yet have a school-leaving qualification	26
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4932
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	9

Waves: F2F 5
Question text: `What is your partner's highest school-leaving qualification?`
Filter based on instrument: module 'questionnaire on relationships' (CASI/CAWI): age0110>=16 & (inlist(ptyp,1,2,200)) & (fam0100==1 | fam0100==3 | fam0200==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

fam0306 – highest training qualification from partner (>=16 y.)

1	1: no vocational training or higher educational certificate (yet)	303
2	2: vocational training, vocational school, commercial school	293
3	3: schools for healthcare	29
4	4: professional school, technical college, e.g., master craftsman's or technician's certificate	55
5	5: training for civil servants	25
6	6: university of applied sciences [from F2F 2]	44
7	7: university of cooperative education [from F2F 2]	7
8	8: university of applied sciences, university of cooperative education [only F2F 1]	0
9	9: university, higher educational institution	399
10	10: PhD	18
11	11: other qualification	25
-83	-83: in training	0
-87	-87: multiple answers	0
-89	-89: not codable	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4932
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	10

Waves: F2F 5
Question text: `What is your partner's highest level of education or degree?`
Filter based on instrument: module 'questionnaire on relationships' (CASI/CAWI): age0110>=16 & (inlist(ptyp,1,2,200)) & (fam0100==1 | fam0100==3 | fam0200==1)

Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

9 Migration and citizenship

This chapter contains information on: year of immigration, country of birth, residential status, language spoken at home.

mig0520 – german citizenship available (gen)

1	1: yes	7673
2	2: no	253
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	72
-92	-92: no participation in survey module	2
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1154
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
mig0520, which is part of the master file of the Scientific Use File, includes all available information on the personal level and displays whether the individual has the German citizenship or not (*1: yes* or *2: no*). In the first face-to-face data collection (F2F 1) the citizenship was surveyed in a multicoding format as a self-report and a proxy-report of parents about their children, offering the respondent to mention one or several citizenships and give open answers (**mig0500(t/u/s)** - **mig0519(t/u/s)**). In the second face-to-face data collection (F2F 2), it was explicitly asked for the first citizenship as well as for the second citizenship, if applicable (including the offering of an open answer). The corresponding variables are **mig0550(t/u/s)** - **mig0553(t/u/s)**). The citizenship was surveyed of all respondents in both F2F 1 and F2F 2. It is stored, like the other migration variables, as constant variable in the master. In cases were the information given in F2F 2 differed from the one given in F2F 1, the latest information was used for the generation of **mig0520**.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Lebenslauffragebogen, Altstichproben [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Life Course Questionnaire, Age Samples] (237: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig0620 – German citizenship since (year) (gen)

9996	9996: since birth	6371
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	161
-92	-92: no participation in survey module	116
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2191
-98	-98: don't know	39
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
mig0620 indicates the year in which German citizenship was granted. *mig0620* was generated on the basis of *mig0600* (self-reports) and *mig0600[t,u,s]* (parents' proxy statements) from F2F1 and, in the case of newly interviewed siblings, on the basis of *mig0600s* from F2F2. In *mig0620*, missing or even valid values for year of citizenship from F2F1 were replaced by valid information on year of citizenship from F2F2. This is only the case for a small number of siblings. Missing information on *mig0620* when German citizenship is available can be explained by the fact that certain persons did not receive the question, i.e. Alteri in F2F1, persons who were asked about their citizenship for the first time in F2F2 or later, or person who were asked about their citizenships in F2F2 again.
TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Lebenslauffragebogen, Altstichproben [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Life Course Questionnaire, Age Samples] (237: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig2000 – country of birth (gen)

1	1: Germany	6843
2	2: Turkey	53
3	3: Africa	18
4	4: Arabic-islamic world	42
5	5: Asia	21
6	6: Latin America	24
7	7: North America and Australia	21
8	8: Western Europe	63
9	9: Eastern Europe	92
10	10: Southern Europe	25
11	11: Western Balkan	18
12	12: Former Sovjet Union	94
-81	-81: contradictory information	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	287
-92	-92: no participation in survey module	9
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1542
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The country of birth was surveyed in the first face-to-face data collection (F2F 1) as a self-report (respondents aged 16 or above, **mig0100**, **mig0101**), proxy-report of parents about their children aged below 16 (twins and sibling, **mig0100t/u/s**, **mig0101t/u/s**) as well as a proxy-report about the own parents (**mig0300**, **mig0301**, **mig0400**, **mig0401**; persons aged 16 or above). In F2F 2 only first-time respondents were asked for their country of birth. In F2F 3, the country of birth was not surveyed. The information was collected by providing a list as well as the opportunity to give an open answer. For data privacy reasons the answers were recoded into country groups and stored in generated variables, where the self-reports and the proxy-reports of parents about their children were integrated into **mig2000**. Please note that proxy information by the twins or the sibling about the country of birth of their parents is *not* used for the generation of **mig2000** (e.g. **mig0300** for the generation of **mig2000** of the twin's mother, etc.). The treatment of missing values is addressed in **mig3000**. It can be derived from the table *mig2000_countrygroups.pdf* (URL Link) in the downloads section (URL Link) of the TwinLife documentation website which countries were included in which group. Please also note that different statements of twins about their country of birth are not harmonized. In about 20 cases/twin pairs the given information differs between the twins. The treatment of contradicting information is addressed in **mig3000**. **mig2000** is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig2001 – born in the GDR (gen)

0	0: not born in the GDR	6857
1	1: born in the GDR	457
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	287
-92	-92: no participation in survey module	9
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1542
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The information whether a person was born in the German Democratic Republic (GDR) is stored in the variables **mig2001** (self-report), **mig2101** (respondent's report about mother) and **mig2201** (respondent's report about father). It is generated on the basis of the country of birth and considers whether the person was born during the existence of the GDR between

7/10/1949 and 2/10/1990. **mig0100** contains the answer on the question 'What country you were born in?'; *2* is the answer 'Germany, former GDR'. **mig0101** contains the open answers to the question. **gebdatg** is the individual birth date as the number of days since 01/01/1960; *-3738* corresponds to the date 07/10/1949 and *11232* to the date 02/10/1990.

```
replace mig2001 = 1 if (mig0100 == 2 | mig0101 == 'Ostdeutschland' | mig0101 == 'DDR')
replace mig2001 = 0 if (mig0100 == 2 | mig0101 == 'Ostdeutschland' | mig0101 == 'DDR')
```

The variable is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig2100 – country of birth of respondent's mother (gen)

1	1: Germany	3752
2	2: Turkey	102
3	3: Africa	21
4	4: Arabic-islamic world	59
5	5: Asia	29
6	6: Latin America	25
7	7: North America and Australia	9
8	8: Western Europe	95
9	9: Eastern Europe	246
10	10: Southern Europe	40
11	11: Western Balkan	39
12	12: Former Sovjet Union	111
-81	-81: contradictory information	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	307
-92	-92: no participation in survey module	23
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4290
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The country of birth was surveyed in the first face-to-face data collection (F2F 1) as a self-report (respondents aged 16 or above, **mig0100**, **mig0101**), proxy-report of parents about their children aged below 16 (twins and sibling, **mig0100t/u/s**, **mig0101t/u/s**) as well as a proxy-report about the own parents (**mig0300**, **mig0301**, **mig0400**, **mig0401**; persons aged 16 or above). In F2F 2 only first-time respondents were asked for their country of birth. In F2F 3, the country of birth was not surveyed. The information was collected by providing a list as well as the opportunity to give an open answer. For data privacy reasons the answers were recoded into country groups and stored in generated variables, where the proxy-reports

of the twins and the sibling about their parents were integrated into **mig2100** and **mig2200**. Please note that self-reports of the parents about the country of their birth are *not* used for the generation of **mig2100** and **mig2200** (e.g. **mig0100** of the twins' mother for the generation of **mig2100**, etc.). For an extension of the generation, see **mig3100** and **mig3200**. It can be derived from the table *mig2000_countrygroups.pdf* (URL Link) in the downloads section (URL Link) of the TwinLife documentation website which countries were included in which group. Please also note that different statements of twins and the sibling about the country of birth of their parents are not harmonized. In about 30 cases the given information differs between the siblings. The treatment of contradicting information is addressed in **mig3100** and **mig3200**. **mig2100** is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig2101 – born in the GDR - respondent's mother (gen)

0	0: not born in the GDR	4079
1	1: born in the GDR	449
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	307
-92	-92: no participation in survey module	24
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4290
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The information whether a person was born in the German Democratic Republic (GDR) is stored in the variables **mig2001** (self-report), **mig2101** (respondent's report about mother) and **mig2201** (respondent's report about father). It is generated on the basis of the country of birth and considers whether the person was born during the existence of the GDR between 7/10/1949 and 2/10/1990. **mig0300** contains the answer on the question 'What country was your mother born in?'; *2* is the answer 'Germany, former GDR'. **mig0301** contains the open answers to the question. **gebdatg** is the individual birth date as the number of days since 01/01/1960; *-3738* corresponds to the date 07/10/1949 and *11232* to the date 02/10/1990.

```
replace mig2101 = 1 if (mig0300 == 2 | mig0301 == 'Ostdeutschland' | mig0301 == 'DDR')
& inrange(gebdatg,-3738,11232)
replace mig2101 = 0 if (mig0300 == 2 | mig0301 == 'Ostdeutschland' | mig0301 == 'DDR')
& !inrange(gebdatg,-3738,11232)
```

The variable is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig2200 – country of birth of respondent's father (gen)

1	1: Germany	3705
2	2: Turkey	101
3	3: Africa	25
4	4: Arabic-islamic world	59
5	5: Asia	28
6	6: Latin America	22
7	7: North America and Australia	18
8	8: Western Europe	89
9	9: Eastern Europe	267
10	10: Southern Europe	50
11	11: Western Balkan	40
12	12: Former Sovjet Union	106
-81	-81: contradictory information	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	307
-92	-92: no participation in survey module	22
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4290
-98	-98: don't know	23
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The country of birth was surveyed in the first face-to-face data collection (F2F 1) as a self-report (respondents aged 16 or above, **mig0100**, **mig0101**), proxy-report of parents about their children aged below 16 (twins and sibling, **mig0100t/u/s**, **mig0101t/u/s**) as well as a proxy-report about the own parents (**mig0300**, **mig0301**, **mig0400**, **mig0401**; persons aged 16 or above). In F2F 2 only first-time respondents were asked for their country of birth. In F2F 3, the country of birth was not surveyed. The information was collected by providing a list as well as the opportunity to give an open answer. For data privacy reasons the answers were recoded into country groups and stored in generated variables, where the proxy-reports of the twins and the sibling about their parents were integrated into **mig2100** and **mig2200**. Please note that self-reports of the parents about the country of their birth are *not* used for the generation of **mig2100** and **mig2200** (e.g. **mig0100** of the twins' father for the generation of **mig2200**, etc.). For an extension of the generation, see **mig3100** and **mig220g**. It can be derived from the table *mig2000_countrygroups.pdf* (URL Link) in the downloads section (URL Link) of the TwinLife documentation website which countries were included in which group. Please also note that different statements of twins and the sibling about the country of birth of their parents are not harmonized. In about 30 cases the given information differs between the siblings. The treatment of contradicting information is addressed in **mig3100** and **mig3200**. **mig2200** is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig2201 – born in the GDR - respondent's father (gen)

0	0: not born in the GDR	4083
1	1: born in the GDR	427
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	307
-92	-92: no participation in survey module	23
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4290
-98	-98: don't know	22
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The information whether a person was born in the German Democratic Republic (GDR) is stored in the variables **mig2001** (self-report), **mig2101** (respondent's report about mother) and **mig2201** (respondent's report about father). It is generated on the basis of the country of birth and considers whether the person was born during the existence of the GDR between 7/10/1949 and 2/10/1990. **mig0400** contains the answer on the question 'What country was your father born in?'; *2* is the answer 'Germany, former GDR'. **mig0401** contains the open answers to the question. **gebdatg** is the individual birth date as the number of days since 01/01/1960; *-3738* corresponds to the date 07/10/1949 and *11232* to the date 02/10/1990.

```
replace mig2201 = 1 if (mig0400 == 2 | mig0401 == 'Ostdeutschland' | mig0401 == 'DDR')
& inrange(gebdatg,-3738,11232)
replace mig2201 = 0 if (mig0400 == 2 | mig0401 == 'Ostdeutschland' | mig0401 == 'DDR')
& !inrange(gebdatg,-3738,11232)
```

The variable is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig3000 – country of birth - extended (gen)

1	1: Germany	6891
2	2: Turkey	58
3	3: Africa	19
4	4: Arabic-islamic world	43
5	5: Asia	22
6	6: Latin America	23
7	7: North America and Australia	21
8	8: Western Europe	63
9	9: Eastern Europe	91
10	10: Southern Europe	24

11	11: Western Balkan	17
12	12: Former Sovjet Union	95
-81	-81: contradictory information	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	239
-92	-92: no participation in survey module	7
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1539
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variable **mig3000** is an extended and harmonized version of **mig2000** and combines all available information on respondents' country of birth. For those cases where the parents' self-report is not available, the information provided by the twins or the sibling about their biological parents' countries of birth is used (e.g. **mig2100** for the generation of **mig3000** of the twin's mother, etc.). If the twins' and the sibling's statements about their parents' countries of birth differ, the statement that is shared by two out of the three is designated as the parent's country of birth. Missing information of one of the twins is filled in with the information of the other twin. If the information about the twins' country of birth is contradicting, Germany is designated as the country of birth if at least one twin indicated to be born in Germany. The value -81 (contradictory information) is assigned for cases with no unambiguous information about the twins' country of birth.
mig3000 is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig3100 – country of birth of respondent's mother - extended (gen)

1	1: Germany	6157
2	2: Turkey	159
3	3: Africa	49
4	4: Arabic-islamic world	104
5	5: Asia	56
6	6: Latin America	57
7	7: North America and Australia	20
8	8: Western Europe	129
9	9: Eastern Europe	339
10	10: Southern Europe	64
11	11: Western Balkan	55
12	12: Former Sovjet Union	209
-81	-81: contradictory information	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	200
-92	-92: no participation in survey module	9
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1543
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variable **mig3100** is an extended and harmonized version of **mig2100** and combines all available information on the country of birth of the respondent's mother. For the twins and the sibling, the self-reported country of birth of their biological mother (i.e. **mig2000**) is used for the generation of **mig3100**. For those cases where there is no self-reported information available, the proxy-information provided by the twins or the sibling is used instead (i.e. **mig2100**). If the twins' and the sibling's statements about their mother's country of birth differ, the statement that is shared by two out of the three is designated as the mother's country of birth. If there is no unambiguous information about the mother's country of birth, the value -81 (contradictory information) is assigned.
mig3100 is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig3200 – country of birth of respondent's father - extended (gen)

1	1: Germany	5811
2	2: Turkey	170
3	3: Africa	46
4	4: Arabic-islamic world	96
5	5: Asia	41
6	6: Latin America	30
7	7: North America and Australia	24
8	8: Western Europe	126
9	9: Eastern Europe	318
10	10: Southern Europe	68
11	11: Western Balkan	64
12	12: Former Sovjet Union	166
-81	-81: contradictory information	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	211
-92	-92: no participation in survey module	11
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1952
-98	-98: don't know	18

-99	-99: not specified (refused to answer)	3

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variable **mig3200** is an extended and harmonized version of **mig2200** and combines all available information on the country of birth of the respondent's father. For the twins and the sibling, the self-reported country of birth of their biological father (i.e. **mig2000**) is used for the generation of **mig3200**. For those cases where there is no self-reported information available, the proxy-information provided by the twins or the sibling is used instead (i.e. **mig2200**). If the twins' and the sibling's statements about their father's country of birth differ, the statement that is shared by two out of three is designated as the father's country of birth. If there is no unambiguous information about the father's country of birth, the value -81 (contradictory information) is assigned. **mig3200** is stored in the master data set.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

mig4000 – migration background (t,u,s, up to the 3rd generation) (gen)

0	0: no migration background	2672
1	1: 1st generation	90
2	2: 2nd generation	734
3	3: 3rd generation	686
-86	-86: not available/empty/not codable	59
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	239
-92	-92: no participation in survey module	7
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4665
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variable **mig4000** is based on **mig3000**, **mig3100**, and **mig3200** and contains information on the twins and the sibling's migration background up to the third generation. The variable indicates whether the twins' or the sibling were born in Germany (0); born abroad (1); have no personal migration but migration of at least one parent (2); no personal nor migration of either parent but migration of at least one grandparent (3). The migration background was constructed for twins with at least one (grand-)parental information available. In cases where the information on the country of birth is contradicting but it is known that the respondent is born abroad, the information about the foreign birth is used without considering

the particular country. Twins and siblings with missing information on both parents or all grandparents were assigned the value -86 (not available/empty/not codable). Please note, **mig4000** only considers information about biological parents. The variable is stored in the master data set.
Source: Adapted from: Olczyk, M., Will, G., & Kristen, C. (2016). Immigrants in the NEPS: Identifying generation status and group of origin (No. 4; NEPS Survey Paper). Leibniz Institute for Educational Trajectories, National Educational Panel Study. [URL link]

mig4100 – migration background (up to the 2nd generation) (gen)

0	0: no migration background	5520
1	1: 1st generation	476
2	2: 2nd generation	1082
-86	-86: not available/empty/not codable	289
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	239
-92	-92: no participation in survey module	7
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1539
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variable **mig4100** is based on **mig3000**, **mig3100**, and **mig3200** and contains information on respondents' migration background up to the second generation. The variable indicates whether respondents were born in Germany (0); born in a country other than Germany (1); or have no personal migration but migration of at least one parent (2). The migration background was constructed for respondents with at least one parental information available. In cases where the information on the country of birth is contradicting but it is known that the respondent was born abroad, the information about the foreign birth is used without considering the particular country. Respondents with missing information on both parents were assigned the value -86 (not available/empty/not codable). Please note, **mig4100** only considers information about biological parents. The variable is stored in the master data set.
Source: Adapted from: Olczyk, M., Will, G., & Kristen, C. (2016). Immigrants in the NEPS: Identifying generation status and group of origin (No. 4; NEPS Survey Paper). Leibniz Institute for Educational Trajectories, National Educational Panel Study. [URL link]

10 Zygosity questionnaire

This chapter contains information on: zygosity.

zyg0102 – zygosity: result questionnaire and DNA in F2F1 (gen)

1	1: monozygotic	4191
2	2: dizygotic	4960
-87	-87: multiple answers	0
-89	-89: no saliva swab test	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	4
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variable *zyg0102* combines the information from the results of the zygosity questionnaire in F2F1 (zyg0100) and the DNA samples from F2F1 (zyg0101). It is recommended to use the new variable *zyg0112* as this is updated by the results of the DNA analysis of F2F3. For details regarding the generated zygosity variables, see the Technical Report No. 1 (URL Link).
Lenau, F., & Hahn, E. (2017). Documentation TwinLife Data: Zygosity (No. 1; TwinLife Technical Report Series). Project TwinLife Genetic and social causes of life chances (Bielefeld University / Saarland University). [URL link]; Lenau, F., Hahn, E., Peters, A.-L., Gottschling, J., Thiel., W., & Spinath, F. M. (2017). Zygosity Determination in Twin Studies A Validation of Zygosity Questionnaires Using DNA in the German TwinLife Study (No. 1; TwinLife Working Paper Series). Project TwinLife Genetic and social causes of life chances (Bielefeld University / Saarland University). [URL link]

zyg0112 – zygosity: result questionnaire and DNA in F2F1 & F2F3 (gen)

1	1: monozygotic	4320
2	2: dizygotic	4835
-87	-87: multiple answers	0
-89	-89: no saliva swab test	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variable *zyg0112* combines the information from the results of the zygosity questionnaire in F2F1 (zyg0100) and the DNA samples from F2F1 (zyg0101) and F2F3 (zyg0111). It

is recommended to use this updated variable instead of *zyg0102* which does not yet contain the results of the DNA analysis from F2F3. For details regarding the generated zygosity variables, see the Technical Report No. 1 (URL Link).

11 Educational attainment and success

This chapter contains information on: ; desired school-leaving qualification; expected probability to attain a degree; extracurricular programmes (e.g., assistance with homework); history of education and graduation: educational degrees, vocational training, year abroad; photos of school reports, self-report on school grades (current school marks, marks of highest graduation); pressure and stress at school; recommendation for secondary education; school climate / student-teacher-interaction; type of education / training; current status of education / qualification.

cer0001 – participation in the report card module (gen)

1	1: report card photo is available	0
2	2: alternative questionnaire is available	1234
3	3: report card photo and alternative questionnaire are available	607
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1053
-92	-92: no participation in survey module	2352
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3909
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
cer0001 was generated from the information provided in the report card module. Those respondents who did not consent to have a photo taken of their report card received the alternative questionnaire on the most recent or final report card. Those for whom there was consent for the report card photograph (cer1002==1), but for whom both the report card photograph and the alternative questionnaire were missing, received the code -94 (technical error).

cer1001 – photo: consent photo report card

1	1: yes	291
2	2: no	202
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	6795
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[IF edu0100=2 or edu0301=1] We would like to ask you to provide us with your last annual report card from general school so that we can photograph it. Do you agree with this? [IF edu0100 != 2 and edu0301 !=1 and (eca0900=1 or (cer_pre = 2 and note_pre = 2)] We would like to ask you to provide us with your school leaving certificate so that we can photograph it. Do you agree with this?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==1 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2)))
Item developed for TwinLife.

cer1001t – photo: consent photo report card (m/f/n/g, t < 18 yr.)

1	1: yes	216
2	2: no	106
-81	-81: (still) no certificate available	0
-82	-82: does not apply: child does not go to school yet	0
-83	-83: Child does not live in the same household	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6967
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `We would like to ask you to provide us with [name of child]'S last school report (or leaving certificate) so that we can photograph it. Do you agree to this?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==1 & inrange(age0110t,6,17) & euek==1 & (edu0100t==2 | (edu0100t==3 & cer_pret==2 & note_pret==2))

cer1001u – photo: consent photo report card (m/f/n/g, u < 18 yr.)

1	1: yes	214
2	2: no	106
-81	-81: (still) no certificate available	0
-82	-82: does not apply: child does not go to school yet	0
-83	-83: Child does not live in the same household	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `We would like to ask you to provide us with [name of child]'S last school report (or leaving certificate) so that we can photograph it. Do you agree to this?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==1 & inrange(age0110t,6,17) & euek==1 & (edu0100u==2 | (edu0100u==3 & cer_preu==2 & note_preu==2))

cer1001s – photo: consent photo report card (m/f/n/g, s < 18 yr.)

1	1: yes	92
2	2: no	76
-81	-81: (still) no certificate available	0
-82	-82: does not apply: child does not go to school yet	0
-83	-83: Child does not live in the same household	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7121
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `We would like to ask you to provide us with [name of child]'S last school report (or leaving certificate) so that we can photograph it. Do you agree to this?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==1 & inrange(age0110s,6,17) & euek==1 & (edu0100s==2 | (edu0100s==3 & cer_pres==2 & note_pres==2))

cer1002 – photo: consent photo report card (gen)

1	1: yes	802
2	2: no	469
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1053

-92	-92: no participation in survey module	2352
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4479
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
cer1002 was generated from the variables cer1001 and cer1001[t,u,s] at the person level (ptyp=1,2,200) and indicates whether there was consent to photograph the report card. The missing code -94 in the variables of the report card photo module means that there is no photo due to a technical error, although the consent to take the photo was given (cer1002==1). It could be technical problems with taking the photo or it was forgotten to take the photo.
Item developed for TwinLife.

cer1004t – interview: math grade of last report card twin 1

-83	-83: there were no grades	13
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6967
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate the grades [name of child] received in his/her last report card in the following subjects:` [item text: `maths`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001t==2 | cer1001t==1))
Item developed for TwinLife.

cer1004u – interview: math grade of last report card twin 2

-83	-83: there were no grades	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6969
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate the grades [name of child] received in his/her last report card in the following subjects:` [item text: `maths`]

Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001u==2 | cer1001u==1))
Item developed for TwinLife.

cer1004s – interview: math grade of last report card sibling

-83	-83: there were no grades	24
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7121
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate the grades [name of child] received in his/her last report card in the following subjects:` [item text: `maths`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001s==2 | cer1001s==1))
Item developed for TwinLife.

cer1005t – interview: german grade of last report card twin 1

-83	-83: there were no grades	13
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6967
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate the grades [name of child] received in his/her last report card in the following subjects:` [item text: `german`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001t==2 | cer1001t==1))
Item developed for TwinLife.

cer1005u – interview: german grade of last report card twin 2

-83	-83: there were no grades	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6969
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate the grades [name of child] received in his/her last report card in the following subjects:` [item text: `german`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001u==2 | cer1001u==1))
Item developed for TwinLife.

cer1005s – interview: german grade of last report card sibling

-83	-83: there were no grades	24
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7121
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate the grades [name of child] received in his/her last report card in the following subjects:` [item text: `german`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001s==2 | cer1001s==1))
Item developed for TwinLife.

cer1006t – interview: school class of last report card twin 1

-83	-83: there were no grades	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6967
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `In what school grade was the last report card of [name of child] issued?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001t==2 | cer1001t==1))
Item developed for TwinLife.

cer1006u – interview: school class of last report card twin 2

-83	-83: there were no grades	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6969
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `In what school grade was the last report card of [name of child] issued?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001u==2 | cer1001u==1))
Item developed for TwinLife.

cer1006s – interview: school class of last report card sibling

-83	-83: there were no grades	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7121
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `In what school grade was the last report card of [name of child] issued?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & (euek==1) & (cer1001s==2 | cer1001s==1))
Item developed for TwinLife.

cer1007t – interview: type of school of last report card twin 1

1	1: primary school	6
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	3
4	4: intermediate-level secondary school	40
5	5: integrated lower and intermediate-level secondary school	17
6	6: comprehensive school	58
7	7: Waldorf school (Rudolf Steiner school)	0
8	8: upper secondary school	190
9	9: school for children with special needs	5

10	10: other school, namely	3
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6967
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
The response option 'orientation school' (German: 'Orientierungsschule') was incorrectly given in the questionnaire until data collection F2F2, although this type of school no longer exists in Germany. Therefore, this category was deleted from CATI2 onwards. In CATI3, edu0400 also contains the proxy information of the parents of the variables edu0400t and edu0400u.
Item developed for TwinLife.

cer1007u – interview: type of school of last report card twin 2

1	1: primary school	7
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	5
4	4: intermediate-level secondary school	45
5	5: integrated lower and intermediate-level secondary school	16
6	6: comprehensive school	57
7	7: Waldorf school (Rudolf Steiner school)	0
8	8: upper secondary school	184
9	9: school for children with special needs	3
10	10: other school, namely	3
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
The response option 'orientation school' (German: 'Orientierungsschule') was incorrectly given in the questionnaire until data collection F2F2, although this type of school no longer exists in Germany. Therefore, this category was deleted from CATI2 onwards. In CATI3, edu0400 also contains the proxy information of the parents of the variables edu0400t and edu0400u.

Item developed for TwinLife.

cer1007s – interview: type of school of last report card sibling

1	1: primary school	35
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	0
4	4: intermediate-level secondary school	18
5	5: integrated lower and intermediate-level secondary school	4
6	6: comprehensive school	19
7	7: Waldorf school (Rudolf Steiner school)	2
8	8: upper secondary school	85
9	9: school for children with special needs	3
10	10: other school, namely	1
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7121
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
The response option 'orientation school' (German: 'Orientierungsschule') was incorrectly given in the questionnaire until data collection F2F2, although this type of school no longer exists in Germany. Therefore, this category was deleted from CATI2 onwards. In CATI3, edu0400 also contains the proxy information of the parents of the variables edu0400t and edu0400u.
Item developed for TwinLife.

cer1010t – last report card: type of report card (m/f/n/g)

1	1: annual report	201
2	2: final report	10
3	3: half-year report card	107
-81	-81: not identifiable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6967
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 4; F2F 5

Question text: `[INT] Please indicate what type of certificate it is.`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==1 & (euek==1) & (cer1001t ==1 | cer1001t ==2)
Item developed for TwinLife.

cer1010u – last report card: type of report card (m/f/n/g)

1	1: annual report	194
2	2: final report	13
3	3: half-year report card	107
-81	-81: not identifiable	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 4; F2F 5
Question text: `[INT] Please indicate what type of certificate it is.`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==1 & (euek==1) & (cer1001u ==1 | cer1001u ==2)
Item developed for TwinLife.

cer1010s – last report card: type of report card (m/f/n/g)

1	1: annual report	99
2	2: final report	9
3	3: half-year report card	47
-81	-81: not identifiable	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7121
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	9

Waves: F2F 4; F2F 5
Question text: `[INT] Please indicate what type of certificate it is.`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==1 & (euek==1) & (cer1001s ==1 | cer1001s ==2)
Item developed for TwinLife.

cer1013 – interview: annual or final report card (int.)

1	1: annual report	80
2	2: final report	364
3	3: half-year report card	44
-81	-81: not identifiable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6796
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 3; F2F 4; F2F 5
Question text: `[INT] Please indicate what type of certificate it is.`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==1 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & cer1001==1 | cer1001==2
Item developed for TwinLife.

cer1400 – interview: math grade of last report card

-83	-83: no grades	8
-85	-85: unknown	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6796
-96	-96: don't know/not specified	0
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please remember your last report card. What grade did you have on your last report card in the following subjects?` [item text: `maths`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2))) & (cer1001==2 | cer1001==1))
Item developed for TwinLife.

cer1500 – interview: german grade of last report card

-83	-83: no grades	9
-85	-85: unknown	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6796
-96	-96: don't know/not specified	0
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	8

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please remember your last report card. What grade did you have on your last report card in the following subjects?` [item text: `german`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2))) & (cer1001==2 | cer1001==1))
Item developed for TwinLife.

cer1600 – interview: school class of last report card

-83	-83: no grades	0
-85	-85: unknown	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6796
-96	-96: don't know/not specified	0
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `From which grade is the last report card?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): (mod1003==1 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2))) & (cer1001==2 | cer1001==1))
Item developed for TwinLife.

cer2000 – photo: year of last report card

-86	-86: not available/empty/not codable	15
-87	-87: multiple answers	0
-89	-89: illegible	6
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2001 – photo: half-year of last report card

1	1: first half-year	118
2	2: second half-year	477
-86	-86: subject not on certificate	6
-87	-87: multiple answers	0
-89	-89: illegible	5
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2002 – photo: school class of last report card

1	1	4
2	2	1
3	3	5
4	4	4
5	5	7
6	6	110
7	7	179
8	8	29
9	9	20
10	10	28
11	11	2
12	12	0
13	13	0
20	20: introductory phase of upper secondary school	8
21	21: first year of qualification phase	39
22	22: second year of qualification phase	154

-86	-86: not available/empty/not codable	6
-87	-87: multiple answers	0
-89	-89: illegible	9
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2003 – photo: type of school of last report card

1	1: primary school	17
2	2: orientation level for secondary education	0
3	3: lower secondary school	0
4	4: intermediate level secondary school	37
5	5: integrated lower and intermediate level secondary school	34
6	6: comprehensive secondary school	95
7	7: Waldorf school	4
8	8: upper secondary school	365
9	9: school for children with special needs	6
10	10: other school, such as	33
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-89	-89: illegible	15
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2003g – photo: type of school of last report card - extended

1	1: primary school	17
2	2: orientation level for secondary education	0
3	3: lower secondary school	0
4	4: intermediate level secondary school	37
5	5: integrated lower and intermediate level secondary school	34
6	6: comprehensive secondary school	95
7	7: Waldorf school	4
8	8: higher secondary school	365
9	9: school for children with special needs	6
10	10: middle school	3
11	11: technical secondary school	8
12	12: vocational school	15
13	13: vocational college	0
14	14: other	7
-87	-87: multiple answers	0
-89	-89: illegible	15
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2100 – photo: last report card is final report card

1	1: yes	165
2	2: no	440
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2101 – photo: type of school of final report card

1	1: left school without school-leaving qualification	0
2	2: primary/lower secondary school-leaving qualification (GDR: grade 8)	1
3	3: intermediate secondary school-leaving qualification (GDR: grade 10)	15
4	4: university of applied sciences entrance diploma (school-leaving qualification from a technical secondary school)	21
5	5: upper secondary school-leaving qualification (Abitur/university entrance diploma)	129
6	6: other school-leaving qualification	0
-86	-86: not available/empty/not codable	440
-87	-87: multiple answers	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2103 – photo: average grade of final report card

-86	-86: not available/empty/not codable	456
-87	-87: multiple answers	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2200 – photo: math grade of last report card

-86	-86: subject not on certificate	1
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	3
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	14
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2201 – photo: german grade of last report card

-86	-86: subject not on certificate	1
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	5
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	14
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2202 – photo: grade of language usage of last report card

-86	-86: subject not on certificate	597
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2203 – photo: grade of language usage (oral) of last report card

-86	-86: subject not on certificate	597
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	4
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2204 – photo: grade of language usage (written) of last report card

-86	-86: subject not on certificate	593
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0

-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2205 – photo: reading grade of last report card

-86	-86: subject not on certificate	595
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2206 – photo: writing grade of last report card

-86	-86: subject not on certificate	602
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3

-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2207 – photo: orthography grade of last report card

-86	-86: subject not on certificate	597
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2208 – photo: english grade of last report card

-86	-86: subject not on certificate	20
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	6
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	12
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2209 – photo: other foreign language in last report card

1	1: French	140
2	2: Latin	105
3	3: Spanish	76
4	4: Russian	7
5	5: Italian	4
6	6: other	11
-86	-86: subject not on certificate	259
-87	-87: multiple answers	0
-89	-89: illegible	4
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2210 – photo: other foreign language grade of last report card

-86	-86: subject not on certificate	263
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	3
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	6
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2211 – photo: chemistry grade of last report card

-86	-86: subject not on certificate	374
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2212 – photo: physics grade of last report card

-86	-86: subject not on certificate	312
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	3
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2213 – photo: biology grade of last report card

-86	-86: subject not on certificate	219
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2214 – photo: computer science grade of last report card

-86	-86: subject not on certificate	477
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	6
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2215 – photo: science grade of last report card

-86	-86: subject not on certificate	514
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0

-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	6
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2216 – photo: regional history and geography grade of last report card

-86	-86: subject not on certificate	592
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2217 – photo: social science grade of last report card

-86	-86: subject not on certificate	454
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	4
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7

-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2218 – photo: history grade of last report card

-86	-86: subject not on certificate	145
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	4
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2219 – photo: geography grade of last report card

-86	-86: subject not on certificate	274
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	4
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2220 – photo: political science grade of last report card

-86	-86: subject not on certificate	545
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2221 – photo: political science/economics grade of last report card

-86	-86: subject not on certificate	500
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2222 – photo: religion grade of last report card

-86	-86: subject not on certificate	231
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	4
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2223 – photo: ethics grade of last report card

-86	-86: subject not on certificate	496
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2224 – photo: philosophy grade of last report card

-86	-86: subject not on certificate	554
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0

-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2225 – photo: art grade of last report card

-86	-86: subject not on certificate	208
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	8
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2226 – photo: music grade of last report card

-86	-86: subject not on certificate	232
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	3
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	8

-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2227 – photo: textile design grade of last report card

-86	-86: subject not on certificate	599
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2228 – photo: business and employment studies grade of last report card

-86	-86: subject not on certificate	592
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2229 – photo: technics grade of last report card

-86	-86: subject not on certificate	559
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	3
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2230 – photo: carpentry and handicrafts grade of last report card

-86	-86: subject not on certificate	588
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2231 – photo: home economics grade of last report card

-86	-86: subject not on certificate	591
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2232 – photo: economics grade of last report card

-86	-86: subject not on certificate	539
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2233 – photo: sports grade of last report card

-86	-86: subject not on certificate	26
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0

-89	-89: illegible	5
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	10
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2235 – photo: further subject 1 grade in last report card

-86	-86: subject not on certificate	370
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	10
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2237 – photo: further subject 2 grade in last report card

-86	-86: subject not on certificate	522
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	6

-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2239 – photo: further subject 3 grade in last report card

-86	-86: subject not on certificate	574
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	4
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2241 – photo: further subject 4 grade in last report card

-86	-86: subject not on certificate	598
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	1
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer2300 – photo: behavioral grade (participation) in last report card (gen)

1	1: very good	22
1.3		8
1.5		1
1.7		5
1.8		2
2		38
2.3		2
2.5		2
2.7		5
3		5
4	4: unsatisfactory	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	525
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).

cer2301 – photo: behav. grade (participation) written assess. in last report card (gen)

1	1: positive assessment	15
1.5		1
2	2: average assessment	93
2.3		1
2.5		1
3	3: negative assessment	10
-84	-84: not recorded	0
-86	-86: not available/empty/not codable	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	491
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).

cer2302 – photo: behavioral grade (social behavior) in last report card (gen)

1	1: very good	28
1.5		2
1.7		3
2		46
2.5		2
2.7		1
3		5
4	4: unsatisfactory	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	528
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).

cer2303 – photo: behav. grade (social behavior) written assess. in last report card (gen)

1	1: positive assessment	13
2	2: average assessment	96
3	3: negative assessment	6
-84	-84: not recorded	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	497
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).

cer3000 – photo: number of additional subjects - uncoded

-86	-86: subject not on certificate	12
-87	-87: multiple answers	0
-88	-88: subject legible but grade illegible	0
-89	-89: illegible	2
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer3002 – photo: type of assessment of last report card

1	1: grades	586
2	2: written assessment	10

3	3: categorial assessment	3
4	4: other assessment	4
-86	-86: not available/empty/not codable	4
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	12
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
We recorded data on school performance based on photographs of the children's report cards. Behavioral skills are also surveyed and recoded into indexes. For more information on the coding scheme as well as general descriptions of the German school and grading system, see the Technical Report No. 4 (URL Link).
Item developed for TwinLife, Information received from a foto of the last school report.

cer4001 – last report card: report card at hand - CAPIbyPhone

1	1: yes	330
2	2: no	346
-82	-82: not applicable: child not yet attending school	0
-83	-83: child not living in same household	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6614
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `[IF edu0100=2 or edu0301=1] We would like you to take your last annual report card from general education school and answer some questions about it. Do you have the report card in front of you right now? [IF edu0100 != 2 and edu0301 !=1 and (eca0900=1 or (cer_pre = 2 and note_pre = 2)] We would like to ask you to take your final school report and answer some questions about it. Do you have the report card in front of you right now?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2)))
Item developed for TwinLife.

cer4002t – consent report card photography twin 1 - capibyphone (m/f/n/g)

1	1: yes	154
2	2: no	90
-82	-82: not applicable: child not yet attending school	0
-83	-83: child not living in same household	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text: `We would like to ask you to take [name of child]'S last school report (or leaving certificate) and answer a few questions about it. Do you have the report in front of you right now?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & inrange(age0110t,6,17) & euek==1 & (edu0100t==2 | (edu0100t==3 & cer_pret==2 & note_pret==2))
Item developed for TwinLife.

cer4002u – consent report card photography twin 2 - capibyphone (m/f/n/g)

1	1: yes	157
2	2: no	87
-82	-82: not applicable: child not yet attending school	0
-83	-83: child not living in same household	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text: `We would like to ask you to take [name of child]'S last school report (or leaving certificate) and answer a few questions about it. Do you have the report in front of you right now?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & inrange(age0110t,6,17) & euek==1 & (edu0100u==2 | (edu0100u==3 & cer_preu==2 & note_preu==2))
Item developed for TwinLife.

cer4002s – consent report card photography sibling - capibyphone (m/f/n/g)

1	1: yes	83
2	2: no	44
-82	-82: not applicable: child not yet attending school	1

-83	-83: child not living in same household	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7161
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text: `We would like to ask you to take [name of child]'S last school report (or leaving certificate) and answer a few questions about it. Do you have the report in front of you right now?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & inrange(age0110s,6,17) & euek==1 & (edu0100s==2 | (edu0100s==3 & cer_pres==2 & note_pres==2))
Item developed for TwinLife.

cer4004t – last report card: maths grade - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate what grade [name of child] had on the report card in front of you in the following subjects:` [item text: `maths`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002t==1 | cer4002t==2)
Item developed for TwinLife.

cer4004u – last report card: maths grade - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5

Question text: `[ITEMBAT] [NCS] Please indicate what grade [name of child] had on the report card in front of you in the following subjects:` [item text: `maths`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002u==1 | cer4002u==2)
Item developed for TwinLife.

cer4004s – last report card: maths grade - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7162
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate what grade [name of child] had on the report card in front of you in the following subjects:` [item text: `maths`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002s==1 | cer4002s==2)
Item developed for TwinLife.

cer4005t – last report card: german grade - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate what grade [name of child] had on the report card in front of you in the following subjects:` [item text: `german`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002t==1 | cer4002t==2)
Item developed for TwinLife.

cer4005u – last report card: german grade - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate what grade [name of child] had on the report card in front of you in the following subjects:` [item text: `german`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002u==1 | cer4002u==2)
Item developed for TwinLife.

cer4005s – last report card: german grade - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7162
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate what grade [name of child] had on the report card in front of you in the following subjects:` [item text: `german`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002s==1 | cer4002s==2)
Item developed for TwinLife.

cer4006t – last report card: class - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `From which grade is the report card of [name of child] in front of you?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002t==1 | cer4002t==2)
Item developed for TwinLife.

cer4006u – last report card: class - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `From which grade is the report card of [name of child] in front of you?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002u==1 | cer4002u==2)
Item developed for TwinLife.

cer4006s – last report card: grade - CAPIbyPhone (m/f/n/g)

-83	-83: there were no grades	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7162
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `From which grade is the report card of [name of child] in front of you?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002s==1 | cer4002s==2)
Item developed for TwinLife.

cer4007t – last report card: type of school - CAPIbyPhone (m/f/n/g)

1	1: primary school	6
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	4
4	4: intermediate-level secondary school	36
5	5: integrated lower and intermediate-level secondary school	14
6	6: comprehensive school	42
7	7: Waldorf school (Rudolf Steiner school)	4
8	8: upper secondary school	128
9	9: school for children with special needs	4

10	10: other school, namely	5
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `In which type of school was the report card of [name of child] that you have in front of you issued?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002t==1 | cer4002t==2)
Item developed for TwinLife.

cer4007u – last report card: type of school - CAPIbyPhone (m/f/n/g)

1	1: primary school	6
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	3
4	4: intermediate-level secondary school	30
5	5: integrated lower and intermediate-level secondary school	14
6	6: comprehensive school	44
7	7: Waldorf school (Rudolf Steiner school)	6
8	8: upper secondary school	132
9	9: school for children with special needs	4
10	10: other school, namely	5
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `In which type of school was the report card of [name of child] that you have in front of you issued?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002u==1 | cer4002u==2)
Item developed for TwinLife.

cer4007s – last report card: type of school - CAPIbyPhone (m/f/n/g)

1	1: primary school	25
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	0
4	4: intermediate-level secondary school	13
5	5: integrated lower and intermediate-level secondary school	3
6	6: comprehensive school	9
7	7: Waldorf school (Rudolf Steiner school)	0
8	8: upper secondary school	74
9	9: school for children with special needs	0
10	10: other school, namely	3
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7162
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `In which type of school was the report card of [name of child] that you have in front of you issued?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002s==1 | cer4002s==2)
Item developed for TwinLife.

cer4010t – last report card: type of report card - CAPIbyPhone (m/f/n/g)

1	1: annual report	147
2	2: final report	10
3	3: half-year report card	86
-81	-81: not identifiable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `What type of certificate is it?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002t==1 | cer4002t==2)
Item developed for TwinLife.

cer4010u – last report card: type of report card - CAPIbyPhone (m/f/n/g)

1	1: annual report	144
2	2: final report	12
3	3: half-year report card	87
-81	-81: not identifiable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7045
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `What type of certificate is it?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002u==1 | cer4002u==2)
Item developed for TwinLife.

cer4010s – last report card: type of report card - CAPIbyPhone (m/f/n/g)

1	1: annual report	62
2	2: final report	9
3	3: half-year report card	51
-81	-81: not identifiable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7162
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 4; F2F 5
Question text: `What type of certificate is it?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & (euek==1) & (cer4002s==1 | cer4002s==2)
Item developed for TwinLife.

cer4013 – last report card: type of report card CAPIbyPhone (m/f/n/g)

1	1: annual report	79
2	2: final report	553
3	3: half-year report card	36
-81	-81: not identifiable	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6614
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	6

Waves: F2F 4; F2F 5
Question text: `What type of certificate is it?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & (cer4001==1 | cer4001==2)
Item developed for TwinLife.

cer4400 – last report card: maths grade - CAPIbyPhone

-83	-83: no grades	7
-85	-85: unknown	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6614
-96	-96: don't know/not specified	0
-98	-98: don't know	19
-99	-99: not specified (refused to answer)	3

Waves: F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate your grades on the report card in front of you in the following subjects:` [item text: `maths`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2))) & (cer4001==1 | cer4001==2)
Item developed for TwinLife.

cer4500 – last report card: german grade - CAPIbyPhone

-83	-83: no grades	10
-85	-85: unknown	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6614
-96	-96: don't know/not specified	0
-98	-98: don't know	17
-99	-99: not specified (refused to answer)	6

Waves: F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] Please indicate your grades on the report card in front of you in the following subjects:` [item text: `german`]
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2))) & (cer4001==1 | cer4001==2)
Item developed for TwinLife.

cer4600 – last report card: grade - CAPIbyPhone

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6614
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	10

Waves: F2F 4; F2F 5
Question text: `From which grade is the report card in front of you?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2))) & (cer4001==1 | cer4001==2)
Item developed for TwinLife.

cer4700 – last report card: type of school - CAPIbyPhone

1	1: primary school	0
2	2: lower secondary school	13
3	3: intermediate level secondary school	39
4	4: integrated lower and intermediate level secondary school	17
5	5: higher secondary school	473
6	6: comprehensive secondary school	63
7	7: school for handicaped children	6
8	8: other school, such as	33
11	11: technical secondary school (from F2F2)	26
12	12: waldorf school/Rudolf Steiner school (from F2F2)	3
13	13: orientation school (from F2F2)	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6614
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 4; F2F 5
Question text: `In which type of school was the report card in front of you awarded?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): mod1003==2 & age0110>=18 & (inlist(ptyp,1,2,110,120,200)) & ((edu0100==2 | edu0301==1) | (eca0900==1 | (cer_pre==2 & note_pre==2))) & (cer4001==1 | cer4001==2)
Item developed for TwinLife.

eca0100 – highest degree of school: type (>= 15 yr)

1	1: left school without school-leaving certificate	1
2	2: primary/lower secondary school-leaving certificate (GDR: grade 8)	11
3	3: intermediate secondary school-leaving certificate (GDR: grade 10)	45
4	4: university of applied sciences entrance diploma (leaving certificate from a technical school)	22
5	5: Abitur/university entrance diploma	116
6	6: other school-leaving certificate	2
-81	-81: I don't have a school degree yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7092
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your highest school-leaving qualification?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new==1 & (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (edu0100 !=1 & edu0100 !=2 & edu0301 !=1)
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0102 – no school degree: type of last school (>= 15 yr)

1	1: primary school	0
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	0
4	4: intermediate-level secondary school	0
5	5: integrated lower and intermediate-level secondary school	0
6	6: comprehensive school	0
7	7: Waldorf school (Rudolf Steiner school)	0
8	8: upper secondary school	0
9	9: school for children with special needs	0
10	10: other school, namely	1
11	11: Technical secondary school [from F2F 2]	0

-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7288
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
The response option 'orientation school' (German: 'Orientierungsschule') was incorrectly given in the questionnaire until data collection F2F2, although this type of school no longer exists in Germany. Therefore, this category was deleted from CATI2 onwards. In CATI3, edu0400 also contains the proxy information of the parents of the variables edu0400t and edu0400u.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0104 – school of general education: year of graduation (>= 15 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7093
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What year did you leave secondary school?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new==1 & (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & eca0100 >1 & eca0100 <7 & edu0100!=2
TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0105 – highest educational degree: final grade (>= 15 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7093
-98	-98: don't know	13
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Please specify your final grade of your highest school leaving certificate.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new==1 & (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & eca0100>1 & eca0100<7
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0108 – ISCED 1997 (International Standard Classification of Education) (gen)

1	1: level 1	17
2	2: level 2a	470
4	4: level 3a	1011
5	5: level 3b	748
6	6: level 3c	33
7	7: level 4a	460
8	8: level 4b	90
9	9: level 5a	2117
10	10: level 5b	739
11	11: level 6	187
-83	-83: in school or training/not in school yet	1810
-87	-87: multiple answers	0
-89	-89: not codable	5
-90	-90: no participation in survey wave	1017
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	451
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The International Standard Classification of Education (ISCED) is a classification of educational attainment and level of education. The ISCED classification takes into account the country-specific complexity of educational programs in terms of the type and duration of school or training. It ranges from 0 (pre-primary level of education) to 6 (second stage of tertiary education, leading to an advanced research qualification).

The qualifications of the German education system can be assigned to the following ISCED-97 levels (cf. Schneider 2008):

- Level 0: Pre-primary education, such as Kindergarten
- Level 1: Primary school
- Level 2B: Elementary and lower secondary school and apprenticeship training
- Level 2A: Realschule, Mittlere Reife and Polytechnische Oberschule (GDR)
- Level 3B: Vocational training in the dual system, intermediate administrative training, vocational/college school-leaving certificate and one-year schools of health services
- Level 3A: Advanced technical college entrance qualification and Abitur (A-levels)
- Level 4B: Combination of two vocational degrees in ISCED 3B
- Level 4A: Qualification in both levels 3A and 3B
- Level 5B: Master craftsman/technician, 2 to 3 year school of health services, technical/vocational academy, technical school diploma (GDR) and technical school of administration
- Level 5A: Fachhochschule degree, university degree
- Level 6: Doctorate, PhD

The variable **eca0108** is constructed from the two generated variables for the highest school leaving certificate (**eca0130**) and the highest vocational qualification (**eca0230**). The ISCED variable generated for TwinLife does not include level 2B, as information on pre-vocational programs is not available. In F2F2 (in contrast to F2F 1), additionally to the highest vocational qualification, information on a further professional qualification (**eca0221**) was collected. This also allows ISCED level 4B (combination of two vocational qualifications in level 3B) to be coded in F2F 2. However, a retroactive adjustment for F2F 1 could not be made, as the year of completion of the further education was not available. There is also no information on the length of training at health schools. In these cases, a minimum of two years was assumed when classifying according to ISCED levels.
Please note that **eca0108** cannot be used as an ordinal scale because ISCED levels are divided into subcategories (e.g. levels 5A and 5B, where level 5A is a more advanced qualification than level 5B).
For more information on the ISCED classification, see OECD (1999), and Schneider (2008).
OECD (Ed.). (1999). Classifying educational programmes: Manual for ISCED-97 implementation in OECD countries. Organisation for Economic Co-operation and Development. [URL link]; Schneider, S. L. (2008). Applying the ISCED-97 to the German educational qualifications. In (Ed.) Schneider, The International Standard Classification of Education (pp. 76-102). MZES, University of Mannheim. [URL link]

eca0109 – CASMIN educational classification (gen)

1	1: (1a) inadequately completed general education	27
2	2: (1b) general elementary education	99
3	3: (1c) general elementary education and vocational qualification	263
4	4: (2b gen) intermediate general qualification	371
5	5: (2a voc) intermediate general qualification and vocational qualification	908
6	6: (2c gen) general maturity certificate	1011
7	7: (2c voc) general maturity certificate and vocational qualification	818
8	8: (3a) lower tertiary education	676
9	9: (3b) higher tertiary education	1709
-83	-83: in school or training/not in school yet	1812

-87	-87: multiple answers	0
-89	-89: not codable	1
-90	-90: no participation in survey wave	1017
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	443
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
CASMIN (Comparative Analysis of Social Mobility in Industrial Nations) is a hierarchically structured educational scale that is classified on the basis of general school education and vocational qualifications. The CASMIN variable **eca0109** implemented for TwinLife is based on the highest school leaving certificate (**eca0130**) and the highest vocational qualification (**eca0230**).
For more information on the CASMIN classification, see Brauns et al. (2003), and Brauns & Steinmann (1999).
Brauns, Hildegard, Scherer, S., & Steinmann, S. (2003). The CASMIN Educational Classification in International Comparative Research. In J. H. P. Hoffmeyer-Zlotnik & C. Wolf (Eds.), Advances in Cross-National Comparison: A European Working Book for Demographic and Socio-Economic Variables (pp. 221-244). Springer US. [URL link]; Brauns, Hildegrad, & Steinmann, S. (1999). Educational reform in France, West-Germany and the United Kingdom: Updating the CASMIN educational classification. ZUMA Nachrichten, 23(44), 7-44.

eca0130 – highest degree of school (gen)

1	1: left school without school-leaving certificate	26
2	2: primary/lower secondary school-leaving certificate (GDR: grade 8)	352
3	3: intermediate secondary school-leaving certificate (GDR: grade 10)	1370
4	4: university of applied sciences entrance diploma (leaving certificate from a technical school)	743
5	5: Abitur/university entrance diploma	3351
-83	-83: in school/not in school yet	1802
-87	-87: multiple answers	0
-89	-89: not codable	9
-90	-90: no participation in survey wave	1017
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	485
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable

Information on the highest school-leaving certificate was collected at the time of the first data collection (F2F1 or the first data collection a person participated in). In subsequent data collections, newly acquired school-leaving qualifications were collected and the previously recorded school-leaving qualification were replaced if the newly acquired qualification was a higher school degree. If graduation information from the school module (**eca**) is not available for respondents, missing graduation information from the report card module (**cer**) is integrated. Please note: For those participants who stated in the second face-to-face data collection (F2F 2) that they had obtained a new school leaving certificate, the information on the highest school leaving certificate was collected again. For some respondents who were wrongly identified as first-surveyed respondents, there are also duplicate entries in F2F1 and F2F2. If a higher school leaving certificate was reported in F2F 2 and the certificate was obtained before the interview of the first data collection, the highest school qualification was corrected retroactively. Open statements were recoded into categories 1 to 5. Special school qualifications (Foerderschule) were equated with the 'Hauptschulabschluss'. Open entries that could not be assigned to these categories were recoded into -89 (not codable). If respondents do not have graduation information from the school module, missing graduation information from the report card module is integrated.

eca0200 – type of vocational training or university degree/diploma/qualification(>= 15 yr)

1	1: no vocational training or higher educational certificate (yet)	62
2	2: vocational training, vocational school, commercial school	50
3	3: schools for healthcare	8
4	4: professional school, technical college, e.g., master craftsman's or technician's certificate	8
5	5: training for civil servants	1
6	6: university of applied sciences [from F2F 2]	12
7	7: university of cooperative education [from F2F 2]	2
8	8: university of applied sciences, university of cooperative education [only F2F 1]	0
9	9: university, higher educational institution	58
10	10: PhD	2
11	11: other qualification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7083
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
In F2F 1, the degrees *university of applied sciences* and *university of cooperative education* were asked in a joint category (category 8). Starting with F2F 2, the categories were asked separately (categories 6 and 7) and updated in subsequent data deliveries unless another higher degree was reported.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0201 – year of vocational training or university degree/diploma/qualification(>= 15 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7148
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What year did you graduate from vocational school or university?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): new==1 & (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & eca0200 >1 & eca0200 <12
Source: Adapted from: TNS Infratest Sozialforschung. (2013). SOEP 2012 - Erhebungsinstrumente 2012 (Welle 29) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2012 (wave 29) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (157: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0205 – ISCO-08 2-digit based on eca0202 - occupational qualification (gen)

1	01: commissioned armed forces officers	0
2	02: non-commissioned armed forces officers	0
3	03: armed forces occupations, other ranks	0
4	04: soldier/professional soldier, not specified	0
11	11: chief executives, senior officials and legislators	0
12	12: administrative and commercial managers	0
13	13: production and specialised services managers	0
14	14: hospitality, retail and other services managers	0
20	20: academic professionals, not specified	1
21	21: science and engineering professionals	21
22	22: health professionals	3
23	23: teaching professionals	14
24	24: business and administration professionals	7
25	25: information and communications technology professionals	5
26	26: legal, social and cultural professionals	19
...	(30 rows omitted)	68
92	92: agricultural, forestry and fishery labourers	0
93	93: labourers in mining, construction, manufacturing and transport	0
94	94: food preparation assistants	0
95	95: street and related sales and service workers	0
96	96: refuse workers and other elementary workers	0
-81	-81: does not apply: no occupational activity mentioned	0
-87	-87: multiple answers	0
-89	-89: not codable	2
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	7148
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The International Standard Classification of Occupations from 2008 (ISCO-08) classifies occupations (internationally comparably) considering the required skill level (degree of complexity, based on the educational qualification) of an occupation as well as the skill specialization (the type of skills that are needed especially for this occupation). TwinLife delivers the ISCO classification on the sub-major group level (two digits) for the occupational activity (**emp0503** and **emp0513**), the field of study of the highest vocational qualification (**eca0205**) and as well as the occupational activities of the twins' grandparents (**bpa0208**, **bpa0308**, **bpa0508**, **bpa0608**). For more information about the ISCO classification visit the ILO website (URL Link). The open-ended responses on occupation were coded into ISCO-08 by the survey institute (TNS Infratest/Kantar for F2F 1, infas for F2F 2). Infratest performs the coding on the basis of an electronically available directory developed by Statistik Austria (see TNS Infratest/Kantar ISCO-08 documentation (URL Link) on the TwinLife documentation website (URL Link)). Infas bases the ISCO coding on specifications developed by GESIS. The exact procedure of occupation coding was described in detail by Geis and Hoffmeyer-Zlotnik (2000) using ISCO-88 as an example. In addition, extensive guidance on the practical implementation of occupational coding can be found in Geis (2011). Building on this knowledge of ISCO-88, there is the ISCO-08 code scheme, explanations and notes on the differences between ISCO-08 and ISCO-88. These have been coordinated by infas with GESIS. Specifications that could not translated into the schemes (such as 'team leader', 'specialist', or 'intern') were coded into -81 (no occupation or occupational activity mentioned) or -89 (not codable).
Geis, A. (2011). Handbuch fuer die Berufsvercodung. Gesis. [URL link]; Geis, A., & Hoffmeyer-Zlotnik, J. H. P. (2000). Stand der Berufscodierung. ZUMA-Nachrichten, 47, 103-128.; International Labour Office. (2012). International Standard Classification of Occupations: ISCO-08. Volume 1: Structure, group definitions and correspondence tables (Vol. 1). International Labour Office. [URL link]

eca0207 – ISEI based on eca0205 (International Socio Economic Index) (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7151
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
ISEI (International Socio-Economic Index of Occupational Status) is a measure of a person's socio-economic status and takes into account the individual's occupation, income and education. ISEI-08 categories range from 12 to 90. The ISEI is generated for

- the occupation of the current employment (**emp0505**),
- the apprenticeship or field of study of the highest professional qualification (**eca0207**),
- the apprenticeship or field of study acquired since the last interview (**eca1207**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1217**, **eca1227**).

The ISEI variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)), which is based on the SPSS script *isqoisei08.sps* by Harry Ganzeboom. For more information see Ganzeboom & Treiman (1996) and Ganzeboom (2010).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

eca0208 – SIOPS based on eca0205 (Standard Int. Occupational Prestige Scale) (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7151
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
SIOPS (Standard Index of Occupational Prestige Scale) is a classification for a prestige ranking of occupations (from 0 to 100). The SIOPS is generated for

- the occupation of current employment (**emp0508**),
- the apprenticeship or field of study of the highest professional qualification (**eca0208**),
- the apprenticeship or field of study acquired since the last interview (**eca1208**),

- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1218**, **eca1228**).

The SIOPS variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)). For more information see Ganzeboom & Treiman (1996).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

eca0220 – further vocational or university degree y/n (> = 15 y.)

1	1: yes	34
2	2: no	110
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7145
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Did you attain another educational degree in addition to this highest educational qualification?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): new==1 & (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & eca0200!=1 & age0110>=15

eca0221 – further vocational or university degree

1	1: no vocational training or higher educational certificate (yet)	0
2	2: vocational training, vocational school, commercial school	14
3	3: schools for healthcare	1
4	4: professional school, technical college, e.g., master craftsman's or technician's certificate	3
5	5: training for civil servants	1
6	6: university of applied sciences [from F2F 2]	1
7	7: university of cooperative education [from F2F 2]	1
8	8: university of applied sciences, university of cooperative education [only F2F 1]	0
9	9: university, higher educational institution	5
10	10: PhD	0
11	11: other qualification	8
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7255
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What educational qualification is that?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): new==1 & (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & eca0220==1

eca0230 – highest vocational or university degree (gen)

1	1: no vocational training or higher educational certificate (yet)	247
2	2: vocational training, vocational school, commercial school	1298
3	3: schools for healthcare	246
4	4: professional school, technical college, e.g., master craftsman's or technician's certificate	382
5	5: training for civil servants	63
6	6: university of applied sciences [from F2F 2]	508
7	7: university of cooperative education [from F2F 2]	81
8	8: university of applied sciences, university of cooperative education [only F2F 1]	87
9	9: university, higher educational institution	1522
10	10: PhD	187
11	11: other qualification	0
-83	-83: in training	842
-87	-87: multiple answers	0
-89	-89: not codable	16
-90	-90: no participation in survey wave	1017
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2659
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
Information on the highest professional qualification was collected at the time of the first data collection (F2F1 or the first data collection a person participated in). In subsequent data collections, newly acquired professional degrees were collected and the previously recorded professional qualification was replaced if the newly acquired qualification was a higher professional degree. The second face-to-face data collection (F2F 2) again asked for the highest professional qualification as well as any further professional degree. If a higher professional certificate was reported in the second face-to-face data collection and the certificate was obtained before the interview of the first data collection, the highest professional qualification was corrected retroactively. The same applies to the family members who indicated in the

first wave that they had obtained a degree from a 'Berufsakademie or Fachhochschule' (university of applied sciences, university of cooperative education). While these degrees were recorded jointly into one category in the first data collection (category 8), separate categories were introduced in the subsequent data collection (categories 6 and 7). A retroactive correction is thus made for those family members for whom both F2F1 and F2F2 contain information on the highest degree. The respondents' information on a second professional qualification (only available from F2F2) was also taken into account if this could be recognized as a higher qualification. Open statements were recoded into categories 1 to 10. Open entries that could not be assigned to these categories were recoded into -89 (not codable). Plausibility checks by age and corresponding adjustments were not made.

eca0600t – recommendation for secondary school twin 1 (m/f/n/g)

1	1: lower secondary school	9
2	2: intermediate level secondary school	18
3	3: upper secondary school	81
4	4: our school did not give any recommendations	12
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	6022
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Did [name twin 1] receive a recommendation for a lower secondary school, an intermediate level secondary school, or an upper secondary school?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,10,15)) & edu0400t!=1 & eca0600t_preload<0
TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0600u – recommendation for secondary school twin 2 (m/f/n/g)

1	1: lower secondary school	5
2	2: intermediate level secondary school	17
3	3: upper secondary school	84
4	4: our school did not give any recommendations	11
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	6022
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Did [name twin 2] receive a recommendation for a lower secondary school, an intermediate level secondary school, or an upper secondary school?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,10,15)) & edu0400u!=1 & eca0600u_preload<0
TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0600s – recommendation for secondary school sibling (m/f/n/g)

1	1: lower secondary school	2
2	2: intermediate level secondary school	14
3	3: upper secondary school	71
4	4: our school did not give any recommendations	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	6053
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 4; F2F 5
Question text: `Did [name of child] receive a recommendation for a lower secondary school, an intermediate level secondary school, or an upper secondary school?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,10,15)) & edu0400s!=1 & eca0600s_preload<0
TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0601t – transition decision twin 1 (m/f/n/g)

1	1: I made the decision	3
2	2: The other parent made the decision.	1
3	3: We, i.e. both parents, made the decision together.	36
4	4: The child primarily decided what kind of secondary school he/she wanted to go to.	10
5	5: The decision was made together with the child and one or both parents.	65
6	6: There was no possibility to decide, the recommendation was binding.	3
7	7: other	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	6022
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Who decided that [name of child] should attend this type of secondary school?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,10,15)) & edu0400t!=1 & eca0600t_preload<0
Item developed for TwinLife.

eca0601u – transition decision twin 2 (m/f/n/g)

1	1: I made the decision	3
2	2: The other parent made the decision.	1
3	3: We, i.e. both parents, made the decision together.	33
4	4: The child primarily decided what kind of secondary school he/she wanted to go to.	11
5	5: The decision was made together with the child and one or both parents.	67
6	6: There was no possibility to decide, the recommendation was binding.	1
7	7: other	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	6022
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Who decided that [name of child] should attend this type of secondary school?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,10,15)) & edu0400u!=1 & eca0600u_preload<0
Item developed for TwinLife.

eca0601s – educational decision siblings (m/f/n/g)

1	1: I made the decision	2
2	2: The other parent made the decision.	0
3	3: We, i.e. both parents, made the decision together.	22
4	4: The child primarily decided what kind of secondary school he/she wanted to go to.	3
5	5: The decision was made together with the child and one or both parents.	62
6	6: There was no possibility to decide, the recommendation was binding.	1
7	7: other	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	6053
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Who decided that [name of child] should attend this type of secondary school?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,10,15)) & edu0400s!=1 & eca0600s_preload<0
Item developed for TwinLife.

eca0700 – desired school-leaving qualification (t,u,s,p,q, >= 10 yr)

1	1: lower secondary school leaving certificate	18
2	2: intermediate secondary school leaving certificate	223
3	3: upper secondary school leaving certificate (Abitur/university entrance certificate)	1223
4	4: no (school leaving) certificate	1
5	5: no specific school leaving certificate [from F2F 2]	38
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5739
-98	-98: don't know	47
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Generated variable
From F2F2 onwards there is a further response category: 5: no specific school leaving certificate
Source: Adapted from: Deutsches Jugendinstitut (DJI), Muenchen. (1995). Deutsches Jugendinstitut (DJI) Youth Survey 1992 (Youth and Politics). GESIS Data Archive, Cologne. [URL link]

eca0700t – desired school-leaving qualification twin 1 ((m,f,n,g), twin<=15 yr)

1	1: lower secondary school-leaving qualification	11
2	2: intermediate secondary school-leaving qualification	93
3	3: upper secondary school-leaving qualification (Abitur/university entrance diploma)	368
4	4: no specific school-leaving qualification	19
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
From F2F2: only one parent asked. In F2F3 respondents also had the option -81: does not apply (no activities) besides the option 1: not at all in order to express that they realize no activities.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0700u – desired school-leaving qualification twin 2 ((m,f,n,g), twin<=15 yr)

1	1: lower secondary school-leaving qualification	10
2	2: intermediate secondary school-leaving qualification	101
3	3: upper secondary school-leaving qualification (Abitur/university entrance diploma)	366
4	4: no specific school-leaving qualification	14
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
From F2F2: only one parent asked. In F2F3 respondents also had the option -81: does not apply (no activities) besides the option 1: not at all in order to express that they realize no activities.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0700s – desired school-leaving qualification sibling ((m,f,n,g), sib<=15 yr)

1	1: lower secondary school-leaving qualification	2
2	2: intermediate secondary school-leaving qualification	22
3	3: upper secondary school-leaving qualification (Abitur/university entrance diploma)	139
4	4: no specific school-leaving qualification	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5

-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
From F2F2: only one parent asked. In F2F3 respondents also had the option -81: does not apply (no activities) besides the option 1: not at all in order to express that they realize no activities.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0701 – probability of attaining desired school-leaving qualification (t,u,s,p,q,>=10yr)

0	0: 0%	1
1	1: 10%	1
2	2: 20%	2
3	3: 30%	3
4	4: 40%	14
5	5: 50%	64
6	6: 60%	81
7	7: 70%	217
8	8: 80%	358
9	9: 90%	390
10	10: 100%	328
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5827
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `How likely do you think is it that you will attain this school-leaving qualification? Please tell me a value between 0 and 100. Value 0 stands for 0% probability, value 100 stands for 100% probability.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200)) & age0110>=10 & (eca0700==1 | eca0700==2 | eca0700==3)
Source: Adapted from: Deutsches Jugendinstitut (DJI), Muenchen. (1995). Deutsches Jugendinstitut (DJI) Youth Survey 1992 (Youth and Politics). GESIS Data Archive, Cologne. [URL link]

eca0701t – probability of twin 1 attaining desired school-leaving qualification (m/f/n/g)

0	0: 0%	0
1	1: 10%	1

2	2: 20%	0
3	3: 30%	3
4	4: 40%	2
5	5: 50%	20
6	6: 60%	19
7	7: 70%	42
8	8: 80%	66
9	9: 90%	128
10	10: 100%	191
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Now if you consider everyting you know so far about [name of child] : How likely do you think it is that [name of child] will achieve [educational achievement from previous question]? Please tell me a value between 0 and 100. Value 0 stands for 0% probability, value 100 stands for 100% probability.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (inlist(eca0700t,1,2,3))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0701u – probability of twin 2 attaining desired school-leaving qualification (m/f/n/g)

0	0: 0%	0
1	1: 10%	1
2	2: 20%	1
3	3: 30%	1
4	4: 40%	3
5	5: 50%	19
6	6: 60%	21
7	7: 70%	38
8	8: 80%	70
9	9: 90%	145
10	10: 100%	178
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5667
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Now if you consider everyting you know so far about [name of child] : How likely do you think it is that [name of child] will achieve [educational achievement from previous question]? Please tell me a value between 0 and 100. Value 0 stands for 0% probability, value 100 stands for 100% probability.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (inlist(eca0700u,1,2,3))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0701s – probability of sibling attaining desired school-leaving qualification (m/f/n/g)

0	0: 0%	0
1	1: 10%	0
2	2: 20%	0
3	3: 30%	0
4	4: 40%	1
5	5: 50%	4
6	6: 60%	2
7	7: 70%	15
8	8: 80%	22
9	9: 90%	39
10	10: 100%	80
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5981
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Now if you consider everyting you know so far about [name of child] : How likely do you think it is that [name of child] will achieve [educational achievement from previous question]? Please tell me a value between 0 and 100. Value 0 stands for 0% probability, value 100 stands for 100% probability.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15)) & (inlist(eca0700s,1,2,3))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0900 – new school graduation since last interview (>= 15 yr)

1	1: yes	797
2	2: no	2428
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	4057
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Generated variable
In CATI3, **eca0900** also contains the proxy information of the parents of the variables **eca0900t** and **eca0900u**.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0901 – new school graduation: type (>= 15 yr)

1	1: lower secondary school-leaving certificate	22
2	2: intermediate secondary school-leaving certificate	126
3	3: university of applied sciences entrance diploma (leaving certificate from a technical school)	98
4	4: Abitur/university entrance diploma	531
5	5: other school-leaving certificate:	20
6	6: no	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6493
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Which school-leaving qualification have you achieved?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): eca0900==1 & (inlist(ptyp,1,2,110,120,200))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0903 – new school graduation: month (>= 15 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6493
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `When did you graduate from school? Please tell me the month and year.` [item text: `month`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): eca0900==1 & (inlist(ptyp,1,2,110,120,200))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0904 – new school graduation: year (>= 15 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6493
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `When did you graduate from school? Please tell me the month and year.` [item text: `year`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): eca0900==1 & (inlist(ptyp,1,2,110,120,200))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca0906 – new school graduation: average grade (>= 15 yr)

-85	-85: unknown	0

-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6493
-98	-98: don't know	24
-99	-99: not specified (refused to answer)	2

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `What grade point average did you have in your diploma?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): eca0900==1 & (inlist(ptyp,1,2,110,120,200))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1000 – new vocational qualification or academic degree since last interview (>= 15 yr)

1	1: yes	572
2	2: no	2653
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	4057
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Since the last interview, i. e. [month] [year], have you completed any vocational training or university studies?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1001 – new vocational qualification: vocational training (>= 15 yr)

0	0: not mentioned	488

1	1: mentioned	84
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `vocational training qualification: apprenticeship`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1002 – new vocational qualification: vocational school, business school (>= 15 yr)

0	0: not mentioned	544
1	1: mentioned	28
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `vocational training qualification: vocational school, business school`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1003 – new vocational qualification: schools for healthcare (>= 15 yr)

0	0: not mentioned	545
1	1: mentioned	27
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `vocational training qualification: school for healthcare`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1004 – new vocational qualification: professional school, technical college (>= 15 yr)

0	0: not mentioned	551
1	1: mentioned	21
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `vocational training qualification: technical school (e. g. master craftsman, technical school)`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1005 – new vocational qualification: training for civil servants (>= 15 yr)

0	0: not mentioned	560
1	1: mentioned	12
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `vocational training qualification: civil service training`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1006 – new vocational qualification: occupational retraining (>= 15 yr)

0	0: not mentioned	571
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `vocational training qualification: occupational retraining`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1007 – new academic degree: university of applied sciences (>= 15 yr)

0	0: not mentioned	481
1	1: mentioned	91
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `higher education degree: university of applied sciences`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1008 – new academic degree: university, technical or other universities (>= 15 yr)

0	0: not mentioned	291
1	1: mentioned	281
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `higher education degree: university / technical / other universities`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1009 – new academic degree: doctoral degree/habilitation (>= 15 yr)

0	0: not mentioned	560
1	1: mentioned	12
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `higher education degree: doctoral degree / habilitation`]

Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1019 – new other qualification (>= 15 yr)

0	0: not mentioned	545
1	1: mentioned	27
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `other degree`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1098 – new qualification: do not know (>= 15 yr)

0	0: not mentioned	572
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `do not know`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1099 – new qualification: not specified (>= 15 yr)

0	0: not mentioned	572
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] What kind of degree is it?` [item text: `not specified`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=15 & new!=1 & (inlist(ptyp,1,2,110,120,200)) & eca1000==1
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

eca1205 – ISCO-08 2-digit based on eca1202 - training occupation since last int. (gen)

1	01: commissioned armed forces officers	0
2	02: non-commissioned armed forces officers	1
3	03: armed forces occupations, other ranks	0
4	04: soldier/professional soldier, not specified	0
11	11: chief executives, senior officials and legislators	0
12	12: administrative and commercial managers	0
13	13: production and specialised services managers	0
14	14: hospitality, retail and other services managers	0
20	20: academic professionals, not specified	2
21	21: science and engineering professionals	102
22	22: health professionals	34
23	23: teaching professionals	71
24	24: business and administration professionals	70
25	25: information and communications technology professionals	20
26	26: legal, social and cultural professionals	95
...	(30 rows omitted)	146
92	92: agricultural, forestry and fishery labourers	0
93	93: labourers in mining, construction, manufacturing and transport	2
94	94: food preparation assistants	0
95	95: street and related sales and service workers	0
96	96: refuse workers and other elementary workers	0
-81	-81: does not apply: no occupational activity mentioned	0
-87	-87: multiple answers	0
-89	-89: not codable	26
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	6717
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The International Standard Classification of Occupations of 2008 (ISCO-08) classifies occupations (internationally comparable) according to the required skill level (degree of complexity, based on educational qualifications) of an occupation as well as the skill specialization (the type of skills required specifically for this occupation). TwinLife provides the ISCO classification at the level of sub-subgroups (two digits) for

- the occupation of the current employment (**emp0503** and **emp0513**),
- the occupation of the previous employment (**emp0553**, CATI1 only),
- the apprenticeship or field of study of the highest professional qualification (**eca0205**),
- the apprenticeship or field of study acquired since the last interview(**eca1205**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1215**, **eca1225**), and
- the occupational activities of the grandparents of the twins (**bpa0208**, **bpa0308**, **bpa0508**, **bpa0608**).

For more information about the ISCO classification visit the ILO website (URL Link). The open-ended responses on occupation were coded into ISCO-08 by the survey institute (TNS Infratest/Kantar for F2F 1, infas for Fall other waves). Infratest performs the coding on the basis of an electronically available directory developed by Statistik Austria (see TNS Infratest/Kantar ISCO-08 documentation (URL Link) on the TwinLife documentation website (URL Link)). Infas bases the ISCO coding on specifications developed by GESIS. The exact procedure of occupation coding was described in detail by Geis and Hoffmeyer-Zlotnik (2000) using ISCO-88 as an example. In addition, extensive guidance on the practical implementation of occupational coding can be found in Geis (2011). Building on this knowledge of ISCO-88, there is the ISCO-08 code scheme, explanations and notes on the differences between ISCO-08 and ISCO-88. These have been coordinated by infas with GESIS. Specifications that could not translated into the schemes (such as 'team leader', 'specialist', or 'intern') were coded into -81 (no occupation or occupational activity mentioned) or -89 (not codable).
Geis, A. (2011). Handbuch fuer die Berufsvercodung. Gesis. [URL link]; Geis, A., & Hoffmeyer-Zlotnik, J. H. P. (2000). Stand der Berufscodierung. ZUMA-Nachrichten, 47, 103-128.; International Labour Office. (2012). International Standard Classification of Occupations: ISCO-08. Volume 1: Structure, group definitions and correspondence tables (Vol. 1). International Labour Office. [URL link]

eca1207 – ISEI based on eca1205 - training occupation since last int. (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6746
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
ISEI (International Socio-Economic Index of Occupational Status) is a measure of a person's socio-economic status and takes into account the individual's occupation, income and education. ISEI-08 categories range from 12 to 90. The ISEI is generated for

- the occupation of the current employment (**emp0505**),
- the apprenticeship or field of study of the highest professional qualification (**eca0207**),
- the apprenticeship or field of study acquired since the last interview (**eca1207**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1217**, **eca1227**).

The ISEI variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)), which is based on the SPSS script *isqoisei08.sps* by Harry Ganzeboom. For more information see Ganzeboom & Treiman (1996) and Ganzeboom (2010).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

eca1208 – SIOPS based on eca1205 - training occupation since last int. (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6746
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
SIOPS (Standard Index of Occupational Prestige Scale) is a classification for a prestige ranking of occupations (from 0 to 100). The SIOPS is generated for

- the occupation of current employment (**emp0508**),
- the apprenticeship or field of study of the highest professional qualification (**eca0208**),
- the apprenticeship or field of study acquired since the last interview (**eca1208**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1218**, **eca1228**).

The SIOPS variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)). For more information see Ganzeboom & Treiman (1996).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

eca1215 – ISCO-08 2-digit based on eca1203 - follow-up training occupation from F2F3 (gen)

1	01: commissioned armed forces officers	1
2	02: non-commissioned armed forces officers	0
3	03: armed forces occupations, other ranks	0
4	04: soldier/professional soldier, not specified	0
11	11: chief executives, senior officials and legislators	0
12	12: administrative and commercial managers	1
13	13: production and specialised services managers	2
14	14: hospitality, retail and other services managers	0
20	20: academic professionals, not specified	1
21	21: science and engineering professionals	59
22	22: health professionals	16
23	23: teaching professionals	31
24	24: business and administration professionals	33
25	25: information and communications technology professionals	4
26	26: legal, social and cultural professionals	28
...	(30 rows omitted)	105
92	92: agricultural, forestry and fishery labourers	1
93	93: labourers in mining, construction, manufacturing and transport	2
94	94: food preparation assistants	0
95	95: street and related sales and service workers	0
96	96: refuse workers and other elementary workers	0

-81	-81: does not apply: no occupational activity mentioned	1
-87	-87: multiple answers	0
-89	-89: not codable	8
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	21
-95	-95: doesn't apply (screened out)	6975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The International Standard Classification of Occupations of 2008 (ISCO-08) classifies occupations (internationally comparable) according to the required skill level (degree of complexity, based on educational qualifications) of an occupation as well as the skill specialization (the type of skills required specifically for this occupation). TwinLife provides the ISCO classification at the level of sub-subgroups (two digits) for

- the occupation of the current employment (**emp0503** and **emp0513**),
- the occupation of the previous employment (**emp0553**, CATI1 only),
- the apprenticeship or field of study of the highest professional qualification (**eca0205**),
- the apprenticeship or field of study acquired since the last interview(**eca1205**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1215**, **eca1225**), and
- the occupational activities of the grandparents of the twins (**bpa0208**, **bpa0308**, **bpa0508**, **bpa0608**).

For more information about the ISCO classification visit the ILO website (URL Link). The open-ended responses on occupation were coded into ISCO-08 by the survey institute (TNS Infratest/Kantar for F2F 1, infas for Fall other waves). Infratest performs the coding on the basis of an electronically available directory developed by Statistik Austria (see TNS Infratest/Kantar ISCO-08 documentation (URL Link) on the TwinLife documentation website (URL Link)). Infas bases the ISCO coding on specifications developed by GESIS. The exact procedure of occupation coding was described in detail by Geis and Hoffmeyer-Zlotnik (2000) using ISCO-88 as an example. In addition, extensive guidance on the practical implementation of occupational coding can be found in Geis (2011). Building on this knowledge of ISCO-88, there is the ISCO-08 code scheme, explanations and notes on the differences between ISCO-08 and ISCO-88. These have been coordinated by infas with GESIS. Specifications that could not translated into the schemes (such as 'team leader', 'specialist', or 'intern') were coded into -81 (no occupation or occupational activity mentioned) or -89 (not codable).
Geis, A. (2011). Handbuch fuer die Berufsvercodung. Gesis. [URL link]; Geis, A., & Hoffmeyer-Zlotnik, J. H. P. (2000). Stand der Berufscodierung. ZUMA-Nachrichten, 47, 103-128.; International Labour Office. (2012). International Standard Classification of Occupations: ISCO-08. Volume 1: Structure, group definitions and correspondence tables (Vol. 1). International Labour Office. [URL link]

eca1217 – ISEI based on eca1215 - follow-up training occupation from F2F3 (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7005
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
ISEI (International Socio-Economic Index of Occupational Status) is a measure of a person's socio-economic status and takes into account the individual's occupation, income and education. ISEI-08 categories range from 12 to 90. The ISEI is generated for

- the occupation of the current employment (**emp0505**),
- the apprenticeship or field of study of the highest professional qualification (**eca0207**),
- the apprenticeship or field of study acquired since the last interview (**eca1207**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1217**, **eca1227**).

The ISEI variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)), which is based on the SPSS script *isqoisei08.sps* by Harry Ganzeboom. For more information see Ganzeboom & Treiman (1996) and Ganzeboom (2010).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

eca1218 – SIOPS based on eca1215 - follow-up training occupation from F2F3 (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7005
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
SIOPS (Standard Index of Occupational Prestige Scale) is a classification for a prestige ranking of occupations (from 0 to 100). The SIOPS is generated for

- the occupation of current employment (**emp0508**),
- the apprenticeship or field of study of the highest professional qualification (**eca0208**),
- the apprenticeship or field of study acquired since the last interview (**eca1208**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1218**, **eca1228**).

The SIOPS variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)). For more information see Ganzeboom & Treiman (1996).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

eca1225 – ISCO-08 2-digit based on eca1204 - follow-up training occupation from F2F4 (gen)

1	01: commissioned armed forces officers	0
2	02: non-commissioned armed forces officers	0
3	03: armed forces occupations, other ranks	0
4	04: soldier/professional soldier, not specified	0
11	11: chief executives, senior officials and legislators	1
12	12: administrative and commercial managers	0
13	13: production and specialised services managers	2
14	14: hospitality, retail and other services managers	0
20	20: academic professionals, not specified	3
21	21: science and engineering professionals	75
22	22: health professionals	14
23	23: teaching professionals	51
24	24: business and administration professionals	53
25	25: information and communications technology professionals	11
26	26: legal, social and cultural professionals	57
...	(30 rows omitted)	161
92	92: agricultural, forestry and fishery labourers	1
93	93: labourers in mining, construction, manufacturing and transport	3
94	94: food preparation assistants	0
95	95: street and related sales and service workers	0
96	96: refuse workers and other elementary workers	0

-81	-81: does not apply: no occupational activity mentioned	0
-87	-87: multiple answers	0
-89	-89: not codable	19
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	12
-95	-95: doesn't apply (screened out)	6826
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The International Standard Classification of Occupations of 2008 (ISCO-08) classifies occupations (internationally comparable) according to the required skill level (degree of complexity, based on educational qualifications) of an occupation as well as the skill specialization (the type of skills required specifically for this occupation). TwinLife provides the ISCO classification at the level of sub-subgroups (two digits) for

- the occupation of the current employment (**emp0503** and **emp0513**),
- the occupation of the previous employment (**emp0553**, CATI1 only),
- the apprenticeship or field of study of the highest professional qualification (**eca0205**),
- the apprenticeship or field of study acquired since the last interview(**eca1205**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1215**, **eca1225**), and
- the occupational activities of the grandparents of the twins (**bpa0208**, **bpa0308**, **bpa0508**, **bpa0608**).

For more information about the ISCO classification visit the ILO website (URL Link). The open-ended responses on occupation were coded into ISCO-08 by the survey institute (TNS Infratest/Kantar for F2F 1, infas for Fall other waves). Infratest performs the coding on the basis of an electronically available directory developed by Statistik Austria (see TNS Infratest/Kantar ISCO-08 documentation (URL Link) on the TwinLife documentation website (URL Link)). Infas bases the ISCO coding on specifications developed by GESIS. The exact procedure of occupation coding was described in detail by Geis and Hoffmeyer-Zlotnik (2000) using ISCO-88 as an example. In addition, extensive guidance on the practical implementation of occupational coding can be found in Geis (2011). Building on this knowledge of ISCO-88, there is the ISCO-08 code scheme, explanations and notes on the differences between ISCO-08 and ISCO-88. These have been coordinated by infas with GESIS. Specifications that could not translated into the schemes (such as 'team leader', 'specialist', or 'intern') were coded into -81 (no occupation or occupational activity mentioned) or -89 (not codable).
Geis, A. (2011). Handbuch fuer die Berufsvercodung. Gesis. [URL link]; Geis, A., & Hoffmeyer-Zlotnik, J. H. P. (2000). Stand der Berufscodierung. ZUMA-Nachrichten, 47, 103-128.; International Labour Office. (2012). International Standard Classification of Occupations: ISCO-08. Volume 1: Structure, group definitions and correspondence tables (Vol. 1). International Labour Office. [URL link]

eca1227 – ISEI based on eca1225 - follow-up training occupation from F2F4 (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6857
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
ISEI (International Socio-Economic Index of Occupational Status) is a measure of a person's socio-economic status and takes into account the individual's occupation, income and education. ISEI-08 categories range from 12 to 90. The ISEI is generated for

- the occupation of the current employment (**emp0505**),
- the apprenticeship or field of study of the highest professional qualification (**eca0207**),
- the apprenticeship or field of study acquired since the last interview (**eca1207**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1217**, **eca1227**).

The ISEI variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)), which is based on the SPSS script *isqoisei08.sps* by Harry Ganzeboom. For more information see Ganzeboom & Treiman (1996) and Ganzeboom (2010).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

eca1228 – SIOPS based on eca1225 - follow-up training occupation from F2F4 (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6857
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
SIOPS (Standard Index of Occupational Prestige Scale) is a classification for a prestige ranking of occupations (from 0 to 100). The SIOPS is generated for

- the occupation of current employment (**emp0508**),
- the apprenticeship or field of study of the highest professional qualification (**eca0208**),
- the apprenticeship or field of study acquired since the last interview (**eca1208**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1218**, **eca1228**).

The SIOPS variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)). For more information see Ganzeboom & Treiman (1996).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

edu0100 – school attendance (t,u,s,p,q, <22 yr)

1	1: no, I don't go to school yet	38
2	2: yes, I go to school	1585
3	3: no, I don't go to school any more	887
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4782
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5; CoV 2
Question text: `Do you go to school?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110<=21 & (inlist(ptyp,1,2,110,120,200))
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

edu0100t – school attendance twin 1 (m/f/n/g)

1	1: no, doesn't go to school yet / [CATI 1: no]	1
2	2: yes, goes to school / [CATI 1: yes]	566
3	3: no, doesn't go to school any more [only F2F1, F2F3]	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	6721
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Does [name of child] go to school?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): inrange(age0110t, 6, 17) & euek == 1
Source: Adapted from: pairfam Group. (2022). Child Codebook, Wave 4 (2011/2012), Release 13.0 (ZA5678 Data file version 13.0.0; GESIS Data Archive). [URL link]

edu0100u – school attendance twin 2 (m/f/n/g)

1	1: no, doesn't go to school yet / [CATI 1: no]	3
2	2: yes, goes to school / [CATI 1: yes]	564
3	3: no, doesn't go to school any more [only F2F1, F2F3]	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	6721
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Does [name of child] go to school?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): inrange(age0110t, 6, 17) & euek == 1
Source: Adapted from: pairfam Group. (2022). Child Codebook, Wave 4 (2011/2012), Release 13.0 (ZA5678 Data file version 13.0.0; GESIS Data Archive). [URL link]

edu0100s – school attendance sibling (m/f/n/g)

1	1: no, doesn't go to school yet / [CATI 1: no]	3
2	2: yes, goes to school / [CATI 1: yes]	291
3	3: no, doesn't go to school any more [only F2F1, F2F3]	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	6
-95	-95: doesn't apply (screened out)	6982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Does [name of child] go to school?`
Filter based on instrument: module 'certificate' (CAPI/CAPIbyPhone): inrange(age0110s, 6, 17) & euek == 1
Source: Adapted from: pairfam Group. (2022). Child Codebook, Wave 4 (2011/2012), Release 13.0 (ZA5678 Data file version 13.0.0; GESIS Data Archive). [URL link]

edu0300 – In training (>= 15 yr)

1	1: yes	1423
2	2: no	4243
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1624
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5; CoV 2
Question text: `[IF age = 15] I would now like to ask you some questions about education and employment. Are you currently in education? That is, do you attend school, university (including doctoral studies), vocational training, or continuing education? [IF age >= 16] I would now like to ask you some questions about education and employment. Are you currently in education or training? That is, do you attend school, university (including doctoral studies), vocational training or continuing education? This includes on-the-job training or study.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30 & age0110>=15 & (edu0100==3 | age0110>=22)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

edu0301 – type of training (>= 15 yr)

1	1: general education	7

2	2: vocational education	319
3	3: higher education	1001
4	4: further education	92
5	5: other, please state [until CATI 1]	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5866
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What type of education or training are you pursuing?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30
& edu0300==1
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

edu0303 – type of higher education (>= 15 yr)

1	1: university of applied sciences	201
2	2: university, other higher educational institution (Bachelor or Master)	753
3	3: PhD	35
4	4: other, such as	12
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6288
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `What type of higher education are you currently pursuing?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30
& edu0301==3
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

edu0305 – education: further education (>= 15 yr)

1	1: vocational re-training	6

2	2: further vocational training	62
3	3: vocational rehabilitation	1
4	4: general or political further education	2
5	5: other, such as	21
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7197
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What type of further training/retraining are you pursuing?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30
& edu0301==4
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

edu0307 – type of vocational education (>= 15 yr)

1	1: year of vocational preparation which is accountable for vocational training	1
2	2: year of vocational preparation which is not accountable for vocational training	2
3	3: vocational schooling without vocational training	5
4	4: vocational training	180
5	5: full-time vocational school, business school	41
6	6: health care school	37
7	7: professional school, technical college, e.g., master craftsman's or technician's certificate	6
8	8: training for civil servants	11
9	9: other, such as	36
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6970
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `What type of vocational training are you currently pursuing?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30
& edu0301==2
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

edu0310 – twins same vocational education (t,u, >= 14 yr)

1	1: yes	24
2	2: no	207
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7058
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 4; F2F 5
Question text: `Do you and your twin complete the same vocational training?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): inlist(ptyp,1,2) & edu0301==2
Item developed for TwinLife.

edu0311 – twins in the same university (t,u, >= 14 yr)

1	1: yes	134
2	2: no	593
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6561
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 4; F2F 5
Question text: `Do you and your twin study at the same university?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): edu0301==3 & (zwilling1_verstorben !=1 & zwilling2_verstorben !=1) & inlist(ptyp,1,2)
Item developed for TwinLife.

edu0312 – twins study of same subject (t,u, >= 14 yr)

1	1: yes	100

2	2: no	628
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6561
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 4; F2F 5
Question text: `Are you and your twin studying the same subject?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): edu0301==3 & (zwilling1_verstorben !=1 & zwilling2_verstorben !=1) & inlist(ptyp,1,2)
Item developed for TwinLife.

edu0400 – type of school (> 10 yr)

1	1: primary school	6
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	16
4	4: intermediate-level secondary school	175
5	5: integrated lower and intermediate-level secondary school	74
6	6: comprehensive school	287
7	7: Waldorf school (Rudolf Steiner school)	17
8	8: upper secondary school	905
9	9: school for children with special needs	16
10	10: other school, namely	38
11	11: Technical secondary school [from F2F 2]	14
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5743
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Generated variable
The response option 'orientation school' (German: 'Orientierungsschule') was incorrectly given in the questionnaire until data collection F2F2, although this type of school no longer exists in Germany. Therefore, this category was deleted from CATI2 onwards. In CATI3, edu0400 also contains the proxy information of the parents of the variables edu0400t and edu0400u.

TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

edu0400t – type of school twin 1 (m/f/n/g)

1	1: primary school	2
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	13
4	4: intermediate-level secondary school	64
5	5: integrated lower and intermediate-level secondary school	29
6	6: comprehensive school	87
7	7: Waldorf school (Rudolf Steiner school)	3
8	8: upper secondary school	282
9	9: school for children with special needs	7
10	10: other school, namely	4
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; CATI 3; F2F 4; CATI 4; F2F 5
Generated variable
The response option 'orientation school' (German: 'Orientierungsschule') was incorrectly given in the questionnaire until data collection F2F2, although this type of school no longer exists in Germany. Therefore, this category was deleted from CATI2 onwards. In CATI3, edu0400 also contains the proxy information of the parents of the variables edu0400t and edu0400u.
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 2 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 2]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu0400u – type of school twin 2 (m/f/n/g)

1	1: primary school	0
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	11
4	4: intermediate-level secondary school	70
5	5: integrated lower and intermediate-level secondary school	31
6	6: comprehensive school	82
7	7: Waldorf school (Rudolf Steiner school)	5

8	8: upper secondary school	283
9	9: school for children with special needs	5
10	10: other school, namely	4
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; CATI 3; F2F 4; CATI 4; F2F 5
Generated variable
The response option 'orientation school' (German: 'Orientierungsschule') was incorrectly given in the questionnaire until data collection F2F2, although this type of school no longer exists in Germany. Therefore, this category was deleted from CATI2 onwards. In CATI3, edu0400 also contains the proxy information of the parents of the variables edu0400t and edu0400u.
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 2 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 2]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu0400s – type of school sibling (m/f/n/g)

1	1: primary school	49
2	2: orientation school [until F2F 2]	0
3	3: lower secondary school	1
4	4: intermediate-level secondary school	14
5	5: integrated lower and intermediate-level secondary school	3
6	6: comprehensive school	16
7	7: Waldorf school (Rudolf Steiner school)	1
8	8: upper secondary school	76
9	9: school for children with special needs	0
10	10: other school, namely	2
11	11: Technical secondary school [from F2F 2]	0
-81	-81: does not go to school yet	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 4; F2F 5

Generated variable
The response option 'orientation school' (German: 'Orientierungsschule') was incorrectly given in the questionnaire until data collection F2F2, although this type of school no longer exists in Germany. Therefore, this category was deleted from CATI2 onwards. In CATI3, edu0400 also contains the proxy information of the parents of the variables edu0400t and edu0400u.
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 2 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 2]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu0402 – school class (> 10 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5743
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Generated variable
In CATI3, **edu0402** also contains the proxy information of the parents of the variables **edu0402t** and **edu0402u**.
Source: Adapted from: pairfam Group. (2022). Child Codebook, Wave 4 (2011/2012), Release 13.0 (ZA5678 Data file version 13.0.0; GESIS Data Archive). [URL link]

edu0511 – twins in the same school - self-report (t,u, > 13 yr)

1	1: yes	1002
2	2: no	320
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5966
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 4; F2F 5

Question text: `Do you and your twin attend the same school?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=12 & (edu0100==2 | edu0301==1) & (zwilling1_verstorben !=1 & zwilling2_verstorben !=1) & inlist(ptyp,1,2)
Item developed for TwinLife.

edu0512 – twins in the same class - self-report (t,u, > 13 yr)

1	1: yes	681
2	2: no	321
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6287
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you and your twin in the same class?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): age0110>=12 & (edu0100==2 | edu0301==1) & (edu0511==1)
Item developed for TwinLife.

edu0521 – twins in same school since school class (t,u, >= 13 yr)

1		885
2		1
3		3
5		46
6		4
7		34
8		14
10		1
11		4
12		2
13		7
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6287
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 4; F2F 5
Question text: `How long have you and your twin been in the same school?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): edu0511==1
Item developed for TwinLife.

edu0523 – twins not in the same school since school class (t,u, >= 13 yr)

1		16
2		5
3		3
4		19
5		165
6		15
7		35
8		9
9		3
10		18
11		20
12		6
13		3
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6969
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 4; F2F 5
Question text: `Since when are you and your twin not in the same school?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): edu0511==2
Item developed for TwinLife.

edu0531 – twins in the same class since school class (t,u, >= 13 yr)

1		470
2		3
3		19
5		131
6		6
7		28
8		11

11		6
12		4
13		3
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6608
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 4; F2F 5
Question text: `How long have you and your twin been in the same class?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): edu0512==1
Item developed for TwinLife.

edu0533 – twins not in the same class since school class (t,u, >= 13 yr)

1		139
2		12
3		11
4		7
5		81
6		7
7		32
8		10
10		4
11		6
12		9
13		3
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6968
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 4; F2F 5
Question text: `Since when are you and your twin not in the same class?`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): edu0512==2
Item developed for TwinLife.

edu0700 – school climate: good student-teacher relation (t,u,s, >= 13 yr)

1	1: completely disagree	19
2	2: tend to disagree	190
3	3: tend to agree	982
4	4: completely agree	353
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Now please think about the teachers at your school. To what extent do you agree with the following statements?` [item text: `Students get along well with most teachers.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: Hertel, S., Hochweber, J., Mildner, D., Steinert, B., & Jude, N. (2014). PISA 2009 Skalenhandbuch. Waxmann. [URL link]

edu0701 – school climate: students' well-being is important (t,u,s, >= 13 yr)

1	1: completely disagree	14
2	2: tend to disagree	136
3	3: tend to agree	824
4	4: completely agree	570
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Now please think about the teachers at your school. To what extent do you agree with the following statements?` [item text: `Most teachers are interested in students' well-being.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: Hertel, S., Hochweber, J., Mildner, D., Steinert, B., & Jude, N. (2014). PISA 2009 Skalenhandbuch. Waxmann. [URL link]

edu0800 – student-teacher interaction: fair treatment (t,u,s, >= 13 yr)

1	1: completely disagree	17
2	2: tend to disagree	67
3	3: tend to agree	706
4	4: completely agree	755
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Now please think about the teachers you are taught by. To what extent do you agree with the following statements?` [item text: `Most of my teachers treat me fairly.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: Hertel, S., Hochweber, J., Mildner, D., Steinert, B., & Jude, N. (2014). PISA 2009 Skalenhandbuch. Waxmann. [URL link]

edu0801 – student-teacher interaction: extra help (t,u,s, >= 13 yr)

1	1: completely disagree	8
2	2: tend to disagree	116
3	3: tend to agree	664
4	4: completely agree	748
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	9
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Now please think about the teachers you are taught by. To what extent do you agree with the following statements?` [item text: `If I need extra help, I will receive it from my teachers.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: Hertel, S., Hochweber, J., Mildner, D., Steinert, B., & Jude, N. (2014). PISA 2009 Skalenhandbuch. Waxmann. [URL link]

edu0802 – student-teacher interaction: teachers listening students (t,u,s, >= 13 yr)

1	1: completely disagree	7
2	2: tend to disagree	143
3	3: tend to agree	828
4	4: completely agree	563
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Now please think about the teachers you are taught by. To what extent do you agree with the following statements?` [item text: `Most of my teachers really listen to what I have to say.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: Hertel, S., Hochweber, J., Mildner, D., Steinert, B., & Jude, N. (2014). PISA 2009 Skalenhandbuch. Waxmann. [URL link]

edu0901 – school pressure/stress: tension (t,u,s, >= 13 yr)

1	1: completely disagree	475
2	2: tend to disagree	726
3	3: tend to agree	272
4	4: completely agree	69
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] : In the following I have a few questions about your day-to-day school life in general. Again, I would like to know from you to what extent you agree with the statements.` [item text: `I often feel tense when I come home from school.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: NEPS National Education Panel Study. (2014). NEPS Additional Study Thuringia: Organizational Reform Study in Thuringia (TH 2.0.0) NEPS-Zusatzstudie Thueringen: Organisatorische Reform der Oberstufe in Thueringen (TH 2.0.0). NEPS National Education Panel Study. [URL link]

edu0902 – school pressure/stress: difficulties falling asleep (t,u,s, >= 13 yr)

1	1: completely disagree	643
2	2: tend to disagree	577
3	3: tend to agree	264
4	4: completely agree	62
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] : In the following I have a few questions about your day-to-day school life in general. Again, I would like to know from you to what extent you agree with the statements.` [item text: `Sometimes I have difficulties falling asleep because I'm thinking about problems at school.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: NEPS National Education Panel Study. (2014). NEPS Additional Study Thuringia: Organizational Reform Study in Thuringia (TH 2.0.0) NEPS-Zusatzstudie Thueringen: Organisatorische Reform der Oberstufe in Thueringen (TH 2.0.0). NEPS National Education Panel Study. [URL link]

edu0903 – school pressure/stress: I react very irritably (t,u,s, >= 13 yr)

1	1: completely disagree	721
2	2: tend to disagree	535
3	3: tend to agree	239
4	4: completely agree	50
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] : In the following I have a few questions about your day-to-day school life in general. Again, I would like to know from you to what extent you agree with the statements.` [item text: `It happens that I react very irritably when people talk to me about school.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)

Source: Adapted from: NEPS National Education Panel Study. (2014). NEPS Additional Study Thuringia: Organizational Reform Study in Thuringia (TH 2.0.0) NEPS-Zusatzstudie Thueringen: Organisatorische Reform der Oberstufe in Thueringen (TH 2.0.0). NEPS National Education Panel Study. [URL link]

edu0904 – school pressure/stress:think about school problems in my free time(t,u,s,>=13yr)

1	1: completely disagree	444
2	2: tend to disagree	653
3	3: tend to agree	382
4	4: completely agree	66
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] : In the following I have a few questions about your day-to-day school life in general. Again, I would like to know from you to what extent you agree with the statements.` [item text: `I find myself thinking about difficulties at school even during my free time.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: NEPS National Education Panel Study. (2014). NEPS Additional Study Thuringia: Organizational Reform Study in Thuringia (TH 2.0.0) NEPS-Zusatzstudie Thueringen: Organisatorische Reform der Oberstufe in Thueringen (TH 2.0.0). NEPS National Education Panel Study. [URL link]

edu0905 – school pressure/stress: I'm exhausted (t,u,s, >= 13 yr)

1	1: completely disagree	153
2	2: tend to disagree	482
3	3: tend to agree	691
4	4: completely agree	220
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] : In the following I have a few questions about your day-to-day school life in general. Again, I would like to know from you`

`to what extent you agree with the statements.` [item text: `After school I'm often exhausted.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: NEPS National Education Panel Study. (2014). NEPS Additional Study Thuringia: Organizational Reform Study in Thuringia (TH 2.0.0) NEPS-Zusatzstudie Thueringen: Organisatorische Reform der Oberstufe in Thueringen (TH 2.0.0). NEPS National Education Panel Study. [URL link]

edu0906 – school pressure/stress: the pressure at school is too high (t,u,s, >= 13 yr)

1	1: completely disagree	416
2	2: tend to disagree	728
3	3: tend to agree	326
4	4: completely agree	72
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] : In the following I have a few questions about your day-to-day school life in general. Again, I would like to know from you to what extent you agree with the statements.` [item text: `The pressure at school is too high.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: NEPS National Education Panel Study. (2014). NEPS Additional Study Thuringia: Organizational Reform Study in Thuringia (TH 2.0.0) NEPS-Zusatzstudie Thueringen: Organisatorische Reform der Oberstufe in Thueringen (TH 2.0.0). NEPS National Education Panel Study. [URL link]

edu0907 – school pressure/stress: no time for other things (t,u,s, >= 13 yr)

1	1: completely disagree	786
2	2: tend to disagree	645
3	3: tend to agree	107
4	4: completely agree	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5745
-98	-98: don't know	2

-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] : In the following I have a few questions about your day-to-day school life in general. Again, I would like to know from you to what extent you agree with the statements.` [item text: `I don't have time for anything other than school.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110>=10 & (edu0100==2 | edu0301==1)
Source: Adapted from: NEPS National Education Panel Study. (2014). NEPS Additional Study Thuringia: Organizational Reform Study in Thuringia (TH 2.0.0) NEPS-Zusatzstudie Thueringen: Organisatorische Reform der Oberstufe in Thueringen (TH 2.0.0). NEPS National Education Panel Study. [URL link]

edu1000t – extent of school support (t, >=5 yr)

1	1: Half-day without lunch supervision	300
2	2: Half-day with lunch supervision	49
3	3: Full-day	120
4	4: Irregular	21
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] currently attend school part-time without lunch supervision, part-time with lunch supervision, or full-time?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400t !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1000u – extent of school support (u, >=5 yr)

1	1: Half-day without lunch supervision	298
2	2: Half-day with lunch supervision	49
3	3: Full-day	119
4	4: Irregular	24
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `Does [name of child] currently attend school part-time without lunch supervision, part-time with lunch supervision, or full-time?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400u !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1000s – extent of school support (s, >=5 yr)

1	1: Half-day without lunch supervision	92
2	2: Half-day with lunch supervision	21
3	3: Full-day	41
4	4: Irregular	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5977
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `Does [name of child] currently attend school part-time without lunch supervision, part-time with lunch supervision, or full-time?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15)) & (edu0400s !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1001t – extracurricular activities: homework help (t, >=5 yr)

1	1: No, the service is not available at the school	120
2	2: No, the service is not being used	269
3	3: Yes, semi-annually and less frequently	4
4	4: Yes, monthly	9
5	5: Yes, once a week	58
6	6: Yes, multiple times a week	29
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `homework help, homework supervision, study time`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400t !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1001u – extracurricular activities: homework help (u, >=5 yr)

1	1: No, the service is not available at the school	106
2	2: No, the service is not being used	297
3	3: Yes, semi-annually and less frequently	7
4	4: Yes, monthly	4
5	5: Yes, once a week	54
6	6: Yes, multiple times a week	23
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `homework help, homework supervision, study time`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400u !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1001s – extracurricular activities: homework help (s, >=5 yr)

1	1: No, the service is not available at the school	36
2	2: No, the service is not being used	93
3	3: Yes, semi-annually and less frequently	1
4	4: Yes, monthly	0
5	5: Yes, once a week	11
6	6: Yes, multiple times a week	20
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5977
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `homework help, homework supervision, study time`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15)) & (edu0400s !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1002t – extracurricular activities: support groups (t, >=5 yr)

1	1: No, the service is not available at the school	109
2	2: No, the service is not being used	305
3	3: Yes, semi-annually and less frequently	4
4	4: Yes, monthly	7
5	5: Yes, once a week	61
6	6: Yes, multiple times a week	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `support groups / remedial lessons (for high-performing or low-performing pupils)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400t !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS

SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1002u – extracurricular activities: support groups (u,>=5 yr)

1	1: No, the service is not available at the school	87
2	2: No, the service is not being used	319
3	3: Yes, semi-annually and less frequently	1
4	4: Yes, monthly	12
5	5: Yes, once a week	62
6	6: Yes, multiple times a week	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `support groups / remedial lessons (for high-performing or low-performing pupils)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400u !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1002s – extracurricular activities: support groups (s, >=5 yr)

1	1: No, the service is not available at the school	31
2	2: No, the service is not being used	105
3	3: Yes, semi-annually and less frequently	2
4	4: Yes, monthly	3
5	5: Yes, once a week	17
6	6: Yes, multiple times a week	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5977
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5

Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `support groups / remedial lessons (for high-performing or low-performing pupils)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15)) & (edu0400s !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1003t – extracurricular activities: learning opportunities (t, >=5 yr)

1	1: No, the service is not available at the school	140
2	2: No, the service is not being used	276
3	3: Yes, semi-annually and less frequently	6
4	4: Yes, monthly	4
5	5: Yes, once a week	58
6	6: Yes, multiple times a week	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `learning opportunities (e. g. maths, german, foreign languages)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400t !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1003u – extracurricular activities: learning opportunities (u, >=5 yr)

1	1: No, the service is not available at the school	112
2	2: No, the service is not being used	295
3	3: Yes, semi-annually and less frequently	6
4	4: Yes, monthly	6
5	5: Yes, once a week	63
6	6: Yes, multiple times a week	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `learning opportunities (e. g. maths, german, foreign languages)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400u !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1003s – extracurricular activities: learning opportunities (s, >=5 yr)

1	1: No, the service is not available at the school	50
2	2: No, the service is not being used	86
3	3: Yes, semi-annually and less frequently	3
4	4: Yes, monthly	2
5	5: Yes, once a week	16
6	6: Yes, multiple times a week	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5977
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `learning opportunities (e. g. maths, german, foreign languages)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15)) & (edu0400s !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1004t – extracurricular activities: projects (t, >=5 yr)

1	1: No, the service is not available at the school	51
2	2: No, the service is not being used	212

3	3: Yes, semi-annually and less frequently	15
4	4: Yes, monthly	19
5	5: Yes, once a week	156
6	6: Yes, multiple times a week	38
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `projects / clubs / courses (e. g. crafts, home economics, dispute resolution courses, class council, choir, school newspaper, school garden)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400t !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1004u – extracurricular activities: projects (u, >=5 yr)

1	1: No, the service is not available at the school	38
2	2: No, the service is not being used	235
3	3: Yes, semi-annually and less frequently	13
4	4: Yes, monthly	19
5	5: Yes, once a week	147
6	6: Yes, multiple times a week	39
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `projects / clubs / courses (e. g. crafts, home economics, dispute resolution courses, class council, choir, school newspaper, school garden)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400u !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS

SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1004s – extracurricular activities: projects (s, >=5 yr)

1	1: No, the service is not available at the school	20
2	2: No, the service is not being used	70
3	3: Yes, semi-annually and less frequently	6
4	4: Yes, monthly	2
5	5: Yes, once a week	55
6	6: Yes, multiple times a week	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5977
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `projects / clubs / courses (e.g. crafts, home economics, dispute resolution courses, class council, choir, school newspaper, school garden)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15)) & (edu0400s !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1005t – extracurricular activities: leisure activities (t,>=5 yr)

1	1: No, the service is not available at the school	95
2	2: No, the service is not being used	179
3	3: Yes, semi-annually and less frequently	22
4	4: Yes, monthly	9
5	5: Yes, once a week	87
6	6: Yes, multiple times a week	98
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5

Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `leisure activities (voluntary or compulsory)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400t !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1005u – extracurricular activities: leisure activities (u, >=5 yr)

1	1: No, the service is not available at the school	85
2	2: No, the service is not being used	194
3	3: Yes, semi-annually and less frequently	21
4	4: Yes, monthly	7
5	5: Yes, once a week	79
6	6: Yes, multiple times a week	105
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `leisure activities (voluntary or compulsory)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400u !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1005s – extracurricular activities: leisure activities (s, >=5 yr)

1	1: No, the service is not available at the school	45
2	2: No, the service is not being used	49
3	3: Yes, semi-annually and less frequently	5
4	4: Yes, monthly	4
5	5: Yes, once a week	21
6	6: Yes, multiple times a week	37
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5977
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `leisure activities (voluntary or compulsory)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15)) & (edu0400s !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1006t – extracurricular activities: hot lunches (t, >=5 yr)

1	1: No, the service is not available at the school	50
2	2: No, the service is not being used	229
3	3: Yes, semi-annually and less frequently	7
4	4: Yes, monthly	9
5	5: Yes, once a week	40
6	6: Yes, multiple times a week	156
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `hot lunches`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400t !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1006u – extracurricular activities: hot lunches (u, >=5 yr)

1	1: No, the service is not available at the school	56
2	2: No, the service is not being used	222
3	3: Yes, semi-annually and less frequently	9

4	4: Yes, monthly	8
5	5: Yes, once a week	36
6	6: Yes, multiple times a week	160
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `hot lunches`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15)) & (edu0400u !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

edu1006s – extracurricular activities: hot lunches (s, >=5 yr)

1	1: No, the service is not available at the school	24
2	2: No, the service is not being used	71
3	3: Yes, semi-annually and less frequently	1
4	4: Yes, monthly	2
5	5: Yes, once a week	15
6	6: Yes, multiple times a week	48
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5977
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5
Question text: `Does [name of child] participate in the following extracurricular activities, and if yes, how often?` [item text: `hot lunches`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15)) & (edu0400s !=-81)
National Educational Panel Study (NEPS). (2018). Erhebungsinstrumente (Feldversion) NEPS Startkohorte 2-Kindergarten Fruehe Bildung in Kindergarten und Grundschule Welle 4 [NEPS SC2 Starting Cohort 2: Kindergarten Wave 4]. University of Bamberg, National Educational Panel Study (NEPS). [URL link]

12 Acadamic self-concept

This chapter contains information on: academic self concept: self-perceived ability in math and German; academic self concept: self-perceived job ability.

spa0300 – academic self-concept: talent for mathematics

1	1: not talented	86
2	2	177
3	3	567
4	4	555
5	5: very talented	205
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5699
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 5
Question text: `I am ... in math I am ... in math. Please answer again using the following scale. The value 1 means: not gifted. The value 5 means: very talented. With the values between 1 and 5, you can tell me if your opinion is somewhere in between.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Source: Adapted from: Dickhaeuser, O., Schoene, C., Spinath, B., & Stiensmeier-Pelster, J. (2002). Die Skalen zum akademischen Selbstkonzept. Zeitschrift fuer Differentielle und Diagnostische Psychologie, 23(4), 393-405. [URL link]

spa0301 – academic self-concept: ability in mathematics

1	1: just a little	41
2	2	116
3	3	474
4	4	646
5	5: a lot	314
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5699
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 5

Question text: `I know ... in math I know ... in math. The value 1 means: little. The value 5 means: a lot.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Source: Adapted from: Dickhaeuser, O., Schoene, C., Spinath, B., & Stiensmeier-Pelster, J. (2002). Die Skalen zum akademischen Selbstkonzept. Zeitschrift fuer Differentielle und Diagnostische Psychologie, 23(4), 393-405. [URL link]

spa0302 – academic self-concept: problem-solving in mathematics

1	1: easy	313
2	2	514
3	3	494
4	4	213
5	5: difficult	57
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5699
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 5
Question text: `In math, many tasks are . . . In math, many tasks are ... The value 1 means: easy. The value 5 means: difficult.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Source: Adapted from: Dickhaeuser, O., Schoene, C., Spinath, B., & Stiensmeier-Pelster, J. (2002). Die Skalen zum akademischen Selbstkonzept. Zeitschrift fuer Differentielle und Diagnostische Psychologie, 23(4), 393-405. [URL link]

spa0400 – academic self-concept: talent for subject German

1	1: not talented	19
2	2	153
3	3	603
4	4	658
5	5: very talented	157
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5699
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 5
Question text: `I am ... in German I am ... in German. Please answer again using the following scale. The value 1 means: not gifted. The value 5 means: very talented. With the values between 1 and 5, you can tell me if your opinion is somewhere in between.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Source: Adapted from: Dickhaeuser, O., Schoene, C., Spinath, B., & Stiensmeier-Pelster, J. (2002). Die Skalen zum akademischen Selbstkonzept. Zeitschrift fuer Differentielle und Diagnostische Psychologie, 23(4), 393-405. [URL link]

spa0401 – academic self-concept: ability in subject German

1	1: just a little	11
2	2	86
3	3	525
4	4	680
5	5: a lot	289
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5699
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 5
Question text: `I know ... in German I know ... in German. The value 1 means: little. The value 5 means: a lot.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Source: Adapted from: Dickhaeuser, O., Schoene, C., Spinath, B., & Stiensmeier-Pelster, J. (2002). Die Skalen zum akademischen Selbstkonzept. Zeitschrift fuer Differentielle und Diagnostische Psychologie, 23(4), 393-405. [URL link]

spa0402 – academic self-concept: problem-solving in German

1	1: easy	336
2	2	582
3	3	493
4	4	164
5	5: difficult	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5699
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 5
Question text: `In German, many tasks are . . . In German, many tasks are ...`
`The value 1 means: easy. The value 5 means: difficult.`
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30
& age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone):
(ptyp==200) & age0110<=9 & edu0100==2
Source: Adapted from: Dickhaeuser, O., Schoene, C., Spinath, B., & Stiensmeier-Pelster, J. (2002). Die Skalen zum akademischen Selbstkonzept. Zeitschrift fuer Differentielle und Diagnostische Psychologie, 23(4), 393-405. [URL link]

spa0500 – academic self-concept: to be good at my job

1	1: does not apply at all	1
2		27
3		356
4		2325
5	5: does apply exactly	1797
-81	-81: not applicable	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you.`
[item text: `I think I am pretty good at my job.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): inlist(emp0400,1,2,3,4)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
McAuley, E., Duncan, T., & Tammen, V. V. (1989). Psychometric Properties of the Intrinsic Motivation Inventory in a Competitive Sport Setting: A Confirmatory Factor Analysis. Research Quarterly for Exercise and Sport, 60(1), 48-58. [URL link]; Ryan, R. M., & Deci, E. L. (2000). Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. American Psychologist, 55(1), 68-78. [URL link]

spa0501 – academic self-concept: to be good at my job compared to co-workers

1	1: does not apply at all	36
2		74
3		987
4		1803
5	5: does apply exactly	1471
-81	-81: not applicable	101
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	50

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you.` [item text: `I think I am doing pretty well at my job, compared to my colleagues.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): inlist(emp0400,1,2,3,4)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
McAuley, E., Duncan, T., & Tammen, V. V. (1989). Psychometric Properties of the Intrinsic Motivation Inventory in a Competitive Sport Setting: A Confirmatory Factor Analysis. Research Quarterly for Exercise and Sport, 60(1), 48-58. [URL link]; Ryan, R. M., & Deci, E. L. (2000). Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. American Psychologist, 55(1), 68-78. [URL link]

spa0502 – academic self-concept: high job skills after training period

1	1: does not apply at all	9
2		62
3		445
4		1776
5	5: does apply exactly	2180
-81	-81: not applicable	24
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	26

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you.` [item text: `After working at my job for a while, I felt pretty competent.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): inlist(emp0400,1,2,3,4)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
McAuley, E., Duncan, T., & Tammen, V. V. (1989). Psychometric Properties of the Intrinsic Motivation Inventory in a Competitive Sport Setting: A Confirmatory Factor Analysis. Research Quarterly for Exercise and Sport, 60(1), 48-58. [URL link]; Ryan, R. M., & Deci, E. L. (2000). Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. American Psychologist, 55(1), 68-78. [URL link]

spa0503 – academic self-concept: to be satisfied with my job performance

1	1: does not apply at all	10
2		56
3		385
4		1913
5	5: does apply exactly	2145
-81	-81: not applicable	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you.` [item text: `I am satisfied with my performance at my job.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): inlist(emp0400,1,2,3,4)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
McAuley, E., Duncan, T., & Tammen, V. V. (1989). Psychometric Properties of the Intrinsic Motivation Inventory in a Competitive Sport Setting: A Confirmatory Factor Analysis. Research Quarterly for Exercise and Sport, 60(1), 48-58. [URL link]; Ryan, R. M., & Deci, E. L. (2000).

Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. American Psychologist, 55(1), 68-78. [URL link]

spa0504 – academic self-concept: to have high skills at work

1	1: does not apply at all	2
2		22
3		368
4		2183
5	5: does apply exactly	1926
-81	-81: not applicable	14
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you.` [item text: `I am pretty skilled at my job/at the things I am doing at my job.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): inlist(emp0400,1,2,3,4)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
McAuley, E., Duncan, T., & Tammen, V. V. (1989). Psychometric Properties of the Intrinsic Motivation Inventory in a Competitive Sport Setting: A Confirmatory Factor Analysis. Research Quarterly for Exercise and Sport, 60(1), 48-58. [URL link]; Ryan, R. M., & Deci, E. L. (2000). Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. American Psychologist, 55(1), 68-78. [URL link]

13 Motivation

This chapter contains information on: achievement motivation in general ; achievement motivation in school ; anticipated learning motivation; intrinsic motivation for math and German; job learning motivation; learning motivation for school in general.

imo0103 – intrinsic motivation: looking f. to learning interesting things (t,u,s <=10 yr)

1	1: yes	1
2	2: no	0
-84	-84: unassignable	0
-85	-85: information not evaluable	0

-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7288
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Are you looking forward to . . .` [item text: `. . .learning something interesting at school?`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==1
Source: Adapted from: Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0104 – intrinsic motivation: looking f. to understanding diff. things (t,u,s <=10 yr)

1	1: yes	1
2	2: no	0
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7288
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Are you looking forward to . . .` [item text: `. . .understanding difficult things?`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==1
Source: Adapted from: Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0105 – intrinsic motivation: looking f. to learning as much as possible (t,u,s <=10 yr)

1	1: yes	1
2	2: no	0
-84	-84: unassignable	0

-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7288
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Are you looking forward to . . .` [item text: `. . .learning as much as possible?`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==1
Source: Adapted from: Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0300 – intrinsic motivation: I like doing math

1	1: does not apply at all	174
2		267
3		405
4		450
5	5: does apply exactly	290
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5705
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [NCS] Please rate how well each of the following statements applies to you. The value 1 means "Does not apply at all" and the value 5 means "Applies exactly". You can use the values in between to grade your opinion. [ITEMBAT] Please answer using the following scale. The value 1 means: does not apply at all. That would be the "thumbs down". The value 5 means: applies exactly. That would be a "thumbs up". With the values between 1 and 5, you can tell me if your opinion is somewhere in between.` [item text: `I like doing math.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200,300,400,50 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Two different Likert scales were used for this variable in the data collection, which may affect

the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Source: Adapted from: Steinmayr, R., & Spinath, B. (2010). Konstruktion und erste Validierung einer Skala zur Erfassung subjektiver schulischer Werte (SESSW). Diagnostica, 56(4), 195-211. [URL link]

imo0301 – intrinsic motivation: Math is fun

1	1: does not apply at all	176
2		275
3		457
4		408
5	5: does apply exactly	270
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5705
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [NCS] Please rate how well each of the following statements applies to you. The value 1 means "Does not apply at all" and the value 5 means "Applies exactly". You can use the values in between to grade your opinion. [ITEMBAT] Please answer using the following scale. The value 1 means: does not apply at all. That would be the "thumbs down". The value 5 means: applies exactly. That would be a "thumbs up". With the values between 1 and 5, you can tell me if your opinion is somewhere in between.` [item text: `I enjoy math.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200,300,400,50
& age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Source: Adapted from: Steinmayr, R., & Spinath, B. (2010). Konstruktion und erste Validierung einer Skala zur Erfassung subjektiver schulischer Werte (SESSW). Diagnostica, 56(4), 195-211. [URL link]

imo0302 – intrinsic motivation: Math is interesting

1	1: does not apply at all	121
2		258
3		483
4		455
5	5: does apply exactly	269
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5705
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [NCS] Please rate how well each of the following statements applies to you. The value 1 means "Does not apply at all" and the value 5 means "Applies exactly". You can use the values in between to grade your opinion. [ITEMBAT] Please answer using the following scale. The value 1 means: does not apply at all. That would be the "thumbs down". The value 5 means: applies exactly. That would be a "thumbs up". With the values between 1 and 5, you can tell me if your opinion is somewhere in between.` [item text: `Math is interesting.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200,300,400,50 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Source: Adapted from: Steinmayr, R., & Spinath, B. (2010). Konstruktion und erste Validierung einer Skala zur Erfassung subjektiver schulischer Werte (SESSW). Diagnostica, 56(4), 195-211. [URL link]

imo0400 – intrinsic motivation: I like learning German

1	1: does not apply at all	81
2		268
3		525
4		524
5	5: does apply exactly	188
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5705
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [NCS] Please rate how well each of the following statements applies to you. The value 1 means "Does not apply at all" and the value 5 means "Applies exactly". You can use the values in between to grade your opinion. [ITEMBAT] [INT] If required: Please answer using the following scale. The value 1 means again: does not apply at all, that would be the "thumbs down" and the value 5 means: applies exactly, that would be the "thumbs up". With the values in between, you can tell me if your opinion is somewhere in between.`
[item text: `I like doing German.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200,300,400,50 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Source: Adapted from: Steinmayr, R., & Spinath, B. (2010). Konstruktion und erste Validierung einer Skala zur Erfassung subjektiver schulischer Werte (SESSW). Diagnostica, 56(4), 195-211. [URL link]

imo0401 – intrinsic motivation: German is fun

1	1: does not apply at all	92
2		283
3		566
4		463
5	5: does apply exactly	182
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5705
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [NCS] Please rate how well each of the following statements applies to you. The value 1 means "Does not apply at all" and the value 5`

means "Applies exactly". You can use the values in between to grade your opinion. [ITEMBAT] [INT] If required: Please answer using the following scale. The value 1 means again: does not apply at all, that would be the "thumbs down" and the value 5 means: applies exactly, that would be the "thumbs up". With the values in between, you can tell me if your opinion is somewhere in between. [item text: I enjoy German.]

Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200,300,400,50 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2

Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.

Source: Adapted from: Steinmayr, R., & Spinath, B. (2010). Konstruktion und erste Validierung einer Skala zur Erfassung subjektiver schulischer Werte (SESSW). Diagnostica, 56(4), 195-211. [URL link]

imo0402 – intrinsic motivation: German is interesting

1	1: does not apply at all	114
2		294
3		579
4		436
5	5: does apply exactly	163
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5705
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 5

Question text: [ITEMBAT] [NCS] Please rate how well each of the following statements applies to you. The value 1 means "Does not apply at all" and the value 5 means "Applies exactly". You can use the values in between to grade your opinion. [ITEMBAT] [INT] If required: Please answer using the following scale. The value 1 means again: does not apply at all, that would be the "thumbs down" and the value 5 means: applies exactly, that would be the "thumbs up". With the values in between, you can tell me if your opinion is somewhere in between. [item text: German is interesting]

Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200,300,400,50 & age0110>=10 & (edu0100==2 | edu0301==1); module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2

Two different Likert scales were used for this variable in the data collection, which may affect

the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Source: Adapted from: Steinmayr, R., & Spinath, B. (2010). Konstruktion und erste Validierung einer Skala zur Erfassung subjektiver schulischer Werte (SESSW). Diagnostica, 56(4), 195-211. [URL link]

imo0500 – learning motivation: to learn interesting things (>= 10 yr)

1	1: does not apply at all	20
2		88
3		399
4		727
5	5: does apply exactly	317
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5736
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you. At school, I am interested in . . .` [item text: `. . . learning something interesting.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (age0110>=10) & (edu0100==2 | edu0301==1)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0501 – learning motivation: understanding difficult things (>= 10 yr)

1	1: does not apply at all	31
2		152
3		533
4		628
5	5: does apply exactly	204

-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5736
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you. At school, I am interested in . . .` [item text: `. . . getting motivated to think about things`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (age0110>=10) & (edu0100==2 | edu0301==1)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0502 – learning motivation: learning as much as possible. (>= 10 yr)

1	1: does not apply at all	9
2		70
3		316
4		682
5	5: does apply exactly	472
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5736
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you. At school, I am interested in . . .` [item text: `. . . gaining a thorough understanding of content / really understanding something.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (age0110>=10) & (edu0100==2 | edu0301==1)
Two different Likert scales were used for this variable in the data collection, which may affect

the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0550 – learning motivation: to learn interesting things (< 10 yr)

1	1: does not apply at all	1
2		1
3		7
4		8
5	5: does apply exactly	20
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7252
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `At school, I am interested in . . .` [item text: `. . . learning something interesting.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0551 – learning motivation: understanding difficult things (< 10 yr)

1	1: does not apply at all	2
3		4
4		9
5	5: does apply exactly	22
-81	-81: not applicable	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7252
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `At school, I am interested in . . .` [item text: `. . . understanding difficult things.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0552 – learning motivation: learning as much as possible. (< 10 yr)

1	1: does not apply at all	1
3		2
4		12
5	5: does apply exactly	22
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7252
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `At school, I am interested in . . .` [item text: `. . . learning as much as possible.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & edu0100==2
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.

Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0600 – performance motivation job: learning interesting things (>= 16 yr)

1	1: does not apply at all	18
2		76
3		436
4		1310
5	5: does apply exactly	2675
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you. It is important for me in the context of my professional work . . .` [item text: `. . . to learn something interesting.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): inlist(emp0400,1,2,3,4)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0601 – performance motivation job: getting food for thought (>= 16 yr)

1	1: does not apply at all	41
2		112
3		566
4		1629
5	5: does apply exactly	2168
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you. It is important for me in the context of my professional work . . .` [item text: `. . . to get motivated to think about things.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): inlist(emp0400,1,2,3,4)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0602 – performance motivation job: gaining a deeper understanding (>= 16 yr)

1	1: does not apply at all	33
2		55
3		294
4		1300
5	5: does apply exactly	2835
-81	-81: not applicable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `Please rate the extent to which each statement applies to you. It is important for me in the context of my professional work . . .` [item text: `. . . gain a thorough understanding of content/really understand something.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): inlist(emp0400,1,2,3,4)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collections 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'does not apply at all', 2 'does not apply', 3 'nor', 4 'does apply', 5 'does apply exactly'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'does not apply at all' and 5 'does apply exactly'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Spinath, B., Stiensmeier-Pelster, J., Schoene, C., & Dickhaeuser, O. (2002). Skalen zur Erfassung der Lern- und Leistungsmotivation. SELLMO. Hogrefe. [URL link]

imo0700 – performance motivation: good performance is important (>= 16 yr)

1	1: do not agree at all	11
2		42
3		259
4		1681
5	5: totally agree	4005
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [IF age >= 16] [NCS] How strongly do you agree with the following statements? Please answer using the following scale. The value 1 means "Do not agree at all" and the value 5 means "Completely agree". You can use the values in between to grade your opinion. [IF age >= 16] 1. performing well is important to me. <<If you are still at school or in training, think about your school performance. >> [IF age >= 16] 2. to get somewhere in life, I am prepared to go to great lengths.` [item text: `Performing well is important to me. <<If you are still at school or in training, think about your school performance. >>`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& (age0110>=16)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collection 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'do not agree at all' , 2 'do not agree' , 3 'nor', 4 'agree', 5 'totally agree'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'do not agree at all' and 5 'totally agree'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Item developed for TwinLife.

imo0701 – performance motivation: good grades are important (>= 7 & <= 15 yr)

1	1: do not agree at all	4
2		13
3		126
4		547
5	5: totally agree	552
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6045
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 5
Question text: `How much do you agree with the following statement?` [item text: `[IF age >= 10 AND <= 15] It is important to me to get good grades.`]
Filter based on instrument: module 'employment/education' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,30
& (age0110>=10 & age0110<=15)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collection 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'do not agree at all' , 2 'do not agree' , 3 'nor', 4 'agree', 5 'totally agree'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'do not agree at all' and 5 'totally agree'. The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Item developed for TwinLife.

imo0702 – performance motivation: readiness to make a major effort (>= 16 yr)

1	1: do not agree at all	27
2		119
3		997
4		2814
5	5: totally agree	2041
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [IF age >= 16] [NCS] How strongly do you agree with the following statements? Please answer using the following scale. The value 1 means "Do not agree at all" and the value 5 means "Completely agree". You can use the values in between to grade your opinion. [IF age >= 16] 1. performing well is important to me. <<If you are still at school or in training, think about your school performance. >> [IF age >= 16] 2. to get somewhere in life, I am prepared to go to great lengths.` [item text: `I am prepared to go to great lengths to achieve something in life.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& (age0110>=16)
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. The following scale was used in data collection 1 (F2F1) and consists of five response options, with each option having a specific label: 1 'do not agree at all' , 2 'do not agree' , 3 'nor', 4 'agree', 5 'totally agree'. In subsequent data collections, only a partially labeled Likert scale was used: 1 'do not agree at all' and 5 'totally agree'.

The intermediate values (2 to 4) are not explicitly labeled, giving respondents more room for interpretation.
Item developed for TwinLife.

14 Employment status of household members

This chapter contains information on: educational and employment status of all household members (employment / education / vocational training / parental leave / pension).

hpr0101 – employment status - kindergarten/child care institution

0	0: not mentioned	8921
1	1: mentioned	199
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Kindergarten / day care center`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0102 – employment status - in school - first education path

0	0: not mentioned	7287
1	1: mentioned	1833
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `General School (standard education path)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)

Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0103 – employment status - training/uni./further education/other edu.

0	0: not mentioned	8056
1	1: mentioned	1064
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Training, higher education institution, further training, other schools (e. g. second chance education)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0104 – employment status - employed full-time

0	0: not mentioned	5749
1	1: mentioned	3371
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Full-time employment`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0105 – employment status - employed part-time - also in more than one job

0	0: not mentioned	7856
1	1: mentioned	1264
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Employed on a part-time basis (also with several part-time employments)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0106 – employment status - vocational training/apprenticeship/retraining

0	0: not mentioned	8816
1	1: mentioned	304
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `In-company training/apprenticeship or vocational retraining`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0107 – employment status - marginally employed/mini-job/1-euro-job

0	0: not mentioned	8786
1	1: mentioned	334
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Marginally employed, in mini-jobs, one-Euro-jobs (when drawing unemployment benefit type 2)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0109 – employment status - voluntary military service

0	0: not mentioned	9115
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Voluntary military service`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0110 – employment status - voluntary social/ecological year

0	0: not mentioned	9046
1	1: mentioned	74
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5

Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Voluntary social/ecological year, German federal volunteer service`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0111 – employment status - unemployed/seeking employment

0	0: not mentioned	8996
1	1: mentioned	124
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Unemployed, registered as searching for employment (at job centre)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0112 – employment status - maternity/parental leave/special leave

0	0: not mentioned	9008
1	1: mentioned	112
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Maternity leave, paternal leave, on leave of absence / Special leave for childcare`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0113 – employment status - housewife/househusband

0	0: not mentioned	8960
1	1: mentioned	160
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Housewife/Houseman`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0114 – employment status - in (early) retirement/occupational disability

0	0: not mentioned	8850
1	1: mentioned	270
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `In (early) retirement, disabled`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0115 – employment status - partial retirement with zero working hours

0	0: not mentioned	9103
1	1: mentioned	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `In early retirement with zero working hours`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0116 – employment status - not employed

0	0: not mentioned	9031
1	1: mentioned	89
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Not gainfully employed`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0117 – employment status - in private care

0	0: not mentioned	8996
1	1: mentioned	124
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; CATI 2; F2F 3; F2F 4; F2F 5

Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `child is in private care`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)

hpr0120 – employment status - other

0	0: not mentioned	8901
1	1: mentioned	219
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Other`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0198 – employment status - don't know

0	0: not mentioned	9112
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Do not know`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

hpr0199 – employment status - not specified - refused to answer

0	0: not mentioned	9089

1	1: mentioned	31
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	27
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[MCQ] [LOOP] Please indicate what currently applies to these people concerning school or employment. [name]` [item text: `Not specified (refused to answer)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

15 Employment status, current position and job-related burden

This chapter contains information on: ; classification of occupation; current employment; occupational status; working time.

emp0200 – maternity/parental leave (>= 15 yr)

1	1: [for women only] yes, maternity leave	23
2	2: parental leave (up to F2F 2)	0
3	3: leave of absence/special leave for childcare	13
4	4: no	5109
5	5: yes, parental leave with part-time employment (from F2F 3)	26
6	6: yes, parental leave without part-time employment (from F2F 3)	64
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	6
-95	-95: doesn't apply (screened out)	2049
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5; CoV 2
Question text: `Are you currently on maternity leave (Mutterschutz) or on statutory parental leave (Elternzeit)?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60 & age0110>=15 & age0110<=60 & (edu0100==3 | age0110>=22)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0300 – registered as unemployed (>= 15 yr)

1	1: yes	139
2	2: no	5523
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1624
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5; CoV 2
Question text: `Are you officially registered unemployed at the Federal Employment Agency (Agentur fuer Arbeit)?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& age0110>=15 & (edu0100==3 | age0110>=22)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0400 – employment (>= 16 yr)

1	1: full-time employed (>= 35 weekly hours)	2656
2	2: part-time employment (>= 16 and < 35 weekly hours)	1202
3	3: in-company training/apprenticeship or in-company retraining	278
4	4: marginally employed, mini-job, one-euro job (< 16 weekly hours)	386
5	5: occasionally or irregularly employed	30
6	6: voluntary military service	1
7	7: voluntary year, e.g., social or ecological year, federal voluntary service	64
8	8: partial retirement with zero working hours	15
9	9: early retirement, retirement, occupational disablity	178
10	10: other non-employment	702
11	11: other, namely	154
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1624
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5; CoV 2

Generated variable
When interpreting and analyzing the variable **emp0400**, it is important to note that changes in the specification of response categories were made starting from F2F 2. Specifically, in F2F 2, the categories Full-time employed and Part-time employment were specified with weekly hours to enable a more accurate recording of working hours. The category Marginally employed also includes a weekly hours limit since F2F 2. The category for voluntary services has been simplified to unify various types of voluntary services under one term. The category for non-employment was slightly rephrased to ensure broader coverage. In F2F 5, the category for training was expanded to include dual study programs.
Categories in F2F1:

```
1. Full employed
2. Part-time employment
3. In-company training/apprenticeship or in-company retraining
4. Marginally employed; Mini Job; One-euro job, e.g., when receiving unemployment benefit
5. Occasionally or irregularly employed
6. Voluntary military service
7. Voluntary social/ecological year, federal voluntary service
8. In phased retirement with zero working hours
9. Early retirees, pensioners, unable to work
10. Not employed
11. Other, namely:
```

Categories from F2F2:

```
1. Full-time employed (at least 35 weekly hours)
2. Part-time employment (also with parallel part-time jobs) (at least 16 and less than 35
3. In-company training/apprenticeship or in-company retraining
3. In-company training/apprenticeship (also dual study programs) or in-company retraining
4. Marginally employed, Mini Job, One-euro job (when receiving unemployment benefit 2) (
5. Occasionally or irregularly employed
6. Voluntary military service
7. Voluntary year, e.g., social or ecological year, federal voluntary service
8. In phased retirement with zero working hours
9. Early retirees, pensioners, unable to work
10. Other non-employment
11. Other, namely:
```

TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0503 – ISCO-08 of occ. activity, 2 digits based on emp0500 (gen)

1	01: commissioned armed forces officers	5
2	02: non-commissioned armed forces officers	1
3	03: armed forces occupations, other ranks	0
4	04: soldier/professional soldier, not specified	12
11	11: chief executives, senior officials and legislators	90

12	12: administrative and commercial managers	84
13	13: production and specialised services managers	111
14	14: hospitality, retail and other services managers	25
20	20: academic professionals, not specified	41
21	21: science and engineering professionals	265
22	22: health professionals	157
23	23: teaching professionals	421
24	24: business and administration professionals	269
25	25: information and communications technology professionals	119
26	26: legal, social and cultural professionals	233
...	(30 rows omitted)	2549
92	92: agricultural, forestry and fishery labourers	2
93	93: labourers in mining, construction, manufacturing and transport	44
94	94: food preparation assistants	11
95	95: street and related sales and service workers	0
96	96: refuse workers and other elementary workers	8
-81	-81: does not apply: no occupational activity mentioned	13
-87	-87: multiple answers	0
-89	-89: not codable	60
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2769
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The International Standard Classification of Occupations of 2008 (ISCO-08) classifies occupations (internationally comparable) according to the required skill level (degree of complexity, based on educational qualifications) of an occupation as well as the skill specialization (the type of skills required specifically for this occupation). TwinLife provides the ISCO classification at the level of sub-subgroups (two digits) for

- the occupation of the current employment (**emp0503** and **emp0513**),
- the occupation of the previous employment (**emp0553**, CATI1 only),
- the apprenticeship or field of study of the highest professional qualification (**eca0205**),
- the apprenticeship or field of study acquired since the last interview(**eca1205**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1215**, **eca1225**), and
- the occupational activities of the grandparents of the twins (**bpa0208**, **bpa0308**, **bpa0508**, **bpa0608**).

For more information about the ISCO classification visit the ILO website (URL Link). The open-ended responses on occupation were coded into ISCO-08 by the survey institute (TNS

Infratest/Kantar for F2F 1, infas for Fall other waves). Infratest performs the coding on the basis of an electronically available directory developed by Statistik Austria (see TNS Infratest/Kantar ISCO-08 documentation (URL Link) on the TwinLife documentation website (URL Link)). Infas bases the ISCO coding on specifications developed by GESIS. The exact procedure of occupation coding was described in detail by Geis and Hoffmeyer-Zlotnik (2000) using ISCO-88 as an example. In addition, extensive guidance on the practical implementation of occupational coding can be found in Geis (2011). Building on this knowledge of ISCO-88, there is the ISCO-08 code scheme, explanations and notes on the differences between ISCO-08 and ISCO-88. These have been coordinated by infas with GESIS. Specifications that could not translated into the schemes (such as 'team leader', 'specialist', or 'intern') were coded into -81 (no occupation or occupational activity mentioned) or -89 (not codable).

Geis, A. (2011). Handbuch fuer die Berufsvercodung. Gesis. [URL link]; Geis, A., & Hoffmeyer-Zlotnik, J. H. P. (2000). Stand der Berufscodierung. ZUMA-Nachrichten, 47, 103-128.; International Labour Office. (2012). International Standard Classification of Occupations: ISCO-08. Volume 1: Structure, group definitions and correspondence tables (Vol. 1). International Labour Office. [URL link]

emp0505 – ISEI based on ISCO-08 (International Socio Economic Index) (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2865
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
ISEI (International Socio-Economic Index of Occupational Status) is a measure of a person's socio-economic status and takes into account the individual's occupation, income and education. ISEI-08 categories range from 12 to 90. The ISEI is generated for

- the occupation of the current employment (**emp0505**),
- the apprenticeship or field of study of the highest professional qualification (**eca0207**),
- the apprenticeship or field of study acquired since the last interview (**eca1207**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1217**, **eca1227**).

The ISEI variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)), which is based on the SPSS script *isqoisei08.sps* by Harry Ganzeboom. For more information see Ganzeboom & Treiman (1996) and Ganzeboom (2010).

Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

emp0506 – SIOPS based on ISCO-08 (Standard Int. Occupational Prestige Scale) (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2865
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
SIOPS (Standard Index of Occupational Prestige Scale) is a classification for a prestige ranking of occupations (from 0 to 100). The SIOPS is generated for

- the occupation of current employment (**emp0508**),
- the apprenticeship or field of study of the highest professional qualification (**eca0208**),
- the apprenticeship or field of study acquired since the last interview (**eca1208**),
- the apprenticeship or field of study of the vocational qualifications mentioned in F2F3 and F2F4, which were surveyed in a follow-up in F2F5 (**eca1218**, **eca1228**).

The SIOPS variables have been coded on the basis of the four-digit version of the ISCO-08 classification. It was created using the Stata program *iscogen.ado* (Jann, B. (2019)). For more information see Ganzeboom & Treiman (1996).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

emp0508 – EGP based on ISCO-08 (Erikson-Goldthorpe-Portocarero-class scheme) (gen)

1	1: I higher managerial and professional workers	993
2	2: II lower managerial and professional workers	1733
3	3: IIIa routine non-manual (administration and commerce)	692
4	4: IIIb routine non-manual (sales and services)	346

5	5: IVa small self-employed with employees	46
6	6: IVb small self-employed without employees	44
7	7: V manual supervisors	19
8	8: VI skilled manual workers	316
9	9: VIIa semi- and unskilled manual workers	196
10	10: VIIb agricultural labor	25
11	11: IVc self-employed farmers	8
-87	-87: multiple answers	0
-89	-89: not codable	29
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2842
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The EGP-classes (Erikson-Goldthorpe-Portocarero classes) is a classification for the socioeconomic status of the parents, considering the type of occupational activity, the occupational status, managerial responsibility, and the kind of qualification needed for the occupational activity. For the generation of the EGP of the occupational activity (**emp0508**) the ISCO-08 variable **emp0503_iuf** (4 digits (unit group level), not part of the Scientific Use File) needed to be translated in the ISCO-88 classification first, using the Stata ado *iscogen.ado* that bases on a conversion tool by Harry Ganzeboom (URL Link).

```
iscogen emp0503_88 = isco88(emp0503_iuf), from(isco08)
```

Then, the EGP variable was generated, again using the Stata ado *iscogen.ado* (Jann, B. (2019)), also considering self-employment (**emp0602**) and supervisory status (**supviss**).

```
iscogen emp0508 = egp11(emp0503_88 emp0602 supviss), from(isco88)
```

The necessary information about the number of employees (**supviss**) only differentiates between whether the person supervises more than one and less than ten persons (**supviss** == 2), or more than ten persons (**supviss** == 11). It is based on information about the occupational status (from **emp0601** and **emp0605**) and the actual number of employees when being self-employed (**emp0603**):

```
gen supviss = .
replace supviss = 2 if emp0603 == 2   // self-employed with 1-9 employees
replace supviss = 11 if emp0603 == 3   // self-employed w. 10+ employees
replace supviss = 2 if emp0601 >= 4   // assumption: 1-9 subordinates
replace supviss = 2 if emp0605 == 6   // assumption: 1-9 subordinates
replace supviss = 11 if emp0605 == 7   // assumption: 10+ subordinates
replace supviss =. if wid == 2     // necessary inf. NA in CATI 1 (wid==2)
```

emp0508 was only generated for the F2F data collections. For more information, see Ganzeboom & Treiman (1996).
Ganzeboom, H. B. G., & Treiman, D. J. (1996). Internationally Comparable Measures of Occupational Status for the 1988 International Standard Classification of Occupations. Social Science Research, 25(3), 201-239. [URL link]; Ganzeboom, Harry B.G. (2010). International Standard Classification of Occupations: ISCO-08. With ISEI-08 scores. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

emp0515 – ESeC based on ISCO-08 (European Socio-economic Classification) (gen)

1	1: large employers, higher managerials/professionals	1149
2	2: lower managerials/professionals, higher supervisory/technicians	1019
3	3: intermediate occupations: higher grade white collar workers	640
4	4: small employers and self-employed (non-agriculture)	51
5	5: small employers and self-employed (agriculture)	21
6	6: lower supervisors and technicians: higher grade blue collar workers	59
7	7: lower sales and service: lower grade white collar workers	419
8	8: lower technical: skilled workers	195
9	9: routine: semi- and unskilled workers	92
-87	-87: multiple answers	0
-89	-89: not codable	802
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2842
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The ESeC (The European Socio-economic Classification) is a scheme provided for the whole adult population, but is mainly occupationally based classification. It was developed from the EGP (Erikson-Goldthorpe-Portocarero) scheme. The categories of the ESeC summarize occupations according to their position in the labor market and the type of labor regulation. The information required to create ESeC is: occupation coded to the minor groups (i.e. 3-digit groups) of the EU variant of the International Standard Classification of Occupations 1988 (ISCO88 (COM)); details of employment status, i.e. whether an employer, self-employed or employee; number of employees at the workplace; whether a worker is a supervisor. For the generation of the ESeC (**emp0515**) the ISCO-08 variable **emp0503_iuf** (4 digits (unit group level), not part of the Scientific Use File) needed to be translated in the ISCO-88 classification first, and then in the ISCO-88-COM classification, using the Stata ado *iscogen.ado* (Jann (2019)) that bases on a conversion tool by Harry Ganzeboom (URL Link). Further, self-employment (**emp0602**) and supervisory status (**supviss**, for the generation of this variable, see **emp0508**, EGP) is considered.

```
iscogen emp0503_88 = isco88(emp0503_iuf), from(isco08)
iscogen emp0503_88com = isco88com(emp0503_88), from(isco88)
iscogen emp0515 = esec(emp0503_88com emp0602 supviss)
```

emp0515 was only generated for F2F 1 (wid 1) and F2F 2 (wid 3). For more information on the ESeC classification, see Harrison & Rose (2006).
Harrison, E., & Rose, D. (2006). The European Socio-economic Classification: (ESeC) User Guide. Institute for Social and Economic Research, University of Essex. [URL link]; Jann, B. (2019). ISCOGEN: Stata module to translate ISCO codes. [URL link]

emp0600 – occupational status (>= 16 yr)

1	1: blue-collar worker (Arbeiter) (also in agriculture)	116
2	2: white-collar worker (Angestellte)	3458
3	3: civil servant (including judges and professional soldiers)	368
4	4: self-employed (including family members working for the self-employed)	333
5	5: apprentices / trainees / interns	238
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 2
Question text: `In which professional position are you currently employed? If you perform more than one occupation, please decide which one you consider to be your main occupation and answer the following questions in reference to this main occupation.`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60 & (emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0601 – occupational status as blue-collar laborer (>= 16 yr)

1	1: unskilled laborer	27
2	2: semi-skilled laborer	43
3	3: skilled laborer	38
4	4: foreman / forewoman	7
5	5: master craftsman, technician	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7173
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your current occupational status as a blue-collar worker?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& emp0600==1
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0602 – occupational status as self-employed (>= 16 yr)

1	1: self-employed farmer	11
2	2: freelance professional, self-employed academic	155
3	3: other self-employed	161
4	4: family workers	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6956
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your current occupational status as a self-employed person?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& emp0600==4
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0603 – number of employees

1	1: none	166
2	2: 1 to 9	114
3	3: 10 and more	53
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6956
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `Please tell me the number of your employees.`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& emp0600==4
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0604 – occupational status as trainee / intern (>= 16 yr)

1	1: apprentices, commercial-technical	144
2	2: apprentices, commercial	67
3	3: interns	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7051
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your current occupational status as an apprentice / trainee / intern.`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& emp0600==5
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0605 – occupational status as white-collar employee (>= 16 yr)

1	1: master craftsman or technician in white-collar position	12
2	2: unskilled employee	389
3	3: skilled employee	308
4	4: employee in qualified position	1367
5	5: employee in highly-qualified position	892
6	6: employee in managerial position	385
7	7: employee with comprehensive managerial responsibilities	98
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3831
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your current occupational status as a white-collar worker?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& emp0600==2
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0606 – type of managerial position (>= 16 yr)

1	1: top management	83
2	2: middle management	203
3	3: lower management position	129
4	4: high-qualified specialist position (e.g., project management)	66
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6806
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What kind of managerial position do you hold?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& (emp0605==6 | emp0605==7)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0607 – occupational status as civil servant (>= 16 yr)

1	1: lower civil service	4
2	2: medium level civil service	61
3	3: senior civil service	195
4	4: higher civil service	95
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6921
-98	-98: don't know	11
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `What is your current occupational status as a civil servant?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& emp0600==3
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0700 – working for current employer since - month (>= 16 yr)

-87	-87: multiple answers	0
-89	-89: only year specified	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	49

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `When did you start working for your current employer? If you are self-employed, please tell when you started working in your current occupation.`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& (emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0701 – working for current employer since - year (>= 16 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `When did you start working for your current employer? If you are self-employed, please tell when you started working in your current occupation.`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& (emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben.

[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0702 – public service (>= 16 yr)

1	1: yes	912
2	2: no	2896
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3468
-98	-98: don't know	13
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Do you work for a public sector employer?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& ((emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4) & emp0600 !=3 & emp0600
!=4)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0703 – temporary employment (>= 16 yr)

1	1: yes	50
2	2: no	3532
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3706
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Is this work temporary or on a contractual basis?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60

& ((emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4) & emp0600 !=3 & emp0600 !=4 & emp0600 !=5)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0704 – type of employment contract (>= 16 yr)

1	1: permanent contract	3371
2	2: fixed-term contract	792
-81	-81: does not apply to me	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3100
-98	-98: don't know	9
-99	-99: not specified (refused to answer)	17

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Do you have a fixed-term or permanent employment contract?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& ((emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4) & emp0600 !=4)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0705 – agreed working time per week in hours (>= 16 yr)

-81	-81: no contractually defined working hours	132
-87	-87: multiple answers	0
-89	-89: only year specified	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3100
-98	-98: don't know	9
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How many hours per week is your contractual working time excluding overtime?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& ((emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4) & emp0600 !=4)
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben.

[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0706 – actual number of weekly working hours (>= 16 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	38
-99	-99: not specified (refused to answer)	29

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
emp0706 was only surveyed in F2F1 with decimal places.
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0708 – mini- or midi-job (>= 16 yr)

1	1: yes, Mini-job	0
2	2: yes, Midi-job	0
3	3: no	34
4	4: yes, mini-job up to 520 euro (before Oct 22: up to 450 euro)	296
5	5: yes, midi job from 520.01 to 1300 euro (before Oct 22: 450.01 euro to 1300 euro)	55
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6903
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
Until 30 June 2019, an upper earnings limit of 850 euros applied to midijobs, from 1 July 2019 a limit of 1300 euros, from 1 October 2022 1600 euros, from 1 January 2023 2,000 euros. As of 1 October 2022, the upper earnings limit for mini-jobs was raised from 450 euros to 520 euros.
Please note that the questionnaire instrument for F2F3b and F2F4 still shows the old upper limits of 850 euros. However, the question correctly asks for minijob and midijob.
TNS Infratest SozialforschungTNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Personenfragebogen, Altstichproben.

[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Individual Questionnaire, Age Samples] (235: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

emp0709 – WZ 2008, 2 digits based on emp0707 (German class. of economic sectors)

1	1: crop and animal production, hunting and related service activities	21
2	2: forestry and logging	4
3	3: fishing and aquaculture	0
5	5: mining of coal and lignite	1
6	6: extraction of crude petroleum and natural gas	0
7	7: mining of metal ores	0
8	8: other mining and quarrying	2
9	9: mining support service activities	0
10	10: manufacture of food products	43
11	11: manufacture of beverages	1
12	12: manufacture of tobacco products	0
13	13: manufacture of textiles	10
14	14: manufacture of wearing apparel	1
15	15: manufacture of leather and related products	2
16	16: manufacture of wood and products of wood, except furniture	3
...	(71 rows omitted)	4373
98	98: undifferentiated goods- and services-producing activities of private households for own use	0
99	99: activities of extraterritorial organisations and bodies	1
201	201: industry	0
202	202: handicraft	0
203	203: services without or with non-assignable professional specification	0
204	204: manufacturing (concrete information, which cannot be clearly assigned)	0
-87	-87: multiple answers	0
-89	-89: not codable	50
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	10
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
The WZ 2008 is the German classification of economic sectors and bases on the Statistical Classification of Economic Activities in the European Community (NACE). In **emp0709** the open answers of the respondents on the question about the sector in which they work (**emp0707**: 'In which sector of the economy/which branch/which service area is the company or the institution predominantly active? Please quote the exact name, e.g. not industry, but electrical industry; not trade, but retail; not public service, but hospital.') are classified into 88 departments. For more information about this classification, see the documentation on the classification server of the Federal Statistical Office of Germany (URL Link).
Schmahl, F., Wilhelm, B., Friedrich, S., Wendt, E.-V., Thoennissen, C., & Walper, S. (2012). Scales Manual of the German Family Panel: Wave 1 to 3. Panel Analysis of Intimate Relationships and Family Dynamics (pairfam). [URL link]

emp0720 – proportion of home office with professional activity

0	0: 0%	1293
1	1: 10%	1414
2	2: 20%	308
3	3: 30%	261
4	4: 40%	197
5	5: 50%	202
6	6: 60%	186
7	7: 70%	101
8	8: 80%	86
9	9: 90%	110
10	10: 100%	154
11		78
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2888
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	9

Waves: CATI 4; F2F 5
Question text: `In a normal work week, what percentage of your work time do you spend working from home?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): emp0600==2 | emp0600==3 | emp0600==4 | emp0600==5 | emp0600==-98
Item developed for TwinLife.

emp2400 – impact of corona short-time work

0	0: new person	0
1	1: yes	11
2	2: no	4511
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 4; F2F 5
Question text: `Are you currently on short-time work?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& (emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4)
Item developed for TwinLife.

16 Wages, income, welfare dependency

This chapter contains information on: assets; perceived income equity; wages, income; welfare dependency.

ass0100 – assets

1	1: debts	302
2	2: no assets	583
3	3: less than 1,000 euro	125
4	4: 1,000 up to below 5,000 euro	442
5	5: 5,000 up to below 10,000 euro	489
6	6: 10,000 up to below 25,000 euro	695
7	7: 25,000 up to below 50,000 euro	605
8	8: 50,000 up to below 75,000 euro	360
9	9: 75,000 up to below 100,000 euro	330
10	10: 100,000 up to below 150,000 euro	429
11	11: 150,000 euro and more	3761
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	10
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	307
-99	-99: not specified (refused to answer)	709

Waves: F2F 4; CATI 4; F2F 5
Question text: `Before we move on, one more question about your household's net worth: What do you estimate your household's net worth to be? Net worth is the value of everything that belongs to the household members minus all liabilities. Please assign your household's net worth to one of the following categories. Please think of the following asset components: real estate, vehicles, investments in businesses, financial assets, insurances, LESS debts and liabilities`
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: Deutsche Bundesbank. (2019). Codebook-3. Welle, Fragenprogramm Private Haushalte und ihre Finanzen [Question programme: Panel on Household Finances (PHF)]. [URL link]

inc0103 – monthly personal gross income in categories

1	1: below 500 Euro	15
2	2: 500 up to below 1,000 Euro	9
3	3: 1,000 up to below 1,500 Euro	11
4	4: 1,500 up to below 2,000 Euro	13
5	5: 2,000 up to below 2,500 Euro	14
6	6: 2,500 up to below 3,000 Euro	18
7	7: 3,000 up to below 4,000 Euro	25
8	8: 4,000 up to below 5,000 Euro	27

9	9: 5,000 up to below 6,000 Euro	17
10	10: 6,000 up to below 7,000 Euro	10
11	11: 7,000 up to below 8,000 Euro	4
12	12: 8,000 up to below 10,000 Euro	7
13	13: 10,000 up to below 20,000 Euro	7
14	14: 20,000 Euro and above	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6951
-98	-98: don't know	19
-99	-99: not specified (refused to answer)	138

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `If you can't or do not wish to give an amount, then please indicate in which income group your monthly gross income can be classified.`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& (inc0100==-98 | inc0100==-99)
TNS Infratest Sozialforschung. (2011). SOEP 2005 - Pretestbericht zum Befragungsjahr 2005 (Welle 22) des Sozio-oekonomischen Panels - Mutter und Kind 2 [SOEP 2005 (wave 22) Pretest Mother and child 2] (54: Series B; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0110 – monthly personal gross income (>= 15 yr) (inc0100 manip.) (gen)

-87	-87: multiple answers	0
-88	-88: only monthly income filled	0
-89	-89: only yearly income filled	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767
-98	-98: don't know	116
-99	-99: not specified (refused to answer)	222

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
Twin families are a special type of family that could be de-anonymized more easily than other families when combining several characteristics known from the data, especially when these characteristics exceedingly diverge from the average, such as a very high or very low income. In order to ensure the anonymity of the twin families, very high and very low values of the personal income variable **inc0100** is manipulated in a way that the incomes cannot lead back to one individual, but the income distribution, as well as analyses, are not affected by the alterations. The manipulation follows the recommendations of Wirth (1992). Personal income was collected in variable **inc0100** in all data collections except CATI 2 and 3. First, only for CATI 1 a categorical variable (corresponding to **inc0103**) is generated from the variables **inc0102**, **inc0105**, **inc0106**. In the next step, for the cases in which no monthly personal

income was reported, the annual income from **inc0101** (if available) is divided by 12 and integrated into **inc0100**. A single case correction was made in F2F 1, where monthly and annual income were obviously confused (**pid_suf** == 124589400). Other conspicuities are recorded and flagged in the variables **inc0120** and **inc0121**. Finally, following Wirth (1992), the five highest and lowest income specifications are replaced by their average (manipulation of the strongest outliers) and the 10% highest and lowest income statements are assigned a random error of +/- 1% of the initial value using a random variable. As a result, 80% of the incomes are not affected by the manipulation. The resulting manipulated variable **inc0110** is supplied in the SUF.
Please note: No structured plausibility analyses were conducted based on the income data. Accordingly, no adjustment to the income was made, except for the described manipulations in the interest of data protection. In rare cases it seems that annual rather than monthly income were inadvertently reported in **inc0400**.
TNS Infratest Sozialforschung. (2004). Erweiterter Pretest zum SOEP 2005. [URL link]; Wirth, H. (1992). Die faktische Anonymitaet von Mikrodaten: Ergebnisse und Konsequenzen eines Forschungsprojektes. [The factual anonymity of microdata: Results and consequences of a research project]. ZUMA Nachrichten, 16(30), 7-65.

inc0120 – flag: yearly income integrated in inc0110 (gen)

0	0: no change made	3918
1	1: converted yearly income (inc0101) integrated	266
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4971
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
This flag variable indicates whether the annual income specification (**inc0101**) divided by 12 has been included in the generated personal monthly income variable (**inc0110**).

inc0200 – perceived income justice (>= 16 yr)

1	1: unfairly low	1432
2	2: fair	2959
3	3: unfairly high	92
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2767

-98	-98: don't know	15
-99	-99: not specified (refused to answer)	24

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `When you think about your current gross income, would you say that what you get paid is fair for the work you do, or is it above or below what you consider fair?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& (emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4)
Jacobebbinghaus, P., Abendroth, A.-K., Melzer, S. M., & Schlechter, F. (2014). Methodological Report Employee and Partner Surveys of the Linked EmployerEmployee Panel (LEEP-B3) in Project B3: Interactions Between Capabilities in Work and Private Life: A Study of Employees in Different Work Organizations (No. 12; SFB 882 Technical Report Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

inc0300 – public services in hh: child benefit (HH)

0	0: not mentioned	3370
1	1: mentioned	5771
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Child benefit`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0301 – public services in hh: children's allowance (HH)

0	0: not mentioned	9041
1	1: mentioned	100
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Supplementary child benefit (Kinderzuschlag which is paid to low-income earners in addition to the child allowance, Kindergeld)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0302 – public services in hh: parental benefit (HH)

0	0: not mentioned	8907
1	1: mentioned	234
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Parental benefit`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0303 – public services in hh: continued payment of wages during maternity leave (HH)

0	0: not mentioned	9085
1	1: mentioned	56
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Continued pay in maternity`

`leave`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0304 – public services in hh: short-time working allowance (HH)

0	0: not mentioned	9128
1	1: mentioned	13
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Short-time working allowance`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0305 – public services in hh: unemployment benefit type I (HH)

0	0: not mentioned	8979
1	1: mentioned	162
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Unemployment benefit type I`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0306 – public services in hh: unemployment benefit type II (HH)

0	0: not mentioned	8951
1	1: mentioned	190
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Unemployment benefit II (Harz IV) , including social unemployment benefit II (Harz IV) , including social benefit and accomodation expenses`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0307 – public services in hh: subsistence allowance (HH)

0	0: not mentioned	9125
1	1: mentioned	16
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Monthly subsistence allowance / assistance in special circumstances`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0308 – publ.serv. in hh:subsist. inc. for elderly or people w. reduced earning cap.(HH)

0	0: not mentioned	9111
1	1: mentioned	30
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Basic income support for the elderly and those with reduced earning capacity`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0309 – public services in hh: housing allowance apart from unempl. benefit type II(HH)

0	0: not mentioned	9023
1	1: mentioned	118
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Housing allowance if not included in the unemployment benefit II / social assistance`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0310 – public services in hh: other social allowances (HH)

0	0: not mentioned	9127
1	1: mentioned	14
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Other social allowances`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0311 – public services in hh: nursing care insurance services (HH)

0	0: not mentioned	8990
1	1: mentioned	151
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Long-term care insurance benefits (Pflegevers. )`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0312 – public services in hh: child care subsidy (HH)

0	0: not mentioned	9107
1	1: mentioned	34
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Child care subsidy`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0313 – public services in hh: alimony payment for children (HH)

0	0: not mentioned	8959
1	1: mentioned	182
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Alimony payment for children`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0314 – publ. serv. in hh: alimony payment by former partner - not for children (HH)

0	0: not mentioned	9091
1	1: mentioned	50
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Alimony payment by former partner (not for children)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0315 – public services in hh: retirement pension (HH)

0	0: not mentioned	8602
1	1: mentioned	539
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Retirement pension`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0316 – public services in hh: sick pay (HH)

0	0: not mentioned	9083
1	1: mentioned	58
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Sick allowance`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey

instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0317 – public services in hh: alimony advance (HH)

0	0: not mentioned	9070
1	1: mentioned	71
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Alimony advance`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0318 – public services in hh: other benefits/allowances (HH)

0	0: not mentioned	8848
1	1: mentioned	293
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Other: [OPEN, format: string]`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0397 – public services in hh: none (HH)

0	0: not mentioned	6459
1	1: mentioned	2682
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `None`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0398 – public services in hh: don't know (HH)

0	0: not mentioned	9127
1	1: mentioned	14
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Do not know`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0399 – public services in hh: not specified - refused to answer (HH)

0	0: not mentioned	9087
1	1: mentioned	54
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Are you or another household member currently receiving one ore more of the following government benefits?` [item text: `Not specified (refused to answer)`]
Filter based on instrument: module 'household questionnaire' (CAPI/CAPIbyPhone): (haushalt==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben.[Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

inc0401 – monthly houselhold net income of all hh members (inc0400 inc0404 manip.) (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	6
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	154
-99	-99: not specified (refused to answer)	330

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
Twin families are a special type of family that could be de-anonymized more easily than other families when combining several characteristics known from the data, especially when these characteristics exceedingly diverge from the average, such as a very high or very low income. In order to ensure the anonymity of the twin families, very high and very low values of the household income variable **inc0400** are manipulated in a way that the incomes cannot lead back to one household or individual, but the income distribution, as well as analyses, are not affected by the alterations. The manipulation follows the recommendations of Wirth (1992). In order to process a maximum of income information, the first step is to integrate the specification of income categories from **inc0403** into the variable **inc0400**. Here, the middle of the specified category is used. In F2F 2, CATI 2 and F2F 3, the yearly household income (**inc0404**) was also recorded as an alternative - this information is also converted first (divided by 12) and then integrated into **inc0400**. In CATI 1, household income was recorded at the personal level. Therefore, it may happen that within one household several different household incomes are specified. Here, the median of all information provided in the household

was used. Finally, following Wirth (1992), the five highest and lowest income specifications are replaced by their average (manipulation of the strongest outliers) and the 10% highest and lowest income statements are assigned a random error of +/- 1% of the initial value using a random variable. As a result, 80% of the incomes are not affected by the manipulation. The resulting manipulated variable **inc0401** is supplied in the SUF. Conspicuities are recorded and flagged in the variables **inc0420**, **inc0421**, **inc0423** and **inc0423**.
Please note: No structured plausibility analyses were conducted based on the income data. Accordingly, no adjustment to the income was made, except for the described manipulations in the interest of data protection.
Please note: Due to the reduced questionnaire in CATI 2 (wid=4), twins in cohorts 3 and 4 were not asked about their household income if they were still living with at least one parent. As a result, mean and median incomes are much lower than in previous data collections in these cohorts.
Please note: In rare cases it seems that annual rather than monthly income were inadvertently reported in **inc0400**.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP; https://www.diw.de/documents/publikationen/73/diw_0 [URL link]; Wirth, H. (1992). Die faktische Anonymitaet von Mikrodaten: Ergebnisse und Konsequenzen eines Forschungsprojektes. [The factual anonymity of microdata: Results and consequences of a research project]. ZUMA Nachrichten, 16, 7-65.

inc0411 – net equivalent hh-income (modif.OECD scheme) using inc0401 inc0403 age0200 (gen)

-81	-81: unknown household constellation	671
-82	-82: unknown income or household constellation	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
Besides the (manipulated) household income, we generate and provide the net equivalent household income using the modified OECD scale (`http://www.oecd.org/els/soc/OECD-Note-Equivalenc pdf`). For this generated variable, the household size and composition are taken into account. The concept is based on the assumption that people (e.g., two adults) save money and are fictitiously 'richer' by living together in one household and sharing a common budget and the fixed costs instead of living in separate households. For more information about the concept, see OECD (2011). For this purpose, the household composition recorded in the household questionnaire is used to calculate how many adult persons (aged 14 and older) and how

many children (under 14) live in the household. In CATI 2 and 3, the household composition was not recorded systematically by the interviewer, but was surveyed in the household questionnaire. This self-report of the respondent was used as the basis for calculating the equivalence income. According to OECD (2011), the 'household head' gets a weight of 1, each further adult person gets a weight of 0.5, and each child a weight of 0.3. The household income is then divided by the sum of all weights in the household. The resulting variable **inc0411**, the net equivalent household income, is published in the SUF.
Please note: Due to the reduced questionnaire in CATI 2 (wid=4), twins in cohorts 3 and 4 were not asked about their household income if they were still living with at least one parent.
Source: Adapted from: TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Haushaltsfragebogen, Altstichproben [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Household Questionnaire, Age Samples] (236: Series A; SOEP Survey Papers). DIW/SOEP; https://www.diw.de/documents/publikationen/73/diw_0 [URL link]; Wirth, H. (1992). Die faktische Anonymitaet von Mikrodaten: Ergebnisse und Konsequenzen eines Forschungsprojektes. [The factual anonymity of microdata: Results and consequences of a research project]. ZUMA Nachrichten, 16, 7-65.

inc0420 – flag: yearly income integrated in inc0401 (gen)

0	0: no change made	8656
1	1: yearly income integrated in inc0401	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	499
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
This flag variable indicates whether the annual income specification (**inc0404**) divided by 12 has been included in the generated monthly household income variable (**inc0401**).

inc0422 – flag: multiple of child allowance specified in inc0401 (gen)

0	'0: no conspicuity	8543
1	1: multiple of child allowance specified in inc0401	110
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	502
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
This flag variable indicates whether a multiple of child allowances are specified in the generated monthly household income variable (**inc0401**). Imprecise question wording in F2F 1 may have led respondents to relate the question about monthly household income to the total of their government benefit payments (public services). This is only verifiable for child allowances, as this is the only fixed (and thus known to us) variable for government benefits. The number of cases in F2F 1 for which the flag applies suggests that an even larger proportion of households could have reported the sum of government benefits received, which should be kept in mind when analyzing the variable. Please note that only cases where the exact amount of a multiple of child benefit was stated have been flagged. In the SUF data, these cases are not uniquely identifiable, as the lower 10% of household income data have been manipulated (see the variable text for **inc0401**).

inc0423 – flag: categorical income integrated in inc0401 (gen)

0	'0: no change made	7963
1	1: categorical income (inc0403) integrated in inc0401	693
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	499
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
This flag variable indicates whether the categorical income specification (**inc0403**, middle of category) has been included in the generated monthly household income variable (**inc0401**).

17 Job autonomy

This chapter contains information on: job autonomy.

aut0101 – job autonomy: autonomous time management

1	1: doesn't apply at all	357
2	2	528
3	3	906
4	4	1006
5	5: applies completely	1384
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3100
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	4

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] ] [NCS] On a scale of 1 to 5, please tell me to what extent the following statements apply to your work situation. 1 means that the statement 'does not apply at all', 5 means that the statement 'fully applies'. With the values in between you can graduate your assessment.` [item text: `Within my working hours, I can decide for myself when I do which work tasks.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60 & ((emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4) & emp0600 !=4)
Abendroth, A.-K., Melzer, S. M., Jacobebbinghaus, P., & Schlechter, F. (2014). Methodenbericht Beschaeftigten- und Partnerbefragung des Linked-EmployerEmployee Panels (LEEP-B3) im Projekt B3: Wechselwirkungen zwischen Verwirklichungschancen im Berufs- und Privatleben (S. Liebig & J. Vompras, Eds.) (No. 6; SFB 882 Technical Report Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

aut0102 – job autonomy: autonomous work planning

1	1: doesn't apply at all	222
2	2	455
3	3	965
4	4	1297
5	5: applies completely	1240
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3100
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	6

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] ] [NCS] On a scale of 1 to 5, please tell me to what extent the following statements apply to your work situation. 1 means that the statement 'does not apply at all', 5 means that the statement 'fully applies'. With the values in between you can graduate your assessment.` [item text: `I can decide for myself how I carry out my work tasks.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60 & ((emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4) & emp0600 !=4)
Abendroth, A.-K., Melzer, S. M., Jacobebbinghaus, P., & Schlechter, F. (2014). Methodenbericht Beschaeftigten- und Partnerbefragung des Linked-EmployerEmployee Panels (LEEP-B3) im Projekt B3: Wechselwirkungen zwischen Verwirklichungschancen im Berufs- und Privatleben (S. Liebig & J. Vompras, Eds.) (No. 6; SFB 882 Technical Report Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

aut0103 – job autonomy: mainly routine activities

1	1: doesn't apply at all	876
2	2	1469
3	3	1030
4	4	553
5	5: applies completely	254
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3100
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	5

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] ] [NCS] On a scale of 1 to 5, please tell me to what extent the following statements apply to your work situation. 1 means that the statement 'does not apply at all', 5 means that the statement 'fully applies'. With the values in between you can graduate your assessment.` [item text: `Most of my work involves routine activities and I rarely learn anything new.`]
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& ((emp0400==1 | emp0400==2 | emp0400==3 | emp0400==4) & emp0600 !=4)
Abendroth, A.-K., Melzer, S. M., Jacobebbinghaus, P., & Schlechter, F. (2014). Methodenbericht Beschaeftigten- und Partnerbefragung des Linked-EmployerEmployee Panels (LEEP-B3) im Projekt B3: Wechselwirkungen zwischen Verwirklichungschancen im Berufs- und Privatleben (S. Liebig & J. Vompras, Eds.) (No. 6; SFB 882 Technical Report Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

18 Political orientation and participation

This chapter contains information on: political activity, political interest, party identification.

pop0100 – interest in politics (>= 10 yr)

1	1: not at all	611
2	2: not strongly	3020
3	3: strongly	1941
4	4: very strongly	580
-86	-86: inconclusive specification	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	39
-99	-99: not specified (refused to answer)	13

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Generally speaking, how interested are you in politics?`
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

pop0200 – political activity: attending political meetings/discussions/protest (>= 10 yr)

1	1: yes	1102
2	2: no	5014
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	1
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	45
-99	-99: not specified (refused to answer)	44

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] Which of the following activities did you take part in within the last 12 months?` [item text: `taken part in a political meeting/a discussion event/a demonstration`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Bien, W., Rauschenbach, T., & Walper, S. (2012). Aufwachsen in Deutschland. AID: A - Der neue DJI-Survey (pp. 7-27). Beltz Juventa. [URL link]

pop0201 – political activity: participating in (online) petitions (>= 10 yr)

1	1: yes	2161
2	2: no	3952
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863

-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	52
-99	-99: not specified (refused to answer)	41

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] Which of the following activities did you take part in within the last 12 months?` [item text: `taken part in an online-petition/a signature collection`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Bien, W., Rauschenbach, T., & Walper, S. (2012). Aufwachsen in Deutschland. AID: A - Der neue DJI-Survey (pp. 7-27). Beltz Juventa. [URL link]

pop0202 – political activity: boycott of companies/products (>= 10 yr)

1	1: yes	2806
2	2: no	3209
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	149
-99	-99: not specified (refused to answer)	42

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] Which of the following activities did you take part in within the last 12 months?` [item text: `boycotted a company or products for political or ethical reasons or on environmental grounds, e. g. did not buy products or avoided them`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Bien, W., Rauschenbach, T., & Walper, S. (2012). Aufwachsen in Deutschland. AID: A - Der neue DJI-Survey (pp. 7-27). Beltz Juventa. [URL link]

pop0300 – participation in last parliamentary election (>= 18 yr)

1	1: yes	4270
2	2: no	367
3	3: no, I wasn't entitled to vote (yet)	367
-86	-86: inconclusive specification	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1166
-98	-98: don't know	26
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Did you vote in the last election of the federal parliament?`
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=18 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=18 & mod1003==1
Source: Adapted from: Harris, K. M., & National Longitudinal Study of Adolescent Health. (2009). Waves I & II, 1994-1996; Wave III, 2001-2002; Wave IV, 2007-2009 [machine-readable data file and documentation] (p. 10). Carolina Population Center, University of North Carolina at Chapel Hill. [URL link]

pop0301 – hypothetical participation in election (>= 10 yr)

1	1: yes	5456
2	2: no	510
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	220
-99	-99: not specified (refused to answer)	20

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[IF age >= 10 AND <= 15] Let's assume you were eligible to vote: If there were an election for federal parliament next Sunday, would you vote? [IF age >= 16] If there were an election for federal parliament next Sunday, would you vote? If you are not eligible to vote, please indicate what you would do if you were eligible to vote.`
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1

Sonntagsfrage-Opinion poll question asking who people would vote for if an election were to be held next Sunday. [URL link]

pop0302 – political leanings: party (>= 10 yr)

1	1: no, I don't lean towards a party	2009
2	2: SPD	607
3	3: CDU/CSU [only F2F 1]	0
4	4: FDP	279
5	5: Buendnis 90/Die Gruenen	1607
6	6: Die Linke	185
7	7: NPD/Republikaner	1
8	8: Piratenpartei	29
9	9: AfD (Alternative fuer Deutschland)	183
10	10: another, namely	180
11	11: CDU [from F2F 2]	793
12	12: CSU [from F2F 2]	129
-86	-86: inconclusive specification	58
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	146

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Do you usually think of yourself as close to any particular party? Which party do you feel closest to? [ITEMBAT] Do you usually think of yourself as close to any particular party? Which party do you feel closest to?`
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

pop0310 – political leanings: party (gen)

1	1: I don't lean towards a party	2012
2	2: SPD	608
3	3: CDU/CSU	922
4	4: FDP	279
5	5: Buendnis 90/Die Gruenen	1607
6	6: Die Linke	184
7	7: NPD/Republikaner	1

8	8: Piratenpartei	29
9	9: AfD (Alternative fuer Deutschland)	182
10	10: Oekologisch-Demokratische Partei	12
11	11: Die PARTEI	33
12	12: FREIE WAEHLER	12
13	13: Tierschutzpartei	22
14	14: dieBasis	13
15	15: Volt	16
16	16: BSW	29
17	17: Other	12
-85	-85: not codable	64
-87	-87: multiple answers	7
-88	-88: regional party	2
-89	-89: party abroad	2
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	156

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variable **pop0310** is generated from the close-ended response and the open-ended responses to the question about party preference (**pop0302** 'Do you usually think of yourself as close to any particular party? Which party do you feel closest to?').
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

19 Social networks

This chapter contains information on: social capital of individuals, e.g., close friends, loneliness.

net0100 – trust: overall (>= 13 yr)

1	1: completely disagree	122
2	2: rather disagree	1313
3	3: rather agree	4436
4	4: completely agree	1343
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	64
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [NCS] [IF age >= 12 AND <= 15] : Below I will read you three statements that you can agree or disagree with. What is your opinion on the following three statements? Please answer using the following scale. The value 1 means: completely disagree. The value 4 means: fully agree. You can use the values between 1 and 4 to grade your opinion. [NCS] [IF age >= 16] : What is your opinion on the following three statements?` [item text: `In general, you can trust people.`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=12
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. In the first data collection (F2F 1), only a partially labeled Likert scale was used: 1 'completely disagree' and 4 'completely agree'. The intermediate values (2 and 3) are not explicitly labeled, giving respondents more room for interpretation. In subsequent data collections, the scale consists of four response options, with each option having a specific label: 1: 'completely disagree', 2: 'rather disagree', 3: 'rather agree', 4: 'completely agree'.
TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

net0101 – trust: you can't trust anybody nowadays (>= 13 yr)

1	1: completely disagree	2105
2	2: rather disagree	3763
3	3: rather agree	1200
4	4: completely agree	148
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	64
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [NCS] [IF age >= 12 AND <= 15] : Below I will read you three statements that you can agree or disagree with. What is your opinion on the following three statements? Please answer using the following scale. The value 1 means: completely disagree. The value 4 means: fully agree. You can use the values between 1 and 4 to grade your opinion. [NCS] [IF age >= 16] : What is your opinion on the following three statements?` [item text: `You can't rely on anyone these days.`]

Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=12
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. In the first data collection (F2F 1), only a partially labeled Likert scale was used: 1 'completely disagree' and 4 'completely agree'. The intermediate values (2 and 3) are not explicitly labeled, giving respondents more room for interpretation. In subsequent data collections, the scale consists of four response options, with each option having a specific label: 1: 'completely disagree', 2: 'rather disagree', 3: 'rather agree', 4: 'completely agree'.
TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

net0102 – trust: be careful about trusting strangers (>= 13 yr)

1	1: completely disagree	200
2	2: rather disagree	1260
3	3: rather agree	3297
4	4: completely agree	2457
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	64
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [NCS] [IF age >= 12 AND <= 15] : Below I will read you three statements that you can agree or disagree with. What is your opinion on the following three statements? Please answer using the following scale. The value 1 means: completely disagree. The value 4 means: fully agree. You can use the values between 1 and 4 to grade your opinion. [NCS] [IF age >= 16] : What is your opinion on the following three statements?` [item text: `When dealing with strangers, it is better to be careful before trusting them.`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=12
Two different Likert scales were used for this variable in the data collection, which may affect the interpretation of the data. In the first data collection (F2F 1), only a partially labeled Likert scale was used: 1 'completely disagree' and 4 'completely agree'. The intermediate values (2 and 3) are not explicitly labeled, giving respondents more room for interpretation. In subsequent data collections, the scale consists of four response options, with each option having a specific label: 1: 'completely disagree', 2: 'rather disagree', 3: 'rather agree', 4: 'completely agree'.
TNS Infratest Sozialforschung. (2014). SOEP 2014 - Erhebungsinstrumente 2014 (Welle 31) des Sozio-oekonomischen Panels: Jugendfragebogen, Altstichproben. [Survey instruments 2014 (wave 31) of the Socio-Economic Panel: Youth Questionnaire, Age Samples] (238: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

net0203 – number of close friends (>= 8 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	41
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	12

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] [IF age >= 10 AND <= 15] How many close friends do you have? This includes family members with whom you have a close relationship. This does not include people with whom you are !!! only !!! friends via Facebook or other social networks. [NCS] [IF age >= 16] How many close friends do you have? This includes partners and family members with whom you have a close relationship. This does not include people with whom you are !!! only !!! friends via Facebook or other social networks.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=10
Berg, M., Cramer, R., Dickmann, C., Gilberg, R., Jesske, B., Kleudgen, M., Bethmann, A., Fuchs, B., Trappmann, M., & Wurdack, A. (2013). Codebuch und Dokumentation des Panel Arbeitsmarkt und soziale Sicherung (PASS) Band I: Datenreport Welle 6 [Panel Study Labour Market and Social Security (PASS): PASS personal questionnaire wave 6 2013]. 6, 1. [URL link]

net0209 – number of close friends in the household (>= 8 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	95
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	17

Waves: F2F 3; F2F 4; F2F 5
Question text: `And how many of those live in your household?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=10 & net0203 >0
Item developed for TwinLife (form to fill-in on the basis of U-Heft).

net0600 – loneliness (>= 10 yr)

1	1: totally disagree	2761
2	2	1975
3	3	991
4	4: totally agree	425
-85	-85: information not evaluable	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	31
-99	-99: not specified (refused to answer)	24

Waves: F2F 1; F2F 2; F2F 3; CATI 4; F2F 5
Question text: `To what extent do you agree with the following statement?` [item text: `I often feel lonely.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (age0110>=10) & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2008 - Erhebungsinstrumente 2008 (Welle 25) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2008 (wave 25) of the Socio-Economic Panel. Individual Questionnaire] (109: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

20 Trust in public institutions

This chapter contains information on: Change in trust in institutions; Current trust in institutions.

tru0100 – trust in the police

1	1: very high level of trust	900
2	2: high level of trust	2684
3	3: rather high level of trust	1677
4	4: rather low level of trust	494
5	5: low level of trust	182
6	6: no trust at all	52
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	11

Waves: F2F 5
Question text: `[ITEMBAT] For each organization or institution I read to you, please tell me how much trust you currently have in this organization or institution.`

[item text: `police`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0101 – trust in the judiciary and courts

1	1: very high level of trust	833
2	2: high level of trust	2436
3	3: rather high level of trust	1792
4	4: rather low level of trust	628
5	5: low level of trust	195
6	6: no trust at all	73
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	29
-99	-99: not specified (refused to answer)	19

Waves: F2F 5
Question text: `[ITEMBAT] For each organization or institution I read to you, please tell me how much trust you currently have in this organization or institution.`
[item text: `judiciary, courts`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0102 – trust in the federal government

1	1: very high level of trust	117
2	2: high level of trust	963
3	3: rather high level of trust	2059
4	4: rather low level of trust	1643
5	5: low level of trust	671
6	6: no trust at all	513
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	18

-99	-99: not specified (refused to answer)	21

Waves: F2F 5
Question text: `[ITEMBAT] For each organization or institution I read to you, please tell me how much trust you currently have in this organization or institution.` [item text: `federal government`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0103 – trust in public media

1	1: very high level of trust	306
2	2: high level of trust	1314
3	3: rather high level of trust	1830
4	4: rather low level of trust	1456
5	5: low level of trust	659
6	6: no trust at all	398
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	20
-99	-99: not specified (refused to answer)	22

Waves: F2F 5
Question text: `[ITEMBAT] For each organization or institution I read to you, please tell me how much trust you currently have in this organization or institution.` [item text: `public service media`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0104 – trust in non-profit organizations and initiatives

1	1: very high level of trust	372
2	2: high level of trust	2004
3	3: rather high level of trust	2500
4	4: rather low level of trust	798
5	5: low level of trust	199
6	6: no trust at all	40
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865

-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	52
-99	-99: not specified (refused to answer)	40

Waves: F2F 5
Question text: `[ITEMBAT] For each organization or institution I read to you, please tell me how much trust you currently have in this organization or institution.`
[item text: `non-profit organizations and initiatives`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0105 – trust in religious institutions

1	1: very high level of trust	112
2	2: high level of trust	587
3	3: rather high level of trust	1371
4	4: rather low level of trust	2048
5	5: low level of trust	1070
6	6: no trust at all	698
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	61
-99	-99: not specified (refused to answer)	58

Waves: F2F 5
Question text: `[ITEMBAT] For each organization or institution I read to you, please tell me how much trust you currently have in this organization or institution.`
[item text: `religious institutions / communities of faith`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0110 – change in trust in the police

1	1: significantly increased	46
2	2: somewhat increased	263
3	3: unchanged	4683

4	4: somewhat decreased	787
5	5: significantly decreased	203
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	15

Waves: F2F 5
Question text: `[ITEMBAT] How has trust in these institutions changed since the end of 2019?` [item text: `police`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0111 – change in trust in the judiciary and courts

1	1: significantly increased	24
2	2: somewhat increased	195
3	3: unchanged	4808
4	4: somewhat decreased	741
5	5: significantly decreased	207
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	11
-99	-99: not specified (refused to answer)	19

Waves: F2F 5
Question text: `[ITEMBAT] How has trust in these institutions changed since the end of 2019?` [item text: `judiciary, courts`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0112 – change in trust in the federal government

1	1: significantly increased	51
2	2: somewhat increased	404

3	3: unchanged	2129
4	4: somewhat decreased	2085
5	5: significantly decreased	1305
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	15
-99	-99: not specified (refused to answer)	16

Waves: F2F 5
Question text: `[ITEMBAT] How has trust in these institutions changed since the end of 2019?` [item text: `federal government`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0113 – change in trust in public media

1	1: significantly increased	23
2	2: somewhat increased	245
3	3: unchanged	3414
4	4: somewhat decreased	1586
5	5: significantly decreased	706
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	14
-99	-99: not specified (refused to answer)	17

Waves: F2F 5
Question text: `[ITEMBAT] How has trust in these institutions changed since the end of 2019?` [item text: `public service media`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0114 – changing trust in non-profit organizations and initiatives

1	1: significantly increased	62

2	2: somewhat increased	529
3	3: unchanged	4703
4	4: somewhat decreased	560
5	5: significantly decreased	91
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	33
-99	-99: not specified (refused to answer)	27

Waves: F2F 5
Question text: `[ITEMBAT] How has trust in these institutions changed since the end of 2019?` [item text: `non-profit organizations and initiatives`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

tru0115 – change in trust in religious institutions

1	1: significantly increased	32
2	2: somewhat increased	114
3	3: unchanged	3834
4	4: somewhat decreased	1328
5	5: significantly decreased	612
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	40
-99	-99: not specified (refused to answer)	45

Waves: F2F 5
Question text: `[ITEMBAT] How has trust in these institutions changed since the end of 2019?` [item text: `religious institutions / communities of faith`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16
Source: Adapted from: Presse- Und Informationsamt Der Bundesregierung, B. (2016). General Public's Trust in Politics-Vertrauen der Bevoelkerung in die Politik [Data set]. GESIS Data Archive. [URL link]

21 Global life satisfaction

This chapter contains information on: global life satisfaction.

gls0100 – satisfaction: life almost ideal (>=16 yr)

1	1: strong rejection	115
2	2: rather rejection	478
3	3: neither rejection nor agreement	1118
4	4: rather agreement	2209
5	5: strong agreement	1160
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	23
-99	-99: not specified (refused to answer)	18

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `In most ways my life is close to my ideal.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Diener, E., Emmons, R. A., Larsen, R. J., & Griffin, S. (1985). The Satisfaction With Life Scale. Journal of Personality Assessment, 49(1), 71-75. [URL link]

gls0200 – satisfaction: excellent life conditions (>=16 yr)

1	1: strong rejection	55
2	2: rather rejection	324
3	3: neither rejection nor agreement	793
4	4: rather agreement	2093
5	5: strong agreement	1823
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	12
-99	-99: not specified (refused to answer)	21

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5

Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `The conditions of my life are excellent.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=16 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Diener, E., Emmons, R. A., Larsen, R. J., & Griffin, S. (1985). The Satisfaction With Life Scale. Journal of Personality Assessment, 49(1), 71-75. [URL link]

gls0300 – satisfaction: satisfied with life (>=16 yr)

1	1: strong rejection	52
2	2: rather rejection	290
3	3: neither rejection nor agreement	570
4	4: rather agreement	2296
5	5: strong agreement	1885
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	22

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `I am satisfied with my life.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=16 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Diener, E., Emmons, R. A., Larsen, R. J., & Griffin, S. (1985). The Satisfaction With Life Scale. Journal of Personality Assessment, 49(1), 71-75. [URL link]

gls0400 – satisfaction: most important wishes in life fulfilled (>=16 yr)

1	1: strong rejection	48
2	2: rather rejection	307

3	3: neither rejection nor agreement	656
4	4: rather agreement	2175
5	5: strong agreement	1903
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	12
-99	-99: not specified (refused to answer)	19

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `So far, I have gotten the important things I want in life.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Diener, E., Emmons, R. A., Larsen, R. J., & Griffin, S. (1985). The Satisfaction With Life Scale. Journal of Personality Assessment, 49(1), 71-75. [URL link]

gls0500 – satisfaction: would change almost nothing in new life (>=16 yr)

1	1: strong rejection	245
2	2: rather rejection	815
3	3: neither rejection nor agreement	925
4	4: rather agreement	1826
5	5: strong agreement	1265
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	24
-99	-99: not specified (refused to answer)	21

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `If I could live my life over, I would change almost nothing.`]

Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=16 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Diener, E., Emmons, R. A., Larsen, R. J., & Griffin, S. (1985). The Satisfaction With Life Scale. Journal of Personality Assessment, 49(1), 71-75. [URL link]

gls0600 – satisfaction: life as favored (t,u,s, <= 15 yr)

1	1: strong rejection	17
2	2: rather rejection	106
3	3: neither rejection nor agreement	171
4	4: rather agreement	367
5	5: strong agreement	392
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	17
-99	-99: not specified (refused to answer)	11

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `In most ways, my life is close to the way I would want it to be.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200))
& age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200))
& age0110>=10 & age0110<=15 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Source: Adapted from: Gadermann, A. M., Schonert-Reichl, K. A., & Zumbo, B. D. (2010). Investigating Validity Evidence of the Satisfaction with Life Scale Adapted for Children. Social Indicators Research, 96(2), 229-247. [URL link]

gls0700 – satisfaction: excellent things in life (t,u,s, <= 15 yr)

1	1: strong rejection	20
2	2: rather rejection	84
3	3: neither rejection nor agreement	195
4	4: rather agreement	386

5	5: strong agreement	377
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	10

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `The things in my life are excellent.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Source: Adapted from: Gadermann, A. M., Schonert-Reichl, K. A., & Zumbo, B. D. (2010). Investigating Validity Evidence of the Satisfaction with Life Scale Adapted for Children. Social Indicators Research, 96(2), 229-247. [URL link]

gls0800 – satisfaction: happy with life (t,u,s, <= 15 yr)

1	1: strong rejection	13
2	2: rather rejection	55
3	3: neither rejection nor agreement	95
4	4: rather agreement	361
5	5: strong agreement	522
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	9
-99	-99: not specified (refused to answer)	25

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `I am happy with my life.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200))

& age0110>=10 & age0110<=15 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Source: Adapted from: Gadermann, A. M., Schonert-Reichl, K. A., & Zumbo, B. D. (2010). Investigating Validity Evidence of the Satisfaction with Life Scale Adapted for Children. Social Indicators Research, 96(2), 229-247. [URL link]

gls0900 – satisfaction: most important wishes in life fulfilled (t,u,s, <= 15 yr)

1	1: strong rejection	14
2	2: rather rejection	80
3	3: neither rejection nor agreement	193
4	4: rather agreement	397
5	5: strong agreement	356
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	24
-99	-99: not specified (refused to answer)	16

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `So far, I have gotten the important things I want in life.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Source: Adapted from: Gadermann, A. M., Schonert-Reichl, K. A., & Zumbo, B. D. (2010). Investigating Validity Evidence of the Satisfaction with Life Scale Adapted for Children. Social Indicators Research, 96(2), 229-247. [URL link]

gls1000 – satisfaction: same life in new life (t,u,s, <= 15 yr)

1	1: strong rejection	56
2	2: rather rejection	137
3	3: neither rejection nor agreement	231
4	4: rather agreement	319
5	5: strong agreement	297

-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	28
-99	-99: not specified (refused to answer)	12

Waves: F2F 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] Finally, we would like to know how satisfied you are with your life in general. Here are a few statements. For each statement, please tell us how strongly you agree.` [item text: `If I could live my life over, I would have it the same way.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
In wid = 2 (CATI 1), in contrast to the other data collections, the following response options were given: 1: strongly disagree; 2: disagree; 3: neither disagree nor agree; 4: agree; 5: strongly agree. The variable names gls*10 were therefore assigned to these variables instead of gls*00.
Source: Adapted from: Gadermann, A. M., Schonert-Reichl, K. A., & Zumbo, B. D. (2010). Investigating Validity Evidence of the Satisfaction with Life Scale Adapted for Children. Social Indicators Research, 96(2), 229-247. [URL link]

22 Domains of life satisfaction

This chapter contains information on: domain-specific satisfaction (health, work/school, income/pocket money, leisure time, family life, partnership, friendships).

sat0100 – satisfaction: health (>= 10 yr)

0	0: completely dissatisfied	85
1	1	89
2	2	197
3	3	335
4	4	299
5	5	446
6	6	515
7	7	995
8	8	1461
9	9	973
10	10: completely satisfied	774
-81	-81: doesn't apply (direct response)	0
-85	-85: information not evaluable	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	9
-99	-99: not specified (refused to answer)	25

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] We are also interested in hearing how satisfied you are with the following areas of your life. How satisfied are you. . .` [item text: `. . . with your health?`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

sat0101 – satisfaction: job (>= 10 yr)

0	0: completely dissatisfied	28
1	1	31
2	2	89
3	3	145
4	4	131
5	5	270
6	6	369
7	7	727
8	8	954
9	9	660
10	10: completely satisfied	378
-81	-81: doesn't apply (direct response)	0
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	2364
-98	-98: don't know	23
-99	-99: not specified (refused to answer)	36

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] We are also interested in hearing how satisfied you are with the following areas of your life. How satisfied are you. . .` [item text: `. . . [IF age >= 16 and emp0400 = 1, 2, 3, 4] with your work?`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2 & inlist(emp0400,1,2,3,4); module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1 & (inlist(emp0400,1,2,3,4));

module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1 & (inlist(emp0400,1,2,3,4))
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

sat0102 – satisfaction: school, if attending (>= 10 yr)

0	0: completely dissatisfied	15
1	1	24
2	2	38
3	3	70
4	4	82
5	5	155
6	6	166
7	7	228
8	8	246
9	9	181
10	10: completely satisfied	114
-81	-81: doesn't apply (direct response)	0
-85	-85: information not evaluable	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4872
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	12

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] We are also interested in hearing how satisfied you are with the following areas of your life. How satisfied are you. . .` [item text: `[IF age >= 16 and edu0100 = 2] . . . with school? [IF age >= 10 AND <= 15] . . . with school?`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110<=15 & mod1004==2 | ((inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
& mod1004==2 & edu0100 == 2); module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1 & edu0100==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,5
& age0110>=10 & mod1003==1 & edu0100==2
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

sat0103 – satisfaction: personal income (>= 10 yr)

0	0: completely dissatisfied	132

1	1	81
2	2	215
3	3	308
4	4	310
5	5	532
6	6	535
7	7	761
8	8	962
9	9	594
10	10: completely satisfied	439
-81	-81: doesn't apply (direct response)	0
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	122
-99	-99: not specified (refused to answer)	129

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] We are also interested in hearing how satisfied you are with the following areas of your life. How satisfied are you. . .` [item text: `[IF age >= 16] . . . with your personal income?`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

sat0104 – satisfaction: leisure time (>= 10 yr)

0	0: completely dissatisfied	38
1	1	46
2	2	152
3	3	281
4	4	317
5	5	597
6	6	709
7	7	1117
8	8	1380
9	9	878
10	10: completely satisfied	634
-81	-81: doesn't apply (direct response)	0
-85	-85: information not evaluable	7
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	11
-99	-99: not specified (refused to answer)	39

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] We are also interested in hearing how satisfied you are with the following areas of your life. How satisfied are you. . .` [item text: `. . . with your leisure time?`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

sat0105 – satisfaction: family life (>= 10 yr)

0	0: completely dissatisfied	39
1	1	44
2	2	101
3	3	143
4	4	213
5	5	383
6	6	447
7	7	877
8	8	1231
9	9	1329
10	10: completely satisfied	1326
-81	-81: doesn't apply (direct response)	0
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	16
-99	-99: not specified (refused to answer)	56

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] We are also interested in hearing how satisfied you are with the following areas of your life. How satisfied are you. . .` [item text: `. . . with your family life?`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50

& age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

sat0106 – satisfaction: partnership (>= 10 yr)

0	0: completely dissatisfied	130
1	1	58
2	2	72
3	3	88
4	4	92
5	5	296
6	6	230
7	7	369
8	8	688
9	9	950
10	10: completely satisfied	1087
-81	-81: doesn't apply (direct response)	0
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	272
-99	-99: not specified (refused to answer)	789

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] We are also interested in hearing how satisfied you are with the following areas of your life. How satisfied are you. . .` [item text: `[IF age >= 16] . . . with your partnership?`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

sat0107 – satisfaction: friends (>= 10 yr)

0	0: completely dissatisfied	40
1	1	42

2	2	68
3	3	121
4	4	162
5	5	347
6	6	451
7	7	924
8	8	1428
9	9	1356
10	10: completely satisfied	1209
-81	-81: doesn't apply (direct response)	0
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	18
-99	-99: not specified (refused to answer)	39

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] We are also interested in hearing how satisfied you are with the following areas of your life. How satisfied are you. . .` [item text: `[IF age >= 16] ... with your friends and acquaintances? [IF age >= 10 AND <= 15] . . . with your friends?`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2003 - Erhebungsinstrumente 2003 (Welle 20) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2003 (wave 20) of the Socio-Economic Panel. Individual Questionnaire] (101: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

23 Burden and stress

This chapter contains information on: frequency of arguments with partner, frequency of arguments of parents, subjective burden and coping; interfamilial and extrafamilial: subjective evaluation of burden and stress and related coping capacities, burden and stress related to parenthood; stress symptoms.

bus0100 – quarrels: frequency of quarrels with partner

1	1: less often or not at all	1611
2	2: about once a month	1175
3	3: about once a week	625
4	4: several times a week	233
5	5: (almost) daily	22
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2476
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often do you argue with your partner?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=16 & ((inlist(ptyp,1,2,200,300,400,500,600
& (fam0200==1 | fam0100==1 | fam0100==3)) | (inlist(ptyp,110,120))
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0101 – quarrels: burden of quarrels with the partner

0	0: not stressed at all	443
1	1	261
2	2	316
3	3	346
4	4	234
5	5	440
6	6	316
7	7	465
8	8	462
9	9	169
10	10: very stressed	209
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2476
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	6

Waves: F2F 2; F2F 3; F2F 5
Question text: `Overall, how burdened are you by the quarrel with your partner?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=16 & ((inlist(ptyp,1,2,200,300,400,500,600
& (fam0200==1 | fam0100==1 | fam0100==3)) | (inlist(ptyp,110,120))
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0200t – quarrels: twin 1's burden of quarrel with the partner (m,f,n,g)

0	0: not stressed at all	302

1	1	163
2	2	161
3	3	133
4	4	80
5	5	143
6	6	110
7	7	95
8	8	93
9	9	40
10	10: very stressed	42
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4778
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 5
Question text: `Overall, how burdened is [name of child] by the quarrel between you and your partner?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,300,400,500,600)) & (fam0100==1 | fam0100==3 | fam0200==1) & fpr1102 == 1
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0200u – quarrels: twin 2's burden of quarrel with the partner (m,f,n,g)

0	0: not stressed at all	301
1	1	154
2	2	159
3	3	140
4	4	95
5	5	147
6	6	102
7	7	94
8	8	88
9	9	45
10	10: very stressed	42
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4772
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 5

Question text: `Overall, how burdened is [name of child] by the quarrel between you and your partner?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,300,400,500,600)) & (fam0100==1 | fam0100==3 | fam0200==1) & fpr1103 == 1
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0200s – quarrels: stress to sibling caused by quarrels with partner (m,f,n,g)

0	0: not stressed at all	151
1	1	80
2	2	84
3	3	67
4	4	47
5	5	71
6	6	43
7	7	41
8	8	44
9	9	15
10	10: very stressed	19
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5482
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `Overall, how burdened is [name of child] by the quarrel between you and your partner?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,300,400,500,600)) & (fam0100==1 | fam0100==3 | fam0200==1) & fls == 1 & fpr1125 == 1
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0300 – quarrels: frequency of quarrels between parents currently (t,u,s)

1	1: less often or not at all	905
2	2: about once a month	434
3	3: about once a week	369
4	4: several times a week	168
5	5: (almost) daily	45
-81	-81: does not apply: grew up with only one parent / parents had little or no contact	0
-82	-82: [only F2F5] I have no contact with my (biol.) parents/my (biol.) parents have no contact with each other	107
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4115
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `In many families, parents quarrel at least sometimes. What is it like with your parents? [IF (mother present & father present) & (mother OR father live in same household as respondent) & (no stepmother OR no stepfather present)] How often do your parents quarrel? [IF ((mother present & father present) & (stepmother OR stepfather present)) & (mother OR father live in same household as respondent)] How often do your biological parents quarrel?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & (verstorben_300 !=1 & verstorben_400 !=1) & (fpr1100==1 | fpr1101==1)
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0311 – quarrels: burden of quarrels between parents (t,u,s, >=10 yr)

0	0: not stressed at all	491
1	1	213
2	2	200
3	3	225
4	4	138
5	5	196
6	6	148
7	7	125
8	8	92
9	9	38
10	10: very stressed	43
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	111
-95	-95: doesn't apply (screened out)	4115
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	6

Waves: F2F 2; F2F 3; F2F 5
Question text: `[IF (mother present & father present) & (mother OR father live in same household as respondent) & (no stepmother OR no stepfather present present)] Overall, how burdened are you by the quarrel between your parents? [IF ((mother present & father present) & (stepmother OR stepfather present)) & (mother OR father live in same household as respondent)] Overall, how burdened are you by the quarrel between your biological parents?`

Filter based on instrument: module 'life events' (CASI/CAWI): inlist(ptyp,1,2,200) & !inlist(bus0300,-95,-94)
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0330 – quarrels: frequency of quarrels between parents in the past (t,u,s)

1	1: less often or not at all	353
2	2: about once a month	267
3	3: about once a week	234
4	4: several times a week	223
5	5: (almost) daily	69
-81	-81: does not apply: grew up with only one parent / parents had little or no contact	96
-82	-82: [only F2F5] I have no contact with my (biol.) parents/my (biol.) parents have no contact with each other	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4899
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `[IF age >= 16 & (mother present & father present) & (mother & father do NOT live in same household as respondent) & (no stepmother OR no stepfather present)] How often did your parents quarrel when you were living at home? [IF age >= 16 & (mother present & father present) & (mother & father do NOT live in same household as respondent) & (stepmother OR stepfather present)] How often did your biological parents quarrel when you were living at home?`
Filter based on instrument: module 'life events' (CASI/CAWI): inlist(ptyp,1,2,200) & age0110>=16 & verstorben_300 != 1 & verstorben_400 != 1 & fpr1100 == 2 & fpr1101 == 2
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0331 – quarrels: burden of quarrels between parents in the past (t,u,s)

0	0: not stressed at all	95
1	1	84
2	2	107
3	3	102
4	4	76
5	5	115
6	6	121
7	7	162
8	8	147
9	9	59

10	10: very stressed	78
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	99
-95	-95: doesn't apply (screened out)	4899
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `[IF age >= 16 & (mother present & father present) & (mother & father do not live in same household as respondent) & (no stepmother OR no stepfather present present)] Overall, how burdened were you by the quarrel between your parents when you were living at home? [IF age >= 16 & ((mother present & father present) & (stepmother OR stepfather present)) & (mother & father do not live in the same household as respondent)] Overall, how burdened were you by the quarrel between your biological parents when you were living at home?`
Filter based on instrument: module 'life events' (CASI/CAWI): inlist(ptyp,1,2,200) & !inlist(bus0330,-95,-94)
Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0400 – quarrels: frequency: quarrel between parent and step parent (t,u,s)

1	1: less often or not at all	41
2	2: about once a month	22
3	3: about once a week	23
4	4: several times a week	7
5	5: (almost) daily	3
-81	-81: does not apply: grew up with only one parent / parents had little or no contact	0
-82	-82: [only F2F5] I have no contact with my (biol.) parents/my (biol.) parents have no contact with each other	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	6046
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `[IF mother & stepfather live in the household] And how often do your mother and> NAME OF THE STEPFATHER quarrel? [IF stepmother & father live in the household] And how often do your father and> NAME OF THE STEPMOTHER <quarrel?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & ((fpr1100==1 | fpr1101==1) & (fpr1104==1 | fpr1105==1)) & age0110>=10

Grych, J. H., Seid, M., & Fincham, F. D. (1992). Assessing Marital Conflict from the Child's Perspective: The Children's Perception of Interparental Conflict Scale. Child Development, 63(3), 558-572. [URL link]

bus0420 – quarrels: stress caused by quarrels between parent and stepparent (t,u,s)

0	0: not stressed at all	26
1	1	7
2	2	12
3	3	9
4	4	11
5	5	11
6	6	6
7	7	5
8	8	3
9	9	2
10	10: very stressed	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	2
-95	-95: doesn't apply (screened out)	6046
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `[Stepfather present] Overall, how much does it bother you when your mother and> NAME OF THE STEPFATHER < quarrel? [Stepmother present] Overall, how much does it bother you when your father and> NAME OF THE STEPMOTHER < quarrel? [Stepfather present] Overall, how much does it bother you when your mother and> NAME OF THE STEPFATHER < quarrel? [Stepmother present] Overall, how much does it bother you when your father and> NAME OF THE STEPMOTHER < quarrel?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & ((fpr1100==1 | fpr1101==1) & (fpr1104==1 | fpr1105==1)) & (bus0400 !=-98 & bus0400 !=-99)

ebi0100 – parental stress: personally restricted (>= 16 yr)

1	1: does not apply at all	13
2	2: mostly does not apply	43
3	3: not sure	21
4	4: mostly applies	46
5	5: totally applies	8
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	16
-95	-95: doesn't apply (screened out)	5997
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `When raising children there are certainly times when increased stresses and strains occur, which are very challenging for you as a parent. What is your experience of these multiple demands and how do they affect your personal lifestyle?` [item text: `I sometimes feel restricted by my responsibility as a mother/father.`]
Filter based on instrument: module 'cot children of twins' (CASI/CAWI): inlist(ptyp,1,2) & (flh==1 | fli==1 | flj==1 | flk==1 | fll==1)
Source: Adapted from: Troester, H. (2011). Eltern-Belastungs-Inventar: EBI; deutsche Version des Parenting Stress Indey (PSI) von RR Abidin. Hogrefe. [URL link]

ebi0101 – parental stress: relationship problems (>= 16 yr)

1	1: does not apply at all	24
2	2: mostly does not apply	42
3	3: not sure	20
4	4: mostly applies	39
5	5: totally applies	6
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	16
-95	-95: doesn't apply (screened out)	5997
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `When raising children there are certainly times when increased stresses and strains occur, which are very challenging for you as a parent. What is your experience of these multiple demands and how do they affect your personal lifestyle?` [item text: `The children have caused some problems in my relationship.`]
Filter based on instrument: module 'cot children of twins' (CASI/CAWI): inlist(ptyp,1,2) & (flh==1 | fli==1 | flj==1 | flk==1 | fll==1)
Source: Adapted from: Troester, H. (2011). Eltern-Belastungs-Inventar: EBI; deutsche Version des Parenting Stress Indey (PSI) von RR Abidin. Hogrefe. [URL link]

ebi0102 – parental stress: problems understanding (children) (>= 16 yr)

1	1: does not apply at all	11
2	2: mostly does not apply	23
3	3: not sure	18

4	4: mostly applies	61
5	5: totally applies	18
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	16
-95	-95: doesn't apply (screened out)	5997
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `When raising children there are certainly times when increased stresses and strains occur, which are very challenging for you as a parent. What is your experience of these multiple demands and how do they affect your personal lifestyle?` [item text: `In some situations, I wish I could better understand what's going on in my child.`]
Filter based on instrument: module 'cot children of twins' (CASI/CAWI): inlist(ptyp,1,2) & (flh==1 | fli==1 | flj==1 | flk==1 | fll==1)
Source: Adapted from: Troester, H. (2011). Eltern-Belastungs-Inventar: EBI; deutsche Version des Parenting Stress Indey (PSI) von RR Abidin. Hogrefe. [URL link]

ebi0103 – parental stress: irritability (>= 16 yr)

1	1: does not apply at all	1
2	2: mostly does not apply	7
3	3: not sure	12
4	4: mostly applies	76
5	5: totally applies	35
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	16
-95	-95: doesn't apply (screened out)	5997
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `When raising children there are certainly times when increased stresses and strains occur, which are very challenging for you as a parent. What is your experience of these multiple demands and how do they affect your personal lifestyle?` [item text: `It saddens me when I realize that I have reacted to my children irritably.`]
Filter based on instrument: module 'cot children of twins' (CASI/CAWI): inlist(ptyp,1,2) & (flh==1 | fli==1 | flj==1 | flk==1 | fll==1)
Source: Adapted from: Troester, H. (2011). Eltern-Belastungs-Inventar: EBI; deutsche Version des Parenting Stress Indey (PSI) von RR Abidin. Hogrefe. [URL link]

ebi0104 – parental stress: parenting skills (>= 16 yr)

1	1: does not apply at all	4
2	2: mostly does not apply	33
3	3: not sure	18
4	4: mostly applies	61
5	5: totally applies	15
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	16
-95	-95: doesn't apply (screened out)	5997
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `When raising children there are certainly times when increased stresses and strains occur, which are very challenging for you as a parent. What is your experience of these multiple demands and how do they affect your personal lifestyle?` [item text: `Some aspects of raising my child have been harder than I expected.`]
Filter based on instrument: module 'cot children of twins' (CASI/CAWI): inlist(ptyp,1,2) & (flh==1 | fli==1 | flj==1 | flk==1 | fll==1)
Source: Adapted from: Troester, H. (2011). Eltern-Belastungs-Inventar: EBI; deutsche Version des Parenting Stress Indey (PSI) von RR Abidin. Hogrefe. [URL link]

ebi0105 – parental stress: social isolation (>= 16 yr)

1	1: does not apply at all	5
2	2: mostly does not apply	26
3	3: not sure	13
4	4: mostly applies	58
5	5: totally applies	29
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	16
-95	-95: doesn't apply (screened out)	5997
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `When raising children there are certainly times when increased stresses and strains occur, which are very challenging for you as a parent. What is your experience of these multiple demands and how do they affect your personal lifestyle?` [item text: `Since I have been a mother/father, I have had`

`fewer opportunities to meet my friends and make new friends.]`
Filter based on instrument: module 'cot children of twins' (CASI/CAWI): inlist(ptyp,1,2) & (flh==1 | fli==1 | flj==1 | flk==1 | fll==1)
Source: Adapted from: Troester, H. (2011). Eltern-Belastungs-Inventar: EBI; deutsche Version des Parenting Stress Indey (PSI) von RR Abidin. Hogrefe. [URL link]

sts0100 – Overall stress

1	1: not at all	1230
2	2: only a little	2014
3	3: to a certain degree	1748
4	4: rather strong	827
5	5: very strong	323
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	27
-99	-99: not specified (refused to answer)	37

Waves: CATI 4; F2F 5
Question text: `Stress describes a situation in which a person feels tense, restless, nervous or anxious or is unable to sleep at night because of constant worry. Have you felt this kind of stress in the last few days?`
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1
Elo, A.-L., Leppaenen, A., & Jahkola, A. (2003). Validity of a single-item measure of stress symptoms. Scandinavian Journal of Work, Environment & Health, 29(6), 444-451.

24 Subjective perceptions of inequality

This chapter contains information on: subjective perception of inequality in private life and in society.

ugs0100 – injustice sensitivity: victim sensitivity - undeservedly better (> = 13yr)

1	1: doesn't apply at all	1429
2	2	1600
3	3	1219
4	4	1165
5	5	475
6	6: applies completely	233
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	18
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	8

Waves: F2F 3; F2F 5
Question text: `[ITEMBAT] Now we would like to know what you think about the following statements.` [item text: `It annoys me when others are undeservedly better off than I am.`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12
Beierlein, C., Baumert, A., Schmitt, M., Kemper, C. J., Kovaleva, A., & Rammstedt, B. (2014). Ungerechtigkeitssensibiliaet-Skalen-8 (USS-8). Zusammenstellung sozialwissenschaftlicher Items und Skalen (ZIS). [URL link]

ugs0101 – injustice sensitivity: victim sensitivity - fall into their lap (> = 13yr)

1	1: doesn't apply at all	966
2	2	1608
3	3	1469
4	4	1291
5	5	543
6	6: applies completely	240
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	18
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	12

Waves: F2F 3; F2F 5
Question text: `[ITEMBAT] Now we would like to know what you think about the following statements.` [item text: `It bothers me when I have to work hard for things that fall into other people's laps.`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12
Beierlein, C., Baumert, A., Schmitt, M., Kemper, C. J., Kovaleva, A., & Rammstedt, B. (2014). Ungerechtigkeitssensibiliaet-Skalen-8 (USS-8). Zusammenstellung sozialwissenschaftlicher Items und Skalen (ZIS). [URL link]

ugs0200 – injustice sensitivity: social structure (> = 14 yr)

1	1: Picture A	709
2	2: Picture B	1634
3	3: Picture C	1194
4	4: Picture D	1425
5	5: Picture E	88
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1077
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	18

Waves: F2F 3; F2F 5
Generated variable
For an overview of the full question, have a look at the TwinLife documentation (URL Link).
Source: Adapted from: ISSP Research Group. (2017). International Social Survey Programme: Social Inequality IV - ISSP 2009International Social Survey Programme: Social Inequality IV - ISSP 2009 (4.0.0) [Data set]. GESIS Data Archive. [URL link]

25 Subjective social status

This chapter contains information on: subjective social status.

sss0100 – subjective social status, ladder 10 rungs (>=16 yr)

1	1: at the bottom	21
2	2	36
3	3	168
4	4	362
5	5	759
6	6	1060
7	7	1431
8	8	934
9	9	224
10	10: at the top	59
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1077
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	14

Waves: F2F 4; F2F 5
Question text: `Please imagine a ladder with 10 rungs, intended to show where people in Germany stand. At the very top are those with the most money, the highest level of education, and the best jobs. At the very bottom are those with the least money, the lowest education, the worst jobs, or no job at all. The higher you are on the ladder, the closer you are to the people at the very top, and the lower you are, the closer you are to the people at the very bottom. Where would you place yourself on the ladder? Please indicate on which rung you believe you stand in your current stage of life in comparison to`

`other people in Germany.`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=16
Hoebel, J., Mueters, S., Kuntz, B., Lange, C., & Lampert, T. (2015). Messung des subjektiven sozialen Status in der Gesundheitsforschung mit einer deutschen Version der MacArthur Scale. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 58(7), 749-757. [URL link]

26 Perception of threats from crises

This chapter contains information on: perception of threats from crises.

cri0100 – threat from war in ukraine (>= 10 yr)

1	1: no threat to me at all	471
2		585
3		1069
4		764
5		1141
6		1048
7		1139
8		686
9		144
10	10: extreme threat to me	179
-81	-81: not applicable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	38
-98	-98: don't know	13
-99	-99: not specified (refused to answer)	15

Waves: CATI 4; F2F 5
Question text: `[ITEMBAT] How much of a threat do you feel the following crises are to you personally? You can rate your answers from 1 "No threat to me at all" to 10 "Extreme threat to me".` [item text: `the war in Ukraine`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): age0110>=10
Item developed for TwinLife.

cri0101 – threat from energy crisis and/or supply shortages (>= 10 yr)

1	1: no threat to me at all	288
2		415
3		783
4		838
5		1139
6		1088
7		1281

8		900
9		248
10	10: extreme threat to me	228
-81	-81: not applicable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	38
-98	-98: don't know	33
-99	-99: not specified (refused to answer)	13

Waves: CATI 4; F2F 5
Question text: `[ITEMBAT] How much of a threat do you feel the following crises are to you personally? You can rate your answers from 1 "No threat to me at all" to 10 "Extreme threat to me".` [item text: `the energy crisis / supply bottlenecks`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): age0110>=10
Item developed for TwinLife.

cri0102 – threat from climate crisis (>= 10 yr)

1	1: no threat to me at all	264
2		269
3		474
4		528
5		949
6		855
7		1287
8		1314
9		712
10	10: extreme threat to me	568
-81	-81: not applicable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	38
-98	-98: don't know	22
-99	-99: not specified (refused to answer)	12

Waves: CATI 4; F2F 5
Question text: `[ITEMBAT] How much of a threat do you feel the following crises are to you personally? You can rate your answers from 1 "No threat to me at all" to 10 "Extreme threat to me".` [item text: `the climate crisis`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): age0110>=10
Item developed for TwinLife.

cri0103 – threat from inflation (>= 10 yr)

1	1: no threat to me at all	98
2		140
3		302
4		329
5		554
6		564
7		642
8		504
9		217
10	10: extreme threat to me	186
-81	-81: not applicable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3728
-98	-98: don't know	17
-99	-99: not specified (refused to answer)	8

Waves: F2F 5
Question text: `[ITEMBAT] How much of a threat do you feel the following crises are to you personally? You can rate your answers from 1 "No threat to me at all" to 10 "Extreme threat to me".` [item text: `the inflation (general price increase)`]
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): age0110>=10 & wav0100 == 2
Item developed for TwinLife.

27 Subjective physical health

This chapter contains information on: current subjective health.

she0200 – last 24 months: state of health (>= 10 yr)

1	1: excellent	381
2	2: very good	1813
3	3: good	2795
4	4: less good	942
5	5: poor	185
6	6: very poor	27
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `How would you describe your state of health during the past 24 months, in general?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10)
Ellert, U., Lampert, T., & Ravens-Sieberer, U. (2005). Messung der gesundheitsbezogenen Lebensqualitaet mit dem SF-8: Eine Normstichprobe fuer Deutschland. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 48(12), 1330-1337. [URL link]

she0200t – last 24 months: state of health twin 1 (m/f/n/g)

1	1: excellent	0
2	2: very good	0
3	3: good	0
4	4: less good	0
5	5: poor	0
6	6: very poor	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `How would you describe the state of [name of child] 's health during the last 24 months in general?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,9)
Ellert, U., Lampert, T., & Ravens-Sieberer, U. (2005). Messung der gesundheitsbezogenen Lebensqualitaet mit dem SF-8: Eine Normstichprobe fuer Deutschland. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 48(12), 1330-1337. [URL link]

she0200u – last 24 months: state of health twin 2 (m/f/n/g)

1	1: excellent	0
2	2: very good	0
3	3: good	0
4	4: less good	0
5	5: poor	0
6	6: very poor	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `How would you describe the state of [name of child] 's health during the last 24 months in general?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,9)
Ellert, U., Lampert, T., & Ravens-Sieberer, U. (2005). Messung der gesundheitsbezogenen Lebensqualitaet mit dem SF-8: Eine Normstichprobe fuer Deutschland. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 48(12), 1330-1337. [URL link]

she0200s – last 24 months: state of health sibling (m/f/n/g)

1	1: excellent	9
2	2: very good	21
3	3: good	17
4	4: less good	3
5	5: poor	0
6	6: very poor	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	6091
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `How would you describe the state of health of [name of sibling] during the last 24 months, in general?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,9)
Ellert, U., Lampert, T., & Ravens-Sieberer, U. (2005). Messung der gesundheitsbezogenen Lebensqualitaet mit dem SF-8: Eine Normstichprobe fuer Deutschland. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 48(12), 1330-1337. [URL link]

28 Objective physical health / Diagnoses

This chapter contains information on: diagnoses (adults and children); heigth, weight, bmi; impairment caused by diseases.

bdy0100 – height in cm (>= 10 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	10

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0100t – height in cm twin 1 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0100u – height in cm twin 2 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0100s – height in cm sibling (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How tall is [name of child]? If you do not know exactly, you are welcome to measure your child now, otherwise please estimate.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15))
Item developed for TwinLife.

bdy0100_dht – difference between several height values (gen)

-80	-80: substantial multi-value difference	0
-81	-81: implausible	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6209
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	13

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0100_hgt – height in cm: corrected (gen)

-80	-80: substantial multi-value difference	0
-81	-81: implausible	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	13

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0100_nht – number of height values given (gen)

-80	-80: substantial multi-value difference	0
-81	-81: implausible	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	13

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0200 – weight in kg (>= 10 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	32

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `What is your current weight in kilos? If you do not know your current weight, you are welcome to weigh yourself now, otherwise please estimate.`

Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16)
Item developed for TwinLife.

bdy0200t – weight in kg twin 1 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How many kilograms does [name of child] currently weigh? If you do not know the current weight, you are welcome to weigh your child now, otherwise please estimate.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15))
Item developed for TwinLife.

bdy0200u – weight in kg twin 2 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How many kilograms does [name of child] currently weigh? If you do not know the current weight, you are welcome to weigh your child now, otherwise please estimate.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110t,5,15))
Item developed for TwinLife.

bdy0200s – weight in kg sibling (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How many kilograms does [name of child] currently weigh? If you do not know the current weight, you are welcome to weigh your child now, otherwise please estimate.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & (inrange(age0110s,5,15))
Item developed for TwinLife.

bdy0200_dwt – difference between several weight values (gen)

-80	-80: substantial multi-value difference	0
-81	-81: implausible	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6173
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	49

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0200_nwt – number of weight values given (gen)

-80	-80: substantial multi-value difference	0
-81	-81: implausible	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	49

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0200_wgt – weight in kg: corrected (gen)

-80	-80: substantial multi-value difference	0
-81	-81: implausible	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	49

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy0300 – BMI: corrected (gen)

-80	-80: substantial multi-value difference	0
-81	-81: implausible	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	51

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).
Item developed for TwinLife.

bdy1001 – flag: peculiarities height (gen)

0	0: no problem apparent	6144
1	1: typing error corrected	9
2	2: only valid value used as final value (in case of multiple entries)	0
3	3: multi-value difference	0
8	8: longitudinally inconsistent	46
9	9: value set to missing	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	13

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).

bdy1002 – flag: peculiarities weight (gen)

0	0: no problem apparent	6169
1	1: typing error corrected	1
2	2: only valid value used as final value (in case of multiple entries)	0
3	3: multi-value difference	0
8	8: longitudinally inconsistent	0
9	9: value set to missing	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	49

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).

bdy1003 – flag: peculiarities BMI (gen)

0	0: no problem apparent	6123
4	4: very low BMI	38
9	9: value set to missing	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1653
-92	-92: no participation in survey module	1280
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	51

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
For more information about the height, weight and BMI measures and its peculiarities, see the Technical Report No. 6, v3-0-0 (URL Link).

dia3110 – diagnosis last 24 months: sleeping disorder (>= 14 y.)

0	0: not mentioned	4232
1	1: mentioned	300
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Sleeping disorder`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia3210 – diagnosis last 24 months: diabetes (>= 14 y.)

0	0: not mentioned	4455
1	1: mentioned	77
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Diabetes`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia3310 – diagnosis last 24 months: respiratory illness (>= 14 y.)

0	0: not mentioned	4172
1	1: mentioned	360
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Respiratory diseases (asthma, bronchitis, etc. )`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia3410 – diagnosis last 24 months: heart disease (>= 14 y.)

0	0: not mentioned	4443
1	1: mentioned	89
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Heart problems (also heart failure, congestive heart failure)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia3510 – diagnosis last 24 months: cancer (>= 14 y.)

0	0: not mentioned	4482
1	1: mentioned	50
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Cancer`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia3610 – diagnosis last 24 months: stroke (>= 14 y.)

0	0: not mentioned	4524
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Stroke`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia3710 – diagnosis last 24 months: migraine (>= 14 y.)

0	0: not mentioned	4380
1	1: mentioned	152
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Migraine`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia3810 – diagnosis last 24 months: hypertension (>= 14 y.)

0	0: not mentioned	4120
1	1: mentioned	412
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `High blood pressure`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia3910 – diagnosis last 24 months: anxiety disorder (>= 14 y.)

0	0: not mentioned	4394
1	1: mentioned	138
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Anxiety disorders`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4010 – diagnosis last 24 months: alcohol alcohol addiction (>= 14 y.)

0	0: not mentioned	4522
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Alcohol addiction`]

Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4097 – diagnosis last 24 months: no disease detected (>= 14 y.)

0	0: not mentioned	2309
1	1: mentioned	2223
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `No illness diagnosed`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4098 – diagnosis last 24 months: don't know (>= 14 y.)

0	0: not mentioned	4400
1	1: mentioned	132
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the

Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4099 – diagnosis last 24 months: no information (>= 14 y.)

0	0: not mentioned	4516
1	1: mentioned	16
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Not specified (refused to answer)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4110 – diagnosis last 24 months: depressive disorder (>= 14 y.)

0	0: not mentioned	4254
1	1: mentioned	278
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Depression`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4210 – diagnosis last 24 months: joint disease (>= 14 y.)

0	0: not mentioned	4226
1	1: mentioned	306
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Joint diseases (also arthrosis, rhematism)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4310 – diagnosis last 24 months: chronic back problems (>= 14 y.)

0	0: not mentioned	4293
1	1: mentioned	239
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Chronic back pains`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4410 – diagnosis last 24 months: physical disability (>= 14 y.)

0	0: not mentioned	4510
1	1: mentioned	22
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `physical disability`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4510 – diagnosis last 24 months: other physical or mental illness (>= 14 y.)

0	0: not mentioned	4007
1	1: mentioned	525
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Other physical or psychological illness/disease`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia4710 – diagnosis last 24 months: ADHD/ADD (>= 14 yr)

0	0: not mentioned	4487
1	1: mentioned	45

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Attention disorders (hyper activity (ADHS/ADS)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia5210 – diagnosis last 24 months: allergies (>= 14 y.)

0	0: not mentioned	4212
1	1: mentioned	320
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Allergies`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia5310 – diagnosis last 24 months: skin diseases (>= 14 y.)

0	0: not mentioned	4299
1	1: mentioned	233
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Skin disease (e. g. Neurodermatitis, Psoriasis)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia5510 – diagnosis last 24 months: cholesterol (>= 14 y.)

0	0: not mentioned	4278
1	1: mentioned	254
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Increased blood fats / cholesterol level`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia5610 – diagnosis last 24 months: defective vision (>= 14 y.)

0	0: not mentioned	4260
1	1: mentioned	272
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `defective vision (e. g. strong near or distance vision [from +/- 2. 5 diopters] , colour deficiency, blindness)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia5710 – diagnosis last 24 months: reading/spelling disorder (>= 14 y.)

0	0: not mentioned	4514
1	1: mentioned	18
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Reading/spelling problems`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia5810 – diagnosis last 24 months: dyscalculia (>= 14 y.)

0	0: not mentioned	4524
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Dyscalculia (problems with numbers and counting)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia5910 – diagnosis last 24 months: thyroid disease (>= 14 y.)

0	0: not mentioned	4314
1	1: mentioned	218
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1613
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `[MCQ] Has a doctor diagnosed you with one or more of the following illnesses in the last 24 months?` [item text: `Thyroid disease (including Hashimoto's thyroiditis, Basedow-Graves disease)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1 | doc0200==-99)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7010t – diagnosis last 24 months: respiratory illness (twin 1) (m,f,g,n)

0	0: not mentioned	425
1	1: mentioned	49
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Respiratory diseases`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7010u – diagnosis last 24 months: respiratory illness (twin 2) (m,f,g,n)

0	0: not mentioned	423
1	1: mentioned	48
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Respiratory diseases`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7010s – diagnosis last 24 months: respiratory illness (sibling) (m,f,g,n)

0	0: not mentioned	147
1	1: mentioned	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5

Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Respiratory diseases`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7110t – diagnosis last 24 months: allergies (twin 1) (m,f,g,n)

0	0: not mentioned	433
1	1: mentioned	41
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Allergies`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7110u – diagnosis last 24 months: allergies (twin 2) (m,f,g,n)

0	0: not mentioned	432
1	1: mentioned	39
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Allergies`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2

Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7110s – diagnosis last 24 months: allergies (sibling) (m,f,g,n)

0	0: not mentioned	155
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Allergies`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7210t – diagnosis last 24 months: neurodermatitis (twin 1) (m,f,g,n)

0	0: not mentioned	446
1	1: mentioned	28
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Neurodermatitis (reddened, scaly, sometimes weeping skin, causing strong itching)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7210u – diagnosis last 24 months: neurodermatitis (twin 2) (m,f,g,n)

0	0: not mentioned	451
1	1: mentioned	20
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Neurodermatitis (reddened, scaly, sometimes weeping skin, causing strong itching)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7210s – diagnosis last 24 months: neurodermatitis (sibling) (m,f,g,n)

0	0: not mentioned	157
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Neurodermatitis (reddened, scaly, sometimes weeping skin, causing strong itching)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7310t – diagnosis last 24 months: defective vision (twin 1) (m,f,g,n)

0	0: not mentioned	428
1	1: mentioned	46
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `defective vision (myopia and hypermetropia, strabismus)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7310u – diagnosis last 24 months: defective vision (twin 2) (m,f,g,n)

0	0: not mentioned	425
1	1: mentioned	46
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `defective vision (myopia and hypermetropia, strabismus)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7310s – diagnosis last 24 months: defective vision (sibling) (m,f,g,n)

0	0: not mentioned	153
1	1: mentioned	11
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `defective vision (myopia and hypermetropia, strabismus)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7410t – diagnosis last 24 months: eating disorder (twin 1) (m,f,g,n)

0	0: not mentioned	469
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `eating disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7410u – diagnosis last 24 months: eating disorder (twin 2) (m,f,g,n)

0	0: not mentioned	462
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `eating disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7410s – diagnosis last 24 months: eating disorder (sibling) (m,f,g,n)

0	0: not mentioned	160
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `eating disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7510t – diagnosis last 24 months: motor dysfunction (twin 1) (m,f,g,n)

0	0: not mentioned	465
1	1: mentioned	9
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Motor dysfunctions and motion disorders`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7510u – diagnosis last 24 months: motor dysfunction (twin 2) (m,f,g,n)

0	0: not mentioned	466
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Motor dysfunctions and motion disorders`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7510s – diagnosis last 24 months: motor dysfunction (sibling) (m,f,g,n)

0	0: not mentioned	158
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Motor dysfunctions and motion disorders`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7610t – diagnosis last 24 months: mental disability (twin 1) (m,f,g,n)

0	0: not mentioned	473
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `mental disability`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7610u – diagnosis last 24 months: mental disability (twin 2) (m,f,g,n)

0	0: not mentioned	470
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `mental disability`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7610s – diagnosis last 24 months: mental disability (sibling) (m,f,g,n)

0	0: not mentioned	164
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `mental disability`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7710t – diagnosis last 24 months: physical disability (twin 1) (m,f,g,n)

0	0: not mentioned	473
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `physical disability`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7710u – diagnosis last 24 months: physical disability (twin 2) (m,f,g,n)

0	0: not mentioned	469
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `physical disability`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7710s – diagnosis last 24 months: physical disability (sibling) (m,f,g,n)

0	0: not mentioned	164
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5

Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `physical disability`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7810t – diagnosis last 24 months: anxiety disorder (twin 1) (m,f,g,n)

0	0: not mentioned	464
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Anxiety disorders`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7810u – diagnosis last 24 months: anxiety disorder (twin 2) (m,f,g,n)

0	0: not mentioned	463
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Anxiety disorders`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2

Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7810s – diagnosis last 24 months: anxiety disorder (sibling) (m,f,g,n)

0	0: not mentioned	162
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Anxiety disorders`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7910t – diagnosis last 24 months: social behavior disorder (twin 1) (m,f,g,n)

0	0: not mentioned	466
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Conduct disorders (e. g. constant unruly or aggressive behaviour)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7910u – diagnosis last 24 months: social behavior disorder (twin 2) (m,f,g,n)

0	0: not mentioned	467
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Conduct disorders (e. g. constant unruly or aggressive behaviour)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia7910s – diagnosis last 24 months: social behavior disorder (sibling) (m,f,g,n)

0	0: not mentioned	160
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Conduct disorders (e. g. constant unruly or aggressive behaviour)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8010t – diagnosis last 24 months: ADHD/ADD (twin 1) (m,f,g,n)

0	0: not mentioned	453
1	1: mentioned	21
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Attention disorders (hyper activity (ADHS/ADS)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8010u – diagnosis last 24 months: ADHD/ADD (twin 2) (m,f,g,n)

0	0: not mentioned	453
1	1: mentioned	18
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Attention disorders (hyper activity (ADHS/ADS)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8010s – diagnosis last 24 months: ADHD/ADD (sibling) (m,f,g,n)

0	0: not mentioned	154
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Attention disorders (hyper activity (ADHS/ADS)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8097t – diagnosis last 24 months: no disease detected (twin 1) (m,f,g,n)

0	0: not mentioned	200
1	1: mentioned	274
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `No illness diagnosed [nmul]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8097u – diagnosis last 24 months: no disease detected (twin 2) (m,f,g,n)

0	0: not mentioned	199
1	1: mentioned	272
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `No illness diagnosed [nmul]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8097s – diagnosis last 24 months: no disease detected (sibling) (m,f,g,n)

0	0: not mentioned	72
1	1: mentioned	92
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `No illness diagnosed [nmul]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8098t – diagnosis last 24 months: don't know (twin 1) (m,f,g,n)

0	0: not mentioned	474
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Do not know [nmul]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8098u – diagnosis last 24 months: don't know (twin 2) (m,f,g,n)

0	0: not mentioned	471
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Do not know [nmul]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8098s – diagnosis last 24 months: don't know (sibling) (m,f,g,n)

0	0: not mentioned	164

1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Do not know [nmul]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8099t – diagnosis last 24 months: no information (twin 1) (m,f,g,n)

0	0: not mentioned	472
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8099u – diagnosis last 24 months: not specified (twin 2) (m,f,g,n)

0	0: not mentioned	468
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8099s – diagnosis last 24 months: no information (sibling) (m,f,g,n)

0	0: not mentioned	164
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8110t – diagnosis last 24 months: reading/spelling disorder (twin 1) (m,f,g,n)

0	0: not mentioned	454
1	1: mentioned	20
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1

-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Reading/spelling problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8110u – diagnosis last 24 months: reading/spelling disorder (twin 2) (m,f,g,n)

0	0: not mentioned	448
1	1: mentioned	23
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Reading/spelling problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8110s – diagnosis last 24 months: reading/spelling disorder (sibling) (m,f,g,n)

0	0: not mentioned	158
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Reading/spelling problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8210t – diagnosis last 24 months: dyscalculia (twin 1) (m,f,g,n)

0	0: not mentioned	471
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Dyscalculia (problems with numbers and counting)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8210u – diagnosis last 24 months: dyscalculia (twin 2) (m,f,g,n)

0	0: not mentioned	467
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Dyscalculia (problems with numbers and counting)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8210s – diagnosis last 24 months: dyscalculia (sibling) (m,f,g,n)

0	0: not mentioned	164
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Dyscalculia (problems with numbers and counting)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8310t – diagnosis last 24 months: stuttering (twin 1) (m,f,g,n)

0	0: not mentioned	472
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Stammering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8310u – diagnosis last 24 months: stuttering (twin 2) (m,f,g,n)

0	0: not mentioned	470
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Stammering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia8310s – diagnosis last 24 months: stuttering (sibling) (m,f,g,n)

0	0: not mentioned	163
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Stammering`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9010t – diagnosis last 24 months: chronic diseases (twin 1) (m,f,g,n)

0	0: not mentioned	468
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5669
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Chronic disease (diabetes, heart disease, migraine, epilepsy)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200t!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9010u – diagnosis last 24 months: chronic diseases (twin 2) (m,f,g,n)

0	0: not mentioned	465
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5672
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Chronic disease (diabetes, heart disease, migraine, epilepsy)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & doc0200u!=2

Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9010s – diagnosis last 24 months: chronic diseases (sibling) (m,f,g,n)

0	0: not mentioned	162
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Has a doctor diagnosed [name of child] with one or several of the following illnesses in the last 24 months?` [item text: `Chronic disease (diabetes, heart disease, migraine, epilepsy)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & doc0200s!=2
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9110t – diagnosis last 24 months: chronic disease - diabetes (twin 1) (m,f,g,n)

0	0: not mentioned	4
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Diabetes`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010t==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9110u – diagnosis last 24 months: chronic disease - diabetes (twin 2) (m,f,g,n)

0	0: not mentioned	6
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Diabetes`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010u==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9110s – diagnosis last 24 months: chronic disease - diabetes (sibling) (m,f,g,n)

0	0: not mentioned	2
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6142
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Diabetes`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010s==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9210t – diagnosis last 24 months: chronic disease - heart disease (twin 1) (m,f,g,n)

0	0: not mentioned	4
1	1: mentioned	2
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Heart disease`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010t==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9210u – diagnosis last 24 months: chronic disease - heart disease (twin 2) (m,f,g,n)

0	0: not mentioned	5
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Heart disease`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010u==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9210s – diagnosis last 24 months: chronic disease - heart disease (sibling) (m,f,g,n)

0	0: not mentioned	2
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6142

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Heart disease`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010s==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9310t – diagnosis last 24 months: chronic disease - migraine (twin 1) (m,f,g,n)

0	0: not mentioned	6
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Migraine`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010t==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9310u – diagnosis last 24 months: chronic disease - migraine (twin 2) (m,f,g,n)

0	0: not mentioned	4
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Migraine`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010u==1

Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9310s – diagnosis last 24 months: chronic disease - migraine (sibling) (m,f,g,n)

0	0: not mentioned	1
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6142
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Migraine`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010s==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9410t – diagnosis last 24 months: chronic disease - epilepsy (twin 1) (m,f,g,n)

0	0: not mentioned	5
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Epilepsy`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010t==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9410u – diagnosis last 24 months: chronic disease - epilepsy (twin 2) (m,f,g,n)

0	0: not mentioned	6
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Epilepsy`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010u==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9410s – diagnosis last 24 months: chronic disease - epilepsy (sibling) (m,f,g,n)

0	0: not mentioned	1
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6142
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `Epilepsy`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010s==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9510t – diagnosis last 24 months: other chronic disease (twin 1) (m,f,g,n)

0	0: not mentioned	4
1	1: mentioned	2
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010t==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9510u – diagnosis last 24 months: other chronic disease (twin 2) (m,f,g,n)

0	0: not mentioned	3
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010u==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9510s – diagnosis last 24 months: other chronic disease (sibling) (m,f,g,n)

0	0: not mentioned	2
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6142

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010s==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9910t – diagnosis last 24 months: chronic disease - none of the above (twin 1) (m,f,g,n)

0	0: not mentioned	6
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `none of them`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010t==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9910u – diagnosis last 24 months: chronic disease - none of the above (twin 2) (m,f,g,n)

0	0: not mentioned	6
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `none of them`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010u==1

Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

dia9910s – diagnosis last 24 months: chronic disease - none of the above (sib) (m,f,g,n)

0	0: not mentioned	2
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6142
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `You have stated that [name of child] has been diagnosed with chronical disease. Which chronical disease is it?` [item text: `none of them`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & dia9010s==1
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

imp0100 – limited due to illnesses/diseases

1	1: not at all	560
2	2: only very slightly	675
3	3: slightly	592
4	4: moderately	556
5	5: strongly	256
6	6: very strongly	55
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3448
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent would you say your illness limits you in your everyday life?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (dia4097 !=1 & dia4098 !=1 & dia4099 !=1)
Item developed for TwinLife.

imp0100t – twin 1 limited due to illnesses (m/f/n/g)

1	1: not at all	244
2	2: only very slightly	101
3	3: slightly	80
4	4: moderately	50
5	5: strongly	13
6	6: very strongly	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent is [name of child] generally limited due to illnesses?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15)
Item developed for TwinLife.

imp0100u – twin 2 limited due to illnesses (m/f/n/g)

1	1: not at all	260
2	2: only very slightly	93
3	3: slightly	69
4	4: moderately	44
5	5: strongly	18
6	6: very strongly	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent is [name of child] generally limited due to illnesses?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15)
Item developed for TwinLife.

imp0100s – sibling limited due to illnesses (m/f/n/g)

1	1: not at all	82
2	2: only very slightly	34
3	3: slightly	31

4	4: moderately	12
5	5: strongly	11
6	6: very strongly	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent is [name of child] generally limited due to illnesses?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15)
Item developed for TwinLife.

29 Depression

This chapter contains information on: depression screening.

bdi0100 – depression: I'm sad (>= 10 yr)

1	1: never	854
2	2	2040
3	3	310
4	4: almost always	47
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2892
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes you feel down, sad or tense. We are interested in what this is like for you. How often do the following statements apply in the last two weeks?` [item text: `I am sad.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1004==2
Source: Adapted from: Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. TX: Psychological Corporation.; Beck, Aaron T., Steer, R. A., & Brown, G. K. (2012). BDI - FastScreen for Medical Patients. American Psychological Association. [URL link]

bdi0101 – depression: I am pessimistic about my future (>= 10 yr)

1	1: never	1759
2	2	1211
3	3	247
4	4: almost always	30
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2892
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	3

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes you feel down, sad or tense. We are interested in what this is like for you. How often do the following statements apply in the last two weeks?` [item text: `I am despondent about the future.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1004==2
Source: Adapted from: Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. TX: Psychological Corporation.; Beck, Aaron T., Steer, R. A., & Brown, G. K. (2012). BDI - FastScreen for Medical Patients. American Psychological Association. [URL link]

bdi0102 – depression: I feel like a failure (>= 10 yr)

1	1: never	2100
2	2	904
3	3	202
4	4: almost always	44
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2892
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes you feel down, sad or tense. We are interested in what this is like for you. How often do the following statements apply in the last two weeks?` [item text: `I feel like a failure.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1004==2

Source: Adapted from: Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. TX: Psychological Corporation.; Beck, Aaron T., Steer, R. A., & Brown, G. K. (2012). BDI - FastScreen for Medical Patients. American Psychological Association. [URL link]

bdi0103 – depression: difficult to enjoy anything (>= 10 yr)

1	1: never	1389
2	2	1392
3	3	400
4	4: almost always	70
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2892
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes you feel down, sad or tense. We are interested in what this is like for you. How often do the following statements apply in the last two weeks?` [item text: `I find it difficult to enjoy anything.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1004==2
Source: Adapted from: Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. TX: Psychological Corporation.; Beck, Aaron T., Steer, R. A., & Brown, G. K. (2012). BDI - FastScreen for Medical Patients. American Psychological Association. [URL link]

bdi0104 – depression: disappointed in myself (>= 10 yr)

1	1: never	1415
2	2	1441
3	3	321
4	4: almost always	73
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2892
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5

Question text: `[ITEMBAT] Sometimes you feel down, sad or tense. We are interested in what this is like for you. How often do the following statements apply in the last two weeks?` [item text: `I am disappointed in myself.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1004==2
Source: Adapted from: Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. TX: Psychological Corporation.; Beck, Aaron T., Steer, R. A., & Brown, G. K. (2012). BDI - FastScreen for Medical Patients. American Psychological Association. [URL link]

bdi0105 – depression: blame myself for mistakes and weaknesses (>= 10 yr)

1	1: never	1035
2	2	1593
3	3	517
4	4: almost always	105
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2892
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes you feel down, sad or tense. We are interested in what this is like for you. How often do the following statements apply in the last two weeks?` [item text: `I reproach myself for mistakes and weaknesses.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1004==2
Source: Adapted from: Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. TX: Psychological Corporation.; Beck, Aaron T., Steer, R. A., & Brown, G. K. (2012). BDI - FastScreen for Medical Patients. American Psychological Association. [URL link]

bdi0106 – depression: think about hurting myself (>= 10 yr)

1	1: never	2963
2	2	221
3	3	54
4	4: almost always	8
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	2892
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	6

Waves: F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes you feel down, sad or tense. We are interested in what this is like for you. How often do the following statements apply in the last two weeks?` [item text: `I'm thinking of doing something to myself.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1004==2
Source: Adapted from: Beck, A. T., Steer, R. A., & Brown, G. K. (1996). Manual for the Beck Depression Inventory-II. TX: Psychological Corporation.; Beck, Aaron T., Steer, R. A., & Brown, G. K. (2012). BDI - FastScreen for Medical Patients. American Psychological Association. [URL link]

30 Health-related behavior

This chapter contains information on: alcohol consumption; doctor's visit; medication; physical activies; preventive medical checkup; smoking.

doc0200 – visits to the doctor in the last 24 months

1	1: yes	4530
2	2: no	535
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 5
Question text: `Have you visited a doctor (or dentist) in the last 24 months? (This includes check-ups, visits to psychotherapists, health practitioners, chiropractors, etc. )`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

doc0200t – twin 1 visit to the doctor in the last 24 months (m/f/n/g)

1	1: yes	474
2	2: no	17
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Have you visited doctors (incl. dentists) with [name of child] during the last 24 months?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

doc0200u – twin 2 visit to the doctor in the last 24 months (m/f/n/g)

1	1: yes	471
2	2: no	20
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Have you visited doctors (incl. dentists) with [name of child] during the last 24 months?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

doc0200s – sibling visit to the doctor in the last 24 months (m/f/n/g)

1	1: yes	164
2	2: no	6
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `Have you visited doctors (incl. dentists) with [name of child] during the last 24 months?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

doc0201 – visits to the doctor in the last 24 months: frequency

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1615
-98	-98: don't know	29
-99	-99: not specified (refused to answer)	10

Waves: F2F 3; F2F 5
Question text: `Please indicate how often this happened.`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (doc0200==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

doc0201t – number of visits to the doctor by twin 1 in the last 24 months (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5670
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5
Question text: `Please indicate how often you have visited doctors with [name of child]. This refers to the total frequency in the last 24 months. If you do not know exactly, please give the approximate number.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & (doc0200t==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

doc0201u – number of visits to the doctor by twin 2 in the last 24 months (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5673
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5
Question text: `Please indicate how often you have visited doctors with [name of child]. This refers to the total frequency in the last 24 months. If you do not know exactly, please give the approximate number.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110t,5,15) & (doc0200u==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

doc0201s – number of visits to the doctor by sibling in the last 24 months (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5980
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5
Question text: `Please indicate how often you have visited doctors with [name of child]. This refers to the total frequency in the last 24 months. If you do not know exactly, please give the approximate number.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (euek==1) & inrange(age0110s,5,15) & (doc0200s==1)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2011 - Erhebungsinstrumente 2011 (Welle 28) des Sozio-oekonomischen Panels [Survey instruments 2011 (wave 28) of the Socio-Economic Panel]. Individual Questionnaire (77: Series A; SOEP Survey Papers, pp. 47-83). DIW/SOEP. [URL link]

hbe0100 – smoking behavior (>= 16 yr)

1	1: yes, I'm a heavy smoker	98
2	2: yes, I'm a smoker	394
3	3: yes, I'm a light smoker	181
4	4: yes, I'm a social smoker	384
5	5: no, I'm a former smoker (I don't smoke anymore, but I did smoke)	887
6	6: no, I never smoked (I don't smoke and I never smoked in the past)	3121
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `Do you smoke?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0101 – smoking behavior: age at beginning (>= 16 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5634
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `How old were you when you started smoking (even if you didn't smoke much)?`
Filter based on instrument: module 'health' (CASI/CAWI): hbe0101_preload < 0 & inlist(ptyp,1,2,110,120,200,300,40
& age0110>=16 & inrange(hbe0100,1,5)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0200 – alcohol consumption: age at beginning (>= 16 yr)

-81	-81: I did never drink alcohol	197
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5206
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `Have you ever drunk alcohol, and if so, how old were you when you drank alcohol for the first time? If you don't remember exactly, please estimate.`
Filter based on instrument: module 'health' (CASI/CAWI): hbe0200_preload < 0 & age0110 >= 16 & inlist(ptyp,1,2,110,120,200,300,400,500,600)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0202 – excessive alcohol consumption: frequency (>= 16 yr)

1	1: daily	44

2	2: several times per week	444
3	3: once a week	708
4	4: 1 to 3 times per month	1194
5	5: less frequently	1635
6	6: never	841
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1275
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `[IF hbe0200_preload != Missing] Now we will focus on your alcohol consumption. [ALL] How often does it happen that you drink a lot of alcohol?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (hbe0200 !=-81)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0210 – excessive alcohol consumption: beer - number of glasses (>= 16 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2116
-98	-98: don't know	130
-99	-99: not specified (refused to answer)	179

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `If you think you drink a lot, how much do you drink?` [item text: `number of beers (0. 31)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (hbe0200!=-81) & (hbe0202!=6)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0220 – excessive alcohol consumption: wine - number of glasses (>= 16 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2116
-98	-98: don't know	144
-99	-99: not specified (refused to answer)	162

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `If you think you drink a lot, how much do you drink?` [item text: `number of glasses of wine (0. 2l)`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (hbe0200!=-81) & (hbe0202!=6)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0230 – excessive alcohol consumption: high-proof alcohol - number of glasses (>= 16 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2116
-98	-98: don't know	162
-99	-99: not specified (refused to answer)	207

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `If you think you drink a lot, how much do you drink?` [item text: `number of high-proof alcoholic beverages (e. g. schnapps (2cl) )`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (hbe0200!=-81) & (hbe0202!=6)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0240 – extent of alcohol consumption: beer (>= 16 yr)

1	1: daily	40
2	2: several times per week	549

3	3: once a week	601
4	4: 1 to 3 times per month	1087
5	5: less frequently	1424
6	6: never	1167
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1275
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] To what extent have you consumed the following alcoholic beverages over the past 12 months?` [item text: `beer`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (hbe0200!=-81)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0241 – extent of alcohol consumption: wine, sparkling wine (>= 16 yr)

1	1: daily	12
2	2: several times per week	316
3	3: once a week	570
4	4: 1 to 3 times per month	1231
5	5: less frequently	1795
6	6: never	941
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1275
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] To what extent have you consumed the following alcoholic beverages over the past 12 months?` [item text: `wine, sparkling wine`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (hbe0200!=-81)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0242 – extent of alcohol consumption: high-proof alcohol (>= 16 yr)

1	1: daily	1
2	2: several times per week	62
3	3: once a week	286
4	4: 1 to 3 times per month	1066
5	5: less frequently	2228
6	6: never	1223
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1275
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] [NCS] To what extent have you consumed the following alcoholic beverages over the past 12 months?` [item text: `drinks with high alcohol content (e. g. schnaps/spirits (2 cl) , longdrinks, cocktails (0. 3 l) )`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (hbe0200!=-81)
Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0250 – alcohol consumption: impairment at work (>= 16 yr)

1	1: always	1
2	2: often	17
3	3: sometimes	107
4	4: almost never	632
5	5: never	3741
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1646
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `How often in the last 12 months did you not do your work as well as usual because you had consumed alcohol?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & ((hbe0240!=6 & hbe0240 > 0) | (hbe0241!=6 & hbe0241 > 0) | (hbe0242!=6 & hbe0242 > 0))

Source: Adapted from: TNS Infratest Sozialforschung. (2012). SOEP 2010 - Erhebungsinstrumente 2010 (Welle 27) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2010 (wave 27) of the Socio-Economic Panel. Individual Questionnaire] (107: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

hbe0300 – medication with side-effects (>= 16 yr)

1	1: yes	284
2	2: no	4780
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `Do you regularly take medication that adversely affect your ability to think or your emotions or cause other serious side effects?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16)
Item developed for TwinLife.

hbe0400 – preventive health care (>= 16 yr)

1	1: not at all	181
2	2: a bit	1835
3	3: rather a lot	2237
4	4: a lot	813
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 4; F2F 5
Question text: `In the following we would like to know what you do to care for your health. To what extent does this statement apply to you personally: I take active steps to stay healthy (e. g. , go to regular checkups, follow a healthy diet, and avoid unhealthy behavior, etc. ) .`

Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16)
Source: Adapted from: Kornadt, A. E., & Rothermund, K. (2014). Preparation for old age in different life domains: Dimensions and age differences. International Journal of Behavioral Development, 38(3), 228-238. [URL link]

pac0100 – physical activity at work - number of days per week

0		2094
0.5		7
1		267
2		292
2.5		3
3		242
4		163
5		804
5.5		1
6		112
7		82
-81	-81: I do not work at the moment	933
-86	-86: inconclusive specification	16
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	81
-99	-99: not specified (refused to answer)	24

Waves: F2F 3; F2F 5
Question text: `On how many days in a usual week do you engage in physical activity at work (e. g. , lifting or carrying loads, delivering on foot or bicycle, working on your knees, construction work, or digging)?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0101 – physical activity at work - time/working day: hours

0	160
0.5	1
1	272
2	266
2.5	1
3	187

4		206
5		153
6		177
7		100
7.35		1
7.5		3
7.7		1
8		212
8.5		1
...	(6 rows omitted)	75
16		2
17		1
20		1
22		2
24		3
-81	-81: I do not work at the moment	22
-86	-86: inconclusive specification	20
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4236
-98	-98: don't know	56
-99	-99: not specified (refused to answer)	50

Waves: F2F 3; F2F 5
Question text: `How much time do you usually spend on these activities during such a working day? [ITEMBAT] How much time do you usually spend on these activities during such a working day?` [item text: `hours`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1004==2 & pac0100 >0; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16 & mod1003==1 & pac0100 >0
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0102 – physical activity at work - time/working day: minutes

0		895
1		23
2		1
3		1
4		2
5		14
7		1
9		3
10		24
13		1
15		27

17		1
20		31
25		2
30		353
...	(4 rows omitted)	51
50		8
52		1
58		1
59		8
60		5
-81	-81: I do not work at the moment	25
-86	-86: inconclusive specification	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4236
-98	-98: don't know	56
-99	-99: not specified (refused to answer)	438

Waves: F2F 3; F2F 5
Question text: `How much time do you usually spend on these activities during such a working day? [ITEMBAT] How much time do you usually spend on these activities during such a working day?` [item text: `minutes`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1004==2 & pac0100 >0; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1003==1 & pac0100 >0
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0200 – longer distances on foot or by bike - number of days per week

-85	-85: unknown	34
-86	-86: not available/empty/not codable	16
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	200
-99	-99: not specified (refused to answer)	24

Waves: F2F 3; F2F 5
Question text: `On how many days in a usual week do you cover longer distances on foot or by bicycle (for example, to go grocery shopping or on the way from home to school or for a walk)?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))

& age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0201 – longer distances on foot or by bike - time / day: hours

-85	-85: unknown	3
-86	-86: not available/empty/not codable	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1077
-98	-98: don't know	218
-99	-99: not specified (refused to answer)	474

Waves: F2F 3; F2F 5
Question text: `How much time do you usually need to cover these distances on such a day? [ITEMBAT] How much time do you usually need to cover these distances on such a day?` [item text: `hours`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1004==2 & pac0200 >0; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400, & age0110>=10 & mod1003==1 & pac0200 >0; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1003==1 & pac0200 >0
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0202 – longer distances on foot or by bike - time / day: minutes

-85	-85: unknown	31
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1077
-98	-98: don't know	220
-99	-99: not specified (refused to answer)	433

Waves: F2F 3; F2F 5
Question text: `How much time do you usually need to cover these distances on such a day? [ITEMBAT] How much time do you usually need to cover these distances on such a day?` [item text: `minutes`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))

& age0110>=10 & mod1004==2 & pac0200 >0; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,
& age0110>=10 & mod1003==1 & pac0200 >0; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=10 & mod1003==1 & pac0200 >0
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0300 – physical activity in leisure time - number of days per week

-85	-85: unknown	84
-86	-86: not available/empty/not codable	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	101
-99	-99: not specified (refused to answer)	22

Waves: F2F 3; F2F 5
Question text: `On how many days of a usual week do you engage in physical activity in your free time (e. g. , through sports such as soccer, tennis, weight training, jogging, swimming, bicycling, or through other activities such as gardening)?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0301 – physical activity in leisure time - time / day: hours

-85	-85: unknown	23
-86	-86: not available/empty/not codable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1251
-98	-98: don't know	66
-99	-99: not specified (refused to answer)	159

Waves: F2F 3; F2F 5
Question text: `How much time do you usually spend on these activities on such a day? [ITEMBAT] How much time do you usually spend on these activities on such a day?` [item text: `hours`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))

& age0110>=10 & mod1004==2 & pac0300>0; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,5
& age0110>=10 & mod1003==1 & pac0300>0; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500
& age0110>=10 & mod1003==1 & pac0300>0
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0302 – physical activity in leisure time - time / day: minutes

-85	-85: unknown	8
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1251
-98	-98: don't know	66
-99	-99: not specified (refused to answer)	762

Waves: F2F 3; F2F 5
Question text: `How much time do you usually spend on these activities on such a day? [ITEMBAT] How much time do you usually spend on these activities on such a day?` [item text: `minutes`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1004==2 & pac0300>0; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,5
& age0110>=10 & mod1003==1 & pac0300>0; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500
& age0110>=10 & mod1003==1 & pac0300>0
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0400 – time spent with physical activities per week in minutes (>= 17 yr) (gen)

-82	-82: Information incomplete	672
-83	-83: implausible value	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4091
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable

A detailed description of the Global Physical Activity Questionnaire can be found in Dang & Klatzka (2024) (URL Link).
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0401 – WHO classification of sufficient physical activity per week (>= 17 yr) (gen)

0	0: not true	606
1	1: true	3769
-82	-82: Information incomplete	672
-83	-83: implausible value	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4091
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
A detailed description of the Global Physical Activity Questionnaire can be found in Dang & Klatzka (2024) (URL Link).
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0410 – time spent with physical activities per week in minutes (<=16y) (gen)

-82	-82: Information incomplete	285
-83	-83: implausible value	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	8058
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
A detailed description of the Global Physical Activity Questionnaire can be found in Dang & Klatzka (2024) (URL Link).

Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

pac0411 – WHO classification of sufficient physical activity per week (<=16y) (gen)

0	0: not true	383
1	1: true	428
-82	-82: Information incomplete	285
-83	-83: implausible value	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	8058
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
A detailed description of the Global Physical Activity Questionnaire can be found in Dang & Klatzka (2024) (URL Link).
Source: Adapted from: Armstrong, T., & Bull, F. (2006). Development of the World Health Organization Global Physical Activity Questionnaire (GPAQ). Journal of Public Health, 14(2), 66-70. [URL link]

31 Puberty

This chapter contains information on: beginning of physical and psychological changes, evaluation of changes.

pub0100 – puberty started: physical change (t,u,s, > 10 & <= 16 yr)

1	1: has not started yet	78
2	2: is slowly starting	284
3	3: has definitely started	583
4	4: I already have the body of an adult woman/an adult man	126
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5024
-98	-98: don't know	39
-99	-99: not specified (refused to answer)	12

Waves: F2F 2; F2F 3; F2F 5

Question text: `[IF sex = 2] In puberty you get hair under your armpits and in the pubic area. For girls, the breasts begin to grow and they get their period (menstrual bleeding) . Have you noticed whether any of these changes have already started for you? [IF sex = 1] In puberty you get hair under your armpits and in the pubic area. For boys, facial hair starts to grow and the voice changes. Have you noticed whether any of these changes have already started for you?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,16))
Source: Adapted from: Watzlawik, M. (2009). Die Erfassung des Pubertaetsstatus anhand der Pubertal Development Scale: Erste Schritte zur Evaluation einer deutschen Uebersetzung. Diagnostica, 55(1), 55-65. [URL link]

pub0200 – physical change - subj. feeling (t,u,s, > 10 & <= 16 yr)

0	0: neither negative nor positive	559
1	1: rather positive	154
2	2: positive	82
3	3: very positive	27
-1	-1: rather negative	81
-2	-2: negative	22
-3	-3: very negative	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5153
-98	-98: don't know	57
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 5
Question text: `How are or were these physical changes for you?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,16)) & (pub0100 >=2)
Source: Adapted from: Watzlawik, M. (2009). Die Erfassung des Pubertaetsstatus anhand der Pubertal Development Scale: Erste Schritte zur Evaluation einer deutschen Uebersetzung. Diagnostica, 55(1), 55-65. [URL link]

pub0300 – puberty started: thoughts and feelings (t,u,s, > 10 & <= 16 yr)

1	1: yes	518
2	2: no	348
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5153
-98	-98: don't know	125
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `These physical changes are often accompanied by changes in how you think and feel, for example, new interests develop and mood swings can occur. Have you noticed changes like this in yourself?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,16)) & (pub0100 >=2)
Source: Adapted from: Watzlawik, M. (2009). Die Erfassung des Pubertaetsstatus anhand der Pubertal Development Scale: Erste Schritte zur Evaluation einer deutschen Uebersetzung. Diagnostica, 55(1), 55-65. [URL link]

pub0301 – thoughts and feelings - subj. feeling (t,u,s, > 10 & <= 16 yr)

0	0: neither negative nor positive	269
1	1: rather positive	80
2	2: positive	39
3	3: very positive	10
-1	-1: rather negative	72
-2	-2: negative	13
-3	-3: very negative	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5627
-98	-98: don't know	30
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 5
Question text: `How did you feel about these changes in your thoughts and feelings?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,16)) & (pub0300==1)
Source: Adapted from: Watzlawik, M. (2009). Die Erfassung des Pubertaetsstatus anhand der Pubertal Development Scale: Erste Schritte zur Evaluation einer deutschen Uebersetzung. Diagnostica, 55(1), 55-65. [URL link]

pub0400 – menstruation - already started (t, u, s, >= 11 & <= 16 yr)

1	1: yes	395
2	2: no, I have not had a menstrual period yet	125
-81	-81: I do not want to give this information	53
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5572
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 5
Question text: `Menstrual periods start at very different times in women when they are young. How about you: Have you already had your first menstrual period?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,11,16)) & sex==2
Item developed for TwinLife.

pub0401 – menstruation - age (t, u, s, >= 11)

9		6
10		23
11		107
12		234
13		179
14		72
15		30
16		21
17		3
18		2
20		1
-81	-81: I do not want to give this information	38
-82	-82: I have not had any menstrual periods so far	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3682
-95	-95: doesn't apply (screened out)	1573
-98	-98: don't know	167
-99	-99: not specified (refused to answer)	6

Waves: F2F 3; F2F 5
Question text: `At which age did you have your first menstruation?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,200)) & sex==2 & (((inrange(age0110,10,16))) & pub0400==1) | age0110>=17 & pub0401_preload !=1
Item developed for TwinLife.

32 Emotional impairment

This chapter contains information on: depressive symptoms, lack of focus; worrying.

emi0120 – psych. impairment (currently): little interest or pleasure (>=16 yr)

1	1: not at all	1412
2	2: on single days	3076
3	3: more than half of the days	422
4	4: almost every day	154
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; CATI 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently feel affected by the following complaints?` [item text: `little interest or pleasure in your activities`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Graefe, K., Zipfel, S., Herzog, W., & Loewe, B. (2004). Screening psychischer Stoerungen mit dem Gesundheitsfragebogen fuer Patienten (PHQ-D). Diagnostica, 50(4), 171-181. [URL link]

emi0121 – psych. impairment (currently): dejection, hopelessness (>=16 yr)

1	1: not at all	2151
2	2: on single days	2537
3	3: more than half of the days	273
4	4: almost every day	101
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	4

Waves: F2F 4; CATI 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently feel affected by the following complaints?` [item text: `dejection, melancholy or hopelessness`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Graefe, K., Zipfel, S., Herzog, W., & Loewe, B. (2004). Screening psychischer Stoerungen mit dem Gesundheitsfragebogen fuer Patienten (PHQ-D). Diagnostica, 50(4), 171-181. [URL link]

emi0122 – psych. impairment (currently): nervousness, anxiety (>=16 yr)

1	1: not at all	1645
2	2: on single days	2872
3	3: more than half of the days	404
4	4: almost every day	145
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; CATI 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently feel affected by the following complaints?` [item text: `nervousness, anxiety or tension`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Spitzer, R. L., Kroenke, K., Williams, J. B. W., & Loewe, B. (2006). A Brief Measure for Assessing Generalized Anxiety Disorder: The GAD-7. Archives of Internal Medicine, 166(10), 1092. [URL link]

emi0123 – psych. impairment (currently): no control over worries (>=16 yr)

1	1: not at all	2487
2	2: on single days	2092
3	3: more than half of the days	364
4	4: almost every day	121
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; CATI 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently feel affected by the following complaints?` [item text: `not being able to stop or control worries`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Spitzer, R. L., Kroenke, K., Williams, J. B. W., & Loewe, B. (2006). A Brief Measure for Assessing Generalized Anxiety Disorder: The GAD-7. Archives of Internal Medicine, 166(10), 1092. [URL link]

emi0124 – psych. impairment (currently): difficulty concentrating (>=16 yr)

1	1: not at all	1468
2	2: on single days	2942
3	3: more than half of the days	461
4	4: almost every day	196
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; CATI 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently feel affected by the following complaints?` [item text: `difficulty concentrating`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Graefe, K., Zipfel, S., Herzog, W., & Loewe, B. (2004). Screening psychischer Stoerungen mit dem Gesundheitsfragebogen fuer Patienten (PHQ-D). Diagnostica, 50(4), 171-181. [URL link]

emi0125 – psych. impairment (currently): difficulty focusing on goals (>=16 yr)

1	1: not at all	1772
2	2: on single days	2730
3	3: more than half of the days	429
4	4: almost every day	133
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 4; CATI 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently feel affected by the following complaints?` [item text: `difficulty focusing on my goals`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Item developed for TwinLife.

emi0220 – psych. impairment (recents days): little interest or pleasure (<=15 yr)

1	1: not at all	426
2	2: on single days	531
3	3: more than half of the days	89
4	4: almost every day	29
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5069
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; CATI 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] How many times have you felt like this in the last few days?` [item text: `I had little interest or pleasure in the things I did.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200)) & age0110<=15

emi0221 – psych. impairment (recents days): dejection, hopelessness (<=15 yr)

1	1: not at all	594
2	2: on single days	407
3	3: more than half of the days	41
4	4: almost every day	33
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5069
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; CATI 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] How many times have you felt like this in the last few days?` [item text: `I was depressed, sad, or hopeless.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200)) & age0110<=15

emi0222 – psych. impairment (recents days): nervousness, anxiety (<=15 yr)

1	1: not at all	495
2	2: on single days	491
3	3: more than half of the days	64
4	4: almost every day	22
-86	-86: inconclusive specification	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5069
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	3

Waves: F2F 4; CATI 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] How many times have you felt like this in the last few days?` [item text: `I was nervous, anxious, or tense.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200)) & age0110<=15

emi0223 – psych. impairment (recents days): no control over worries (<=15 yr)

1	1: not at all	381
2	2: on single days	504
3	3: more than half of the days	127
4	4: almost every day	63
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5069
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; CATI 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] How many times have you felt like this in the last few days?` [item text: `I couldn't stop worrying about different things.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200)) & age0110<=15

emi0224 – psych. impairment (recents days): difficulty concentrating (<=15 yr)

1	1: not at all	403
2	2: on single days	531
3	3: more than half of the days	94
4	4: almost every day	48
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5069
-98	-98: don't know	1

-99	-99: not specified (refused to answer)	0

Waves: F2F 4; CATI 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] How many times have you felt like this in the last few days?` [item text: `I had difficulty concentrating.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200)) & age0110<=15

emi0225 – psych. impairment (recents days): difficulty focusing on goals (<=15 yr)

1	1: not at all	525
2	2: on single days	445
3	3: more than half of the days	84
4	4: almost every day	21
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5069
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; CATI 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] How many times have you felt like this in the last few days?` [item text: `I had difficulty pursuing my goals.`]
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200)) & age0110<=15

33 Internalizing problem behavior

This chapter contains information on: occurence of internalising problem behavior (e.g. headaches and nausea, nervousness, and being easily scared).

int0100 – I have frequent headaches/stomach aches (>= 10 yr)

1	1: doesn't apply at all	3712
2	2: partly applies	1903
3	3: applies completely	527
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `To what extent do the following statements apply to you?` [item text: `I often have headaches, stomach aches, or feelings of sickness.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0101 – I'm often worried (>= 10 yr)

1	1: doesn't apply at all	2244
2	2: partly applies	2897
3	3: applies completely	1001
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I often worry.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0102 – I'm often unhappy or depressed (>= 10 yr)

1	1: doesn't apply at all	4361
2	2: partly applies	1498
3	3: applies completely	284
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I am often unhappy or depressed; I often have to cry.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0103 – I'm nervous in new situations (>= 10 yr)

1	1: doesn't apply at all	3042
2	2: partly applies	2434
3	3: applies completely	666
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `New situations make me nervous; I easily lose confidence.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0104 – I have a lot of fears (>= 10 yr)

1	1: doesn't apply at all	4236
2	2: partly applies	1571
3	3: applies completely	337
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I have many fears; I am easily frightened.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0105 – I'm usually on my own (>= 10 yr)

1	1: doesn't apply at all	2786
2	2: partly applies	2788
3	3: applies completely	570

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I am mostly on my own; I prefer to deal with myself.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0106 – I have one or more good friends (>= 10 yr)

1	1: doesn't apply at all	224
2	2: partly applies	1298
3	3: applies completely	4623
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I have one good friend or more.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0107 – Other people my age generally like me (>= 10 yr)

1	1: doesn't apply at all	284
2	2: partly applies	2768
3	3: applies completely	3076
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	19

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `[IF age <= 17] Other people my age generally like me. [IF age = 18] Other people generally like me.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0108 – I get teased or bullied by others (>= 10 & <18 yr)

1	1: doesn't apply at all	1021
2	2: partly applies	120
3	3: applies completely	16
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4989
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `[IF age <= 17] Other children or young people pick on me or bully me.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110<=17
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0109 – I get on better with adults than with people my own age (>= 10 & <18 yr)

1	1: doesn't apply at all	787
2	2: partly applies	301
3	3: applies completely	67
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4989
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `To what extent do the following statements apply to you?` [item text: `[IF age <= 17] I get on better with adults than with people my own age.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110<=17
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0110 – I'm withdrawn (>= 18 yr)

1	1: doesn't apply at all	1828
2	2: partly applies	2517
3	3: applies completely	642
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1155
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `[IF age = 18] I am very reserved; I work out things by myself.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=18
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

int0111 – Other people pick on me or bully me (>= 18 yr)

1	1: doesn't apply at all	4531
2	2: partly applies	432
3	3: applies completely	25
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1155
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `[IF age = 18] Other people pick on me or bully me.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=18
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

34 Externalizing problem behavior

This chapter contains information on: occurence of externalising problem behavior (e.g. being restless and easily distracted, having tantrums, lying and cheating).

ext0100 – I'm often restless (>= 10 yr)

1	1: doesn't apply at all	3771
2	2: partly applies	1926
3	3: applies completely	446
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I am often restless; I cannot sit still for long.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0101 – I'm always moving, fidgeting (>= 10 & <18 yr)

1	1: doesn't apply at all	4141
2	2: partly applies	1686
3	3: applies completely	316
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I am constantly fidgeting or squirming.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).

Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0102 – I'm easily distracted and unfocused (>= 10 yr)

1	1: doesn't apply at all	3228
2	2: partly applies	2431
3	3: applies completely	486
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I am easily distracted; I find it difficult to concentrate.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0103 – I think before acting (>= 10 yr)

1	1: doesn't apply at all	243
2	2: partly applies	2879
3	3: applies completely	3023
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I think before I do things.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0104 – I finish what I start and am able to concentrate (>= 10 yr)

1	1: doesn't apply at all	359
2	2: partly applies	2813
3	3: applies completely	2972
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I finish the work I'm doing. My attention is good.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0105 – I get mad easily (>= 10 yr)

1	1: doesn't apply at all	3980
2	2: partly applies	1915
3	3: applies completely	248
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I get very angry and often lose my temper.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0106 – I normally do what people tell me to do (>= 10 yr)

1	1: doesn't apply at all	333
2	2: partly applies	3675
3	3: applies completely	2137
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I usually do as I am told.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0107 – I attack others physically (>= 10 yr)

1	1: doesn't apply at all	5814
2	2: partly applies	292
3	3: applies completely	34
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `I fight a lot. I can make other people do what I want.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0108 – People claim that I lie (>= 10 yr)

1	1: doesn't apply at all	5619
2	2: partly applies	429
3	3: applies completely	95
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `[IF age <= 17] Others often say that I lie or cheat. [IF age = 18] Others often claim that I am not telling the truth.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

ext0109 – I take things that don't belong to me (>= 10 yr)

1	1: doesn't apply at all	5876
2	2: partly applies	249
3	3: applies completely	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `To what extent do the following statements apply to you?` [item text: `[IF age >= 10 AND <= 17] I take things that do not belong to me (from home, school or elsewhere) . [IF age = 18] I take things that do not belong to me.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10
Please note: The variable names of the items of the ext-scale can differ between the self-report (without suffix) and the parental report (suffix t, u or s).
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

35 Deviant and delinquent Behavior

This chapter contains information on: deviant behavior young children (e.g. lying/cheating, fighting with other children); long/short version of deviant-delinquent behaviour measure.

del0100 – delinquency ever: fare dodging (t,u,s, >= 10 & <= 18 yr)

1	1: yes	0
2	2: no	1
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 **(del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0104 – delinquency last 24 months: fare dodging (t,u,s, >= 11 & <= 18 yr)

1	1: yes	321
2	2: no	867
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0

-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4958
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0105 – delinquency last 24 months: fare dodging frequency (t,u,s, >= 11 & <= 18 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5823
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 5
Question text: `This is about fare dodging. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,18)) & (del0100==1 | del0104==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0200 – delinquency ever: away over night (t,u,s, >= 10 & <= 18 yr)

1	1: yes	0
2	2: no	1
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05'**). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0204 – delinquency last 24 months: away over night (t,u,s, >= 11 & <= 18 yr)

1	1: yes	37
2	2: no	1150
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4958

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0205 – delinquency last 24 months: away over night frequency (t,u,s, >= 11 & <= 18 yr)

0		13
1		13
2		5
5		1
6		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6107
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 5
Question text: `This is about staying out overnight without letting your family know. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,18)) & (del0200==1 | del0204==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0300 – delinquency ever: skipping school (t,u,s, >= 10 & <= 18 yr)

1	1: yes	0
2	2: no	1
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05'**). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0304 – delinquency last 24 months: skipping school (t,u,s, >= 11 & <= 18 yr)

1	1: yes	65
2	2: no	1123
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4958

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0305 – delinquency last 24 months: skipping school frequency (t,u,s, >= 11 & <= 18 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6079
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 5
Question text: `This is about skipping school. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,18)) & (del0300==1 | del0304==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0400 – delinquency ever: shoplifting (>= 10 yr)

1	1: yes	63
2	2: no	94

-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0404 – delinquency last 24 months: shoplifting (>= 11 yr)

1	1: yes	227
2	2: no	5751
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that

the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.

Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0405 – delinquency last 24 months: shoplifting frequency (>= 11 yr)

0		63
1		104
2		46
3		15
4		9
5		23
6		2
9		2
10		9
12		2
15		1
20		5
24		1
30		1
35		1
73		1
100		2
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5854
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 5
Question text: `This is about shoplifting: How often did this happen in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del0400==1 | del0404==1)

Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0500 – delinquency ever: stealing from classmates or others (>= 10 yr)

1	1: yes	17
2	2: no	140
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 **(del*01), and to the last 24 months in F2F3 (del*05'**). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0504 – delinquency last 24 months: stealing from classmates or others (>= 11 yr)

1	1: yes	78
2	2: no	5899
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0

-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00*) ***are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 **(del*01*), ***and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0505 – delinquency last 24 months: stealing from others frequency (>= 11 yr)

0		20
1		31
2		19
3		9
4		4
5		8
10		3
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6049
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `This is about stealing from other people. How often did you do that in the last 24 months?`

Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del0500==1 | del0504==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0600 – delinquency ever: graffiti/scratching (>= 10 yr)

1	1: yes	13
2	2: no	144
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0604 – delinquency last 24 months: graffiti/scratching (>= 11 yr)

1	1: yes	73
2	2: no	5904
-84	-84: unassignable	0
-85	-85: information not evaluable	0

-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00)* ***are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01)*, ***and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0605 – delinquency last 24 months: graffiti/scratching frequency (>= 11 yr)

0		19
1		20
2		20
3		6
4		2
5		7
6		2
7		2
10		2
30		2
50		2
200		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6058
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `This is about graffiti/scratching. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del0600==1 | del0604==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0700 – delinquency ever: vandalism (>= 10 yr)

1	1: yes	13
2	2: no	144
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0704 – delinquency last 24 months: vandalism (>= 11 yr)

1	1: yes	39
2	2: no	5939
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0705 – delinquency last 24 months: vandalism frequency (>= 11 yr)

0		14
1		18
2		12
3		2
4		3
5		1
13		1
48		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6092
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `This is about vandalism. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del0700==1 | del0704==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0800 – delinquency ever: cyber bullying (>= 10 yr)

1	1: yes	14
2	2: no	143
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social

Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0804 – delinquency last 24 months: cyber bullying (>= 11 yr)

1	1: yes	160
2	2: no	5817
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00*) ***are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01*)*, **and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0805 – delinquency last 24 months: cyber bullying frequency (>= 11 yr)

0	47
1	30
2	27
3	15
4	5
5	13
6	2
7	2
8	1

10		8
13		1
15		2
19		1
20		2
25		1
...	(5 rows omitted)	7
90		2
99		1
100		1
300		1
999		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5970
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 5
Question text: `This is about cyberbullying: How often did this happen in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del0800==1 | del0804==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0900 – delinquency ever: illegal downloading (>= 10 yr)

1	1: yes	75
2	2: no	82
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0904 – delinquency last 24 months: illegal downloading (>= 11 yr)

1	1: yes	343
2	2: no	5633
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social

Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del0905 – delinquency last 24 months: illegal downloading frequency (>= 11 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5727
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	4

Waves: F2F 3; F2F 5
Question text: `This is about illegal downloading: How often did this happen in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del0900==1 | del0904==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1000 – delinquency ever: bullying classmates (t,u,s,p,q,>=10&<=18 yr)

1	1: yes	0
2	2: no	1
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00*) *are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months,***

have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.

Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1004 – delinquency last 24 months: bullying classmates (t,u,s >=11 & <=18 yr)

1	1: yes	71
2	2: no	1114
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4958
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 4; F2F 5

Generated variable

When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.

Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1005 – delinquency last 24 months: bullying classmates frequency (t,u,s>=11 & <=18 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6073
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 5
Question text: `This is about bullying classmates. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,18)) & (del1000==1 | del1004==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1100 – delinquency ever: threatening/robbing (>= 10 yr)

1	1: yes	5
2	2: no	152
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.

Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1104 – delinquency last 24 months: threatening/robbing (>= 11 yr)

1	1: yes	23
2	2: no	5955
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00*) ***are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 **(del*01*), ***and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1105 – delinquency last 24 months: threatening/robbing frequency (>= 11 yr)

0	7
1	4
2	8
3	2
4	1
10	1

16		1
100		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6116
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 5
Question text: `This is about threatening/robbing others. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del1100==1 | del1104==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1200 – smoking ever (t,u,s, >= 10 & <= 16 yr)

1	1: yes	42
2	2: no	1023
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5079
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Have you ever smoked cigarettes?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,15)) & (del1200_preload !=1 | new==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1201 – age first time smoking (t,u,s, >= 10 & <= 16 yr)

1		2
8		1
9		1
10		2
11		6
12		7
13		16
14		4
15		2
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6102
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How old were you when you smoked for the first time?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,15)) & (del1200==1) & (del1200_preload !=1 | new==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1202 – smoked several times (t,u,s, >= 10 & <= 16 yr)

1	1: yes	17
2	2: no	25
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6102
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Question text: `Have you smoked often (i. e. , more than once or twice)?`
Filter based on instrument: module 'life events' (CASI/CAWI): (del1202_preload !=1 | new==1) & (inlist(ptyp,1,2,200)) & (age0110>=10 & age0110 <17) & (del1200==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1203 – smoking frequency (t,u,s, >= 10 & <= 16 yr)

1	1: I smoke a lot.	0
2	2: I smoke quite a bit.	2
3	3: I smoke now and then.	3
4	4: I rarely smoke.	13
5	5: I do not smoke anymore.	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6125
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `How often do you smoke?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (age0110>=10 & age0110 <17) & (del1202==1 | del1202_preload==1 | del1202_3==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1300 – drinking alcohol ever (t,u,s, >= 10 & <= 15 yr)

1	1: yes	173
2	2: no	848
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5121

-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Have you ever drunk alcohol?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,15)) & (del1300_preload !=1 | new==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1301 – age first time alcohol (t,u,s, >= 10 & <= 15 yr)

1		1
2		1
4		2
6		1
7		4
8		4
9		1
10		13
11		23
12		42
13		55
14		16
15		7
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5971
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How old were you when you drank alcohol for the first time?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,15)) & (del1300==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1302 – alcohol several times (t,u,s, >= 10 & <= 15 yr)

1	1: yes	85
2	2: no	129
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5930
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Have you drunk alcohol often (i. e. , more than once or twice)?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,15)) & (del1300==1 | (del1302_preload !=1 & del1300_preload==1))
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1304 – ever drunk (t,u,s, >= 10 & <= 15 yr)

1	1: yes	15
2	2: no	79
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6050
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Have you ever gotten really drunk?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,15)) & (del1302==1 | ((del1302_preload==1) & (del1304_preload !=1)))
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development

of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1305 – age first time drunk (t,u,s, >= 10 & <= 15 yr)

13		6
14		5
15		4
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How old were you when you got really drunk for the first time?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (inrange(age0110,10,15)) & (del1304==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1309 – being drunk: frequency (t,u,s, >= 10 & <= 15 yr)

1	1: daily	0
2	2: several times per week	0
3	3: once a week	1
4	4: 1 to 3 times per month	7
5	5: rarely	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `How often do you drink a lot?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,200)) & (age0110>=10 & age0110 <17) & (del1304==1)

Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1400 – delinquency ever: beating someone up (>= 10 yr)

1	1: yes	25
2	2: no	132
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 **(del*01), and to the last 24 months in F2F3 (del*05'**). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1404 – delinquency last 24 months: beating someone up (>= 11 yr)

1	1: yes	72
2	2: no	5906
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0

-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00*) ***are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 **(del*01*), ***and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1405 – delinquency last 24 months: beating someone up frequency (>= 11 yr)

0		31
1		33
2		13
3		7
4		2
5		6
10		2
12		1
30		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6047
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5

Question text: `This is about hurting someone in a fight. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del1400==1 | del1404==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1500 – delinquency ever: consuming drugs (>= 10 yr)

1	1: yes	321
2	2: no	4253
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1571
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00*) ***are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01*)*, **and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1505 – delinquency last 24 months: consuming drugs frequency (>= 10 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4256
-98	-98: don't know	7
-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5
Question text: `This is about taking drugs. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del1500_preload==1 | del1500==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1600 – delinquency ever: driving without license (>= 10 yr)

1	1: yes	30
2	2: no	127
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00*) ***are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01*)**, **and to the last 24 months in F2F3 (del*05*'**). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development

of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1604 – delinquency last 24 months: driving without license (>= 11 yr)

1	1: yes	85
2	2: no	5894
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1605 – delinquency last 24 months: driving without license frequency (>= 11 yr)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6029

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `This is about driving without a license. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del1600==1 | del1604==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1700 – delinquency ever: driving drunk/under drugs (>= 10 yr)

1	1: yes	45
2	2: no	112
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5987
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05**'). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1704 – delinquency last 24 months: driving drunk/under drugs (>= 11 yr)

1	1: yes	219
2	2: no	5760
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	160
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 3; F2F 4; F2F 5
Generated variable
When analyzing the delinquency questions longitudinally, it must be taken into account that the question on delinquency in the face-to-face data collections from F2F3 onwards has been adapted to the extent that the questions 'Have you ever [...]' (variables **del*00) are only asked to new survey participants. Panel participants are instead asked the question 'In the last 24 months, have you [...]' (variables del*04**). The subsequent question on the frequency of the respective behavior refers to the period of the last 12 months in F2F1 and F2F2 (**del*01), and to the last 24 months in F2F3 (del*05'**). In CATI1, the question was asked as follows: 'In the last 12 months, have you [...]' (**del2***) but no frequencies were asked. Parents provided proxy statements about delinquent behavior of their children aged 9 or younger (**del2*[t,u,s]**) in CATI1 only.
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

del1705 – delinquency last 24 months: driving drunk/under drugs frequency (>= 11 yr)

0	38
1	84
2	47
3	33
4	6
5	21
6	2
8	1
9	1
10	13
12	1
15	1

20		4
24		2
30		1
35		1
50		2
60		1
365		2
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5880
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	0

Waves: F2F 3; F2F 5
Question text: `This is about driving drunk or under the influence of drugs. How often did you do that in the last 24 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & (del1700==1 | del1704==1)
Source: Adapted from: Reinecke, J., Stemmler, L., Suenkel, Z., Schepers, D., Weiss, M., Arnis, M., Meinert, J., Kucur-Uysal, B., Poege, A., Wallner, S., & Wittenberg, J. (2013). The Development of Deviant and Delinquent Behavior over the Life Course in the Context of Processes of Social Inequalities (No. 17; SFB 882 Working Paper Series). DFG Research Center (SFB) 882 From Heterogeneities to Inequalities. [URL link]

dev0100 – frequency: getting angry (self-assessment) (t,u,s, <11 yr)

1	1: never	6
2	2: occasionally	27
3	3: very often	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Sometimes you're angry and you might do things that your parents don't like. How is it with you?` [item text: `Would you say that you are NEVER angry, SOMETIMES angry or VERY OFTEN angry?`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9

Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

dev0101 – frequency: listening to parents (self-assessment) (t,u,s, <11 yr)

1	1: never	0
2	2: occasionally	21
3	3: very often	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Sometimes you're angry and you might do things that your parents don't like. How is it with you?` [item text: `Would you say that you NEVER listen to your parents, SOMETIMES listen to your parents or VERY OFTEN listen to your parents?`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

dev0102 – frequency: arguments with other children (self-assessment) (t,u,s, <11 yr)

1	1: never	5
2	2: occasionally	29
3	3: very often	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Sometimes you're angry and you might do things that your parents don't like. How is it with you?` [item text: `Would you say that you NEVER have arguments with other children, SOMETIMES have arguments with other children or VERY OFTEN have arguments with other children?`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9

Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

dev0103 – frequency: cheating / lying (self-assessment) (t,u,s, <11 yr)

1	1: never	14
2	2: occasionally	21
3	3: very often	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] [NCS] Sometimes you're angry and you might do things that your parents don't like. How is it with you?` [item text: `Would you say that you NEVER cheat or lie, sometimes cheat or lie, or very often cheat or lie?`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Goodman, R., Meltzer, H., & Bailey, V. (1998). The strengths and difficulties questionnaire: A pilot study on the validity of the self-report version. European Child & Adolescent Psychiatry, 7(3), 125-130. [URL link]

36 Personality / Temperament

This chapter contains information on: patience; personality measures (BIG5); risk aversion.

per0100 – personality: thorough (>= 10 yr)

1	1: does not apply to me at all	31
2	2	87
3	3	306
4	4	570
5	5	1287
6	6	2273
7	7: applies to me perfectly	1567
-85	-85: information not evaluable	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2

-98	-98: don't know	12
-99	-99: not specified (refused to answer)	73

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . does a thorough job.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0101 – personality: talkative (>= 10 yr)

1	1: does not apply to me at all	99
2	2	368
3	3	721
4	4	1120
5	5	1348
6	6	1337
7	7: applies to me perfectly	1134
-85	-85: information not evaluable	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	72

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . is communicative and talkative; that is, I enjoy talking to people and talk a lot.`]

Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0102 – personality: rude (>= 10 yr)

1	1: does not apply to me at all	1322
2	2	1978
3	3	1089
4	4	807
5	5	650
6	6	198
7	7: applies to me perfectly	57
-85	-85: information not evaluable	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	24
-99	-99: not specified (refused to answer)	77

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . . .` [item text: `. . . is sometimes somewhat rude to others.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0103 – personality: creative (>= 10 yr)

1	1: does not apply to me at all	69
2	2	361
3	3	917
4	4	1490

5	5	1629
6	6	1182
7	7: applies to me perfectly	429
-85	-85: information not evaluable	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	45
-99	-99: not specified (refused to answer)	78

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . is original, comes up with new ideas.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0104 – personality: anxious (>= 10 yr)

1	1: does not apply to me at all	412
2	2	1128
3	3	982
4	4	1030
5	5	1106
6	6	918
7	7: applies to me perfectly	536
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	11
-99	-99: not specified (refused to answer)	86

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . worries a lot.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0105 – personality: forgiving nature (>= 10 yr)

1	1: does not apply to me at all	49
2	2	248
3	3	605
4	4	926
5	5	1492
6	6	1850
7	7: applies to me perfectly	948
-85	-85: information not evaluable	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	12
-99	-99: not specified (refused to answer)	71

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . has a forgiving nature; that is, I quickly accept apologies.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1

Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0106 – personality: lazy (>= 10 yr)

1	1: does not apply to me at all	1267
2	2	1663
3	3	984
4	4	912
5	5	758
6	6	383
7	7: applies to me perfectly	129
-85	-85: information not evaluable	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	16
-99	-99: not specified (refused to answer)	90

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . tends to be lazy.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0107 – personality: sociable (>= 10 yr)

1	1: does not apply to me at all	134
2	2	493
3	3	836
4	4	1116
5	5	1382
6	6	1322
7	7: applies to me perfectly	748

-85	-85: information not evaluable	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	78
-99	-99: not specified (refused to answer)	94

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . is outgoing, sociable.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0108 – personality: values artistic experiences (>= 10 yr)

1	1: does not apply to me at all	675
2	2	1117
3	3	860
4	4	801
5	5	906
6	6	885
7	7: applies to me perfectly	873
-85	-85: information not evaluable	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	11
-99	-99: not specified (refused to answer)	73

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value`

of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . . [item text: . . . values artistic, aesthetic experiences; that is, I like to paint or make music, I like going to the theatre or to a museum.]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0109 – personality: easily nervous (>= 10 yr)

1	1: does not apply to me at all	620
2	2	1400
3	3	1094
4	4	1055
5	5	1072
6	6	609
7	7: applies to me perfectly	260
-85	-85: information not evaluable	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	12
-99	-99: not specified (refused to answer)	80

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . . [item text: . . . gets nervous easily.]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0110 – personality: efficient (>= 10 yr)

1	1: does not apply to me at all	29
2	2	106
3	3	373
4	4	850
5	5	1548
6	6	2155
7	7: applies to me perfectly	1030
-85	-85: information not evaluable	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	29
-99	-99: not specified (refused to answer)	74

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . does everything efficiently.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0111 – personality: reserved, quiet (>= 10 yr)

1	1: does not apply to me at all	459
2	2	1155
3	3	1053
4	4	1201
5	5	1098
6	6	795
7	7: applies to me perfectly	329
-85	-85: information not evaluable	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	22
-99	-99: not specified (refused to answer)	94

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . is reserved, quiet.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0112 – personality: considerate and kind (>= 10 yr)

1	1: does not apply to me at all	15
2	2	52
3	3	139
4	4	487
5	5	1177
6	6	2444
7	7: applies to me perfectly	1807
-85	-85: information not evaluable	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	9
-99	-99: not specified (refused to answer)	76

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not`

apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . . [item text: . . . is considerate and kind to almost everyone.]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0113 – personality: active imagination (>= 10 yr)

1	1: does not apply to me at all	117
2	2	415
3	3	699
4	4	1048
5	5	1247
6	6	1425
7	7: applies to me perfectly	1152
-85	-85: information not evaluable	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	29
-99	-99: not specified (refused to answer)	71

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . . [item text: . . . has an active imagination; that is, I can easily visualize things and like to dream.]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0114 – personality: relaxed (>= 10 yr)

1	1: does not apply to me at all	219

2	2	690
3	3	1119
4	4	1382
5	5	1354
6	6	1019
7	7: applies to me perfectly	321
-85	-85: information not evaluable	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	25
-99	-99: not specified (refused to answer)	73

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . .` [item text: `. . . is relaxed, handles stress well.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0115 – personality: eager for knowledge (>= 10 yr)

1	1: does not apply to me at all	33
2	2	112
3	3	317
4	4	887
5	5	1567
6	6	1867
7	7: applies to me perfectly	1332
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	20

-99	-99: not specified (refused to answer)	74

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . . [item text: . . . is eager for knowledge, that is, I am curious and interested in experiencing and learning things.]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0116 – personality: carefree (>= 10 yr)

1	1: does not apply to me at all	603
2	2	1300
3	3	1291
4	4	1233
5	5	875
6	6	516
7	7: applies to me perfectly	283
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	41
-99	-99: not specified (refused to answer)	67

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: Here are various traits that a person can have. Some traits may fully apply to you personally, while others may not apply at all. You may be undecided about some. Please respond using the following scale. A value of 1 means: does not apply at all. A value of 7 means: applies fully. You can use values between 1 and 7 to indicate your opinion. I am someone who. . . [ITEMBAT] Below are different qualities that a person might have. You will probably find that some apply to you completely and that some do not apply to you at all. With others, you may be somewhere in between. I see myself as someone who. . . [item text: . . . likes to have fun and doesn't worry about tomorrow.]

Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
Gerlitz, J. Y., & Schupp, J. (2005). Zur Erhebung der Big-Five-basierten Persoenlichkeitsmerkmale im SOEP: Dokumentation der Instrumententwicklung BFI-S auf Basis des SOEP-Pretests 2005. Research Notes, 4. [URL link]

per0200 – willingness to take risks (>= 10 yr)

0	0: not at all prepared to take risks	202
1	1	502
2	2	961
3	3	865
4	4	696
5	5	816
6	6	808
7	7	777
8	8	324
9	9	111
10	10: very prepared to take risks	76
-85	-85: information not evaluable	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	44
-99	-99: not specified (refused to answer)	25

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Would you describe yourself as someone who is willing to take risks or as someone who tries to avoid risks? In other words, do you often try things that could go wrong, or do you prefer to play it safe?`
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2008 - Erhebungsinstrumente 2008 (Welle 25) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2008 (wave 25) of the Socio-Economic Panel. Individual Questionnaire] (109: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

per0300 – patience (>= 10 yr)

0	0: very impatient	120
1	1	226
2	2	554
3	3	660
4	4	761

5	5	753
6	6	706
7	7	981
8	8	779
9	9	421
10	10: very patient	211
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2
-98	-98: don't know	16
-99	-99: not specified (refused to answer)	20

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Would you describe yourself in general as an impatient person, or as someone who is always very patient?`
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): age0110>=10 & mod1003==1
TNS Infratest Sozialforschung. (2012). SOEP 2008 - Erhebungsinstrumente 2008 (Welle 25) des Sozio-oekonomischen Panels. Personenfragebogen fuer alle [Survey instruments 2008 (wave 25) of the Socio-Economic Panel. Individual Questionnaire] (109: Series A; SOEP Survey Papers). DIW/SOEP. [URL link]

37 Self-esteem

This chapter contains information on: self esteem.

ses0100 – feeling of worthlessness (>= 10 yr)

1	1: do not agree at all	2823
2	2: do not agree	1561
3	3: nor	838
4	4: agree	783
5	5: totally agree	144
-85	-85: information not evaluable	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	26
-99	-99: not specified (refused to answer)	27

Waves: F2F 1; F2F 2; F2F 3; F2F 5

Question text: `[ITEMBAT] How much do you agree with the following statements?` [item text: `At times I think that I am no good at all.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Thoennissen, C., Wilhelm, B., Friedrich, S., Alt, P., & Walper, S. (2014). Scales Manual of the German Family Panel: Wave 1 to 6. Panel Analysis of Intimate Relationships and Family Dynamics (pairfam). [URL link]

ses0101 – liking oneself the way one is (>= 10 yr)

1	1: do not agree at all	112
2	2: do not agree	528
3	3: nor	930
4	4: agree	3390
5	5: totally agree	1166
-85	-85: information not evaluable	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	27
-99	-99: not specified (refused to answer)	51

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] How much do you agree with the following statements?` [item text: `I take a positive attitude toward myself.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Thoennissen, C., Wilhelm, B., Friedrich, S., Alt, P., & Walper, S. (2014). Scales Manual of the German Family Panel: Wave 1 to 6. Panel Analysis of Intimate Relationships and Family Dynamics (pairfam). [URL link]

ses0102 – being satisfied with oneself (>= 10 yr)

1	1: do not agree at all	76
2	2: do not agree	453
3	3: nor	770
4	4: agree	3418
5	5: totally agree	1431
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	23
-99	-99: not specified (refused to answer)	34

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] How much do you agree with the following statements?` [item text: `On the whole, I am satisfied with myself.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Thoennissen, C., Wilhelm, B., Friedrich, S., Alt, P., & Walper, S. (2014). Scales Manual of the German Family Panel: Wave 1 to 6. Panel Analysis of Intimate Relationships and Family Dynamics (pairfam). [URL link]

38 Self-regulation

This chapter contains information on: self-regulation: consistency of interest, self-control.

srg0100 – self-regulation: new projects distract me from previous ones (t,u,s,p,q,>=10 yr)

1	1: not at all	532
2	2	1714
3	3	2185
4	4	1422
5	5: very much	273
-86	-86: inconclusive specification	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	58
-99	-99: not specified (refused to answer)	20

Waves: CATI 1; F2F 2; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] For each of the following statements, please indicate on how you personally assess in comparison with other people . There are no right or wrong answers , you simply respond spontaneously. How much do the following statements apply to you? Please answer using the following scale.` [item text: `New ideas and projects sometimes distract me from previous ones.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Source: Adapted from: Fleckenstein, J., Schmidt, F. T. C., & Moeller, J. (2014). Wer hat Biss? Beharrlichkeit und bestaendiges Interesse von Lehramtsstudierenden. Eine deutsche Adaptation

der 12-Item Grit Scale (No. 61; Psychologie in Erziehung Und Unterricht, pp. 281-286). [URL link]

srg0200 – self-regulation: choose to pursue different goals (t,u,s,p,q, >= 10 yr)

1	1: not at all	561
2	2	2036
3	3	1911
4	4	1384
5	5: very much	256
-86	-86: inconclusive specification	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	32
-99	-99: not specified (refused to answer)	23

Waves: CATI 1; F2F 2; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] For each of the following statements, please indicate on how you personally assess in comparison with other people . There are no right or wrong answers , you simply respond spontaneously. How much do the following statements apply to you? Please answer using the following scale.` [item text: `I often set a goal but later choose to pursue a different one.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Source: Adapted from: Fleckenstein, J., Schmidt, F. T. C., & Moeller, J. (2014). Wer hat Biss? Beharrlichkeit und bestaendiges Interesse von Lehramtsstudierenden. Eine deutsche Adaptation der 12-Item Grit Scale (No. 61; Psychologie in Erziehung Und Unterricht, pp. 281-286). [URL link]

srg0300 – self-regulation: constantly interested in new pursuits (t,u,s,p,q, >= 10 yr)

1	1: not at all	369
2	2	1503
3	3	2125
4	4	1592
5	5: very much	563
-86	-86: inconclusive specification	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5

-98	-98: don't know	24
-99	-99: not specified (refused to answer)	29

Waves: CATI 1; F2F 2; F2F 4; CATI 4; F2F 5
Question text: [ITEMBAT] For each of the following statements, please indicate on how you personally assess in comparison with other people . There are no right or wrong answers , you simply respond spontaneously. How much do the following statements apply to you? Please answer using the following scale.
[item text: I am constantly interested in something new.]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& (age0110>=10) & mod1003==1
Source: Adapted from: Fleckenstein, J., Schmidt, F. T. C., & Moeller, J. (2014). Wer hat Biss? Beharrlichkeit und bestaendiges Interesse von Lehramtsstudierenden. Eine deutsche Adaptation der 12-Item Grit Scale (No. 61; Psychologie in Erziehung Und Unterricht, pp. 281-286). [URL link]

srg0400 – self-regulation: doing bad things, if they are fun (t,u,s,p,q, >= 10 yr)

1	1: not at all	680
2	2	1595
3	3	1594
4	4	1760
5	5: very much	504
-86	-86: inconclusive specification	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	46
-99	-99: not specified (refused to answer)	25

Waves: CATI 1; F2F 2; F2F 4; CATI 4; F2F 5
Question text: [ITEMBAT] For each of the following statements, please indicate on how you personally assess in comparison with other people . There are no right or wrong answers , you simply respond spontaneously. How much do the following statements apply to you? Please answer using the following scale.
[item text: I do certain things that are bad for me, if they are fun.]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& (age0110>=10) & mod1003==1
Source: Adapted from: Bertrams, A., & Dickhaeuser, O. (2009). Messung dispositioneller Selbstkontroll-Kapazitaet: Eine deutsche Adaptation der Kurzform der Self-Control Scale (SCS-K-D). Diagnostica, 55(1), 2-10. [URL link]

srg0500 – self-regulation: pleasure keeps me from getting work done (t,u,s,p,q, >= 10 yr)

1	1: not at all	1213
2	2	1979
3	3	1435
4	4	1231
5	5: very much	293
-86	-86: inconclusive specification	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	31
-99	-99: not specified (refused to answer)	23

Waves: CATI 1; F2F 2; F2F 4; CATI 4; F2F 5
Question text: `[ITEMBAT] For each of the following statements, please indicate on how you personally assess in comparison with other people . There are no right or wrong answers , you simply respond spontaneously. How much do the following statements apply to you? Please answer using the following scale.`
[item text: `Pleasure and fun sometimes keep me from getting work done.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Source: Adapted from: Bertrams, A., & Dickhaeuser, O. (2009). Messung dispositioneller Selbstkontroll-Kapazitaet: Eine deutsche Adaptation der Kurzform der Self-Control Scale (SCS-K-D). Diagnostica, 55(1), 2-10. [URL link]

srg0600 – self-regulation: desire for more self-discipline (t,u,s,p,q, >= 10 yr)

1	1: not at all	1067
2	2	1497
3	3	1319
4	4	1424
5	5: very much	814
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	59
-99	-99: not specified (refused to answer)	26

Waves: CATI 1; F2F 2; F2F 4; CATI 4; F2F 5

Question text: `[ITEMBAT] For each of the following statements, please indicate on how you personally assess in comparison with other people . There are no right or wrong answers , you simply respond spontaneously. How much do the following statements apply to you? Please answer using the following scale.` [item text: `I wish I had more self-discipline.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Source: Adapted from: Bertrams, A., & Dickhaeuser, O. (2009). Messung dispositioneller Selbstkontroll-Kapazitaet: Eine deutsche Adaptation der Kurzform der Self-Control Scale (SCS-K-D). Diagnostica, 55(1), 2-10. [URL link]

39 Optimism

This chapter contains information on: optimism.

lot0100 – optimism: expect the best (>= 10 yr)

1	1: does not apply at all	87
2	2: does not really apply	525
3	3: partly applies/partly doesn't apply	2282
4	4: slightly applies	2403
5	5: completely applies	777
-85	-85: information not evaluable	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	104
-99	-99: not specified (refused to answer)	26

Waves: F2F 2; F2F 5
Question text: `[ITEMBAT] To what extent do you think the following statements apply?` [item text: `In uncertain times, I usually expect the best.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Source: Adapted from: Glaesmer, H., Hoyer, J., Klotsche, J., & Herzberg, P. Y. (2008). Die deutsche Version des Life-Orientation-Tests (LOT-R) zum dispositionellen Optimismus und Pessimismus. Zeitschrift fuer Gesundheitspsychologie, 16(1), 26-31. [URL link]

lot0101 – optimism: I am optimistic about the future (>= 10 yr)

1	1: does not apply at all	83
2	2: does not really apply	380

3	3: partly applies/partly doesn't apply	1746
4	4: slightly applies	2676
5	5: completely applies	1253
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	46
-99	-99: not specified (refused to answer)	22

Waves: F2F 2; F2F 5
Question text: `[ITEMBAT] To what extent do you think the following statements apply?` [item text: `I am always optimistic about my future.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Source: Adapted from: Glaesmer, H., Hoyer, J., Klotsche, J., & Herzberg, P. Y. (2008). Die deutsche Version des Life-Orientation-Tests (LOT-R) zum dispositionellen Optimismus und Pessimismus. Zeitschrift fuer Gesundheitspsychologie, 16(1), 26-31. [URL link]

lot0102 – optimism: expect more good things than bad things (>= 10 yr)

1	1: does not apply at all	68
2	2: does not really apply	300
3	3: partly applies/partly doesn't apply	1214
4	4: slightly applies	2812
5	5: completely applies	1714
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	73
-99	-99: not specified (refused to answer)	25

Waves: F2F 2; F2F 5
Question text: `[ITEMBAT] To what extent do you think the following statements apply?` [item text: `Overall, I expect more good things to happen to me than bad.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Source: Adapted from: Glaesmer, H., Hoyer, J., Klotsche, J., & Herzberg, P. Y. (2008). Die deutsche Version des Life-Orientation-Tests (LOT-R) zum dispositionellen Optimismus und Pessimismus. Zeitschrift fuer Gesundheitspsychologie, 16(1), 26-31. [URL link]

40 Self-efficacy

This chapter contains information on: perceived self-efficacy.

sef0100 – relying on own abilities in difficult situations (>= 10 yr)

1	1: do not agree at all	20
2	2: do not agree	173
3	3: nor	700
4	4: agree	4000
5	5: totally agree	1196
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	94
-99	-99: not specified (refused to answer)	23

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes people doubt their own abilities in difficult situations. In the following, we would like to know how you cope with difficult situations. How much do you agree with the following statements?` [item text: `I can rely on my own abilities in difficult situations.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Beierlein, C., Kovaleva, A., Kemper, C. J., & Rammstedt, B. (2012). Ein Messinstrument zur Erfassung subjektiver Kompetenzerwartungen: Allgemeine Selbstwirksamkeit Kurzskala (ASKU) (No. 17; GESIS Working Paper, p. 24). GESIS - Leibniz-Institut fuer Sozialwissenschaften. [URL link]

sef0101 – ability to solve problems (>= 10 yr)

1	1: do not agree at all	15
2	2: do not agree	184
3	3: nor	650
4	4: agree	4227
5	5: totally agree	1059
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5

-98	-98: don't know	42
-99	-99: not specified (refused to answer)	28

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes people doubt their own abilities in difficult situations. In the following, we would like to know how you cope with difficult situations. How much do you agree with the following statements?` [item text: `I am able to solve most problems on my own.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Beierlein, C., Kovaleva, A., Kemper, C. J., & Rammstedt, B. (2012). Ein Messinstrument zur Erfassung subjektiver Kompetenzerwartungen: Allgemeine Selbstwirksamkeit Kurzskala (ASKU) (No. 17; GESIS Working Paper, p. 24). GESIS - Leibniz-Institut fuer Sozialwissenschaften. [URL link]

sef0102 – ability of solving tasks (>= 10 yr)

1	1: do not agree at all	21
2	2: do not agree	205
3	3: nor	831
4	4: agree	4086
5	5: totally agree	980
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	46
-99	-99: not specified (refused to answer)	37

Waves: F2F 1; F2F 2; F2F 3; F2F 5
Question text: `[ITEMBAT] Sometimes people doubt their own abilities in difficult situations. In the following, we would like to know how you cope with difficult situations. How much do you agree with the following statements?` [item text: `I can usually solve even challenging and complex tasks well.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & (age0110>=10) & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=10) & mod1003==1
Beierlein, C., Kovaleva, A., Kemper, C. J., & Rammstedt, B. (2012). Ein Messinstrument zur Erfassung subjektiver Kompetenzerwartungen: Allgemeine Selbstwirksamkeit Kurzskala (ASKU) (No. 17; GESIS Working Paper, p. 24). GESIS - Leibniz-Institut fuer Sozialwissenschaften. [URL link]

41 Locus of control and coping

This chapter contains information on: stress regulation and coping.

cis0100 – coping: task orientation: learn from mistakes (>= 16 yr)

1	1: does not apply at all	5
2	2: mostly does not apply	75
3	3: not sure	422
4	4: mostly applies	3436
5	5: totally applies	1154
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	21

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I think about the event and learn from my mistakes.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

cis0101 – coping: emotional: worry about what to do (>= 16 yr)

1	1: does not apply at all	342
2	2: mostly does not apply	1263
3	3: not sure	1137
4	4: mostly applies	1955
5	5: totally applies	376
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	18
-99	-99: not specified (refused to answer)	30

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I worry about what I should do.`]

Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=16 & mod1003==1
Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

cis0102 – coping: distraction: visit a friend (>= 16 yr)

1	1: does not apply at all	321
2	2: mostly does not apply	1041
3	3: not sure	968
4	4: mostly applies	2091
5	5: totally applies	620
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	38
-99	-99: not specified (refused to answer)	42

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I visit a friend.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=16 & mod1003==1
Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

cis0103 – coping: task orientation: take corrective action immediately (>= 16 yr)

1	1: does not apply at all	32
2	2: mostly does not apply	370
3	3: not sure	1307
4	4: mostly applies	2781
5	5: totally applies	559
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	40

-99	-99: not specified (refused to answer)	31

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I take corrective action immediately.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

cis0104 – coping: emotional: blame myself (>= 16 yr)

1	1: does not apply at all	815
2	2: mostly does not apply	1849
3	3: not sure	1191
4	4: mostly applies	1007
5	5: totally applies	199
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	30
-99	-99: not specified (refused to answer)	29

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I blame myself for not knowing what to do.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

cis0105 – coping: distraction: buy myself something (>= 16 yr)

1	1: does not apply at all	1620
2	2: mostly does not apply	1519
3	3: not sure	788
4	4: mostly applies	933
5	5: totally applies	195
-85	-85: information not evaluable	2

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	33
-99	-99: not specified (refused to answer)	31

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I buy myself something.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

cis0106 – coping: task orientation: control over situation (>= 16 yr)

1	1: does not apply at all	35
2	2: mostly does not apply	186
3	3: not sure	650
4	4: mostly applies	3137
5	5: totally applies	1055
-85	-85: information not evaluable	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	32
-99	-99: not specified (refused to answer)	24

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I try to gain control of the situation.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

cis0107 – coping: emotional: anxious of not being able to cope (>= 16 yr)

1	1: does not apply at all	612
2	2: mostly does not apply	1814
3	3: not sure	1163
4	4: mostly applies	1182
5	5: totally applies	310
-85	-85: information not evaluable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	17
-99	-99: not specified (refused to answer)	23

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I'm afraid of not being able to cope with the situation.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1
Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

cis0108 – coping: distraction: go out for a snack or meal (>= 16 yr)

1	1: does not apply at all	1600
2	2: mostly does not apply	1415
3	3: not sure	795
4	4: mostly applies	1007
5	5: totally applies	252
-85	-85: information not evaluable	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	1085
-98	-98: don't know	30
-99	-99: not specified (refused to answer)	21

Waves: F2F 2; F2F 4; F2F 5
Question text: `[ITEMBAT] Various types of behavior that people can use to respond to difficult, critical, or challenging events are listed below. Please indicate how well these statements describe how you deal with such events.` [item text: `I go out for a snack or meal.`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=16 & mod1004==2; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & mod1003==1

Source: Adapted from: Endler, N. S., & Parker, J. D. A. (1999). Coping Inventory Stressful Situations (CISS): Manual. Multi-Health Systems. [URL link]

svk0100 – stress control: self control - I make a plan (t,u,s, < 16 yr)

1	1: definitely not	30
2	2: mostly no	164
3	3: maybe	385
4	4: mostly yes	388
5	5: definitely	103
-81	-81: does not apply: can't read yet	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	41
-99	-99: not specified (refused to answer)	8

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT] This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . I make a plan on how to solve the problem.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

svk0101 – stress control: thoughts/resignation - think about the situation (t,u,s,<16 yr)

1	1: definitely not	43
2	2: mostly no	177
3	3: maybe	292
4	4: mostly yes	409
5	5: definitely	150
-81	-81: does not apply: can't read yet	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128

-98	-98: don't know	32
-99	-99: not specified (refused to answer)	16

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT] This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . I keep thinking about the situation over and over again.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

svk0102 – stress control: distraction - read something (t,u,s, < 16 yr)

1	1: definitely not	194
2	2: mostly no	386
3	3: maybe	226
4	4: mostly yes	171
5	5: definitely	85
-81	-81: does not apply: can't read yet	0
-86	-86: inconclusive specification	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	38
-99	-99: not specified (refused to answer)	16

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT] This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . I read something that I enjoy.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

svk0103 – stress control: self-control - find out the problem (t,u,s, < 16 yr)

1	1: definitely not	22
2	2: mostly no	100
3	3: maybe	224
4	4: mostly yes	542
5	5: definitely	193
-81	-81: does not apply: can't read yet	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	25
-99	-99: not specified (refused to answer)	13

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT] This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . I try to find out why that is. | . . . I try to figure out what the problem is.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

svk0104 – stress control: thoughts/resignation - everything pointless (t,u,s, < 16 yr)

1	1: definitely not	265
2	2: mostly no	412
3	3: maybe	244
4	4: mostly yes	100
5	5: definitely	44
-81	-81: does not apply: can't read yet	0
-86	-86: inconclusive specification	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	40
-99	-99: not specified (refused to answer)	12

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT]`

`This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . everything I do seems meaningless to me.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

svk0105 – stress control: distraction - play something (t,u,s, < 16 yr)

1	1: definitely not	100
2	2: mostly no	295
3	3: maybe	310
4	4: mostly yes	280
5	5: definitely	79
-81	-81: does not apply: can't read yet	0
-86	-86: inconclusive specification	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	37
-99	-99: not specified (refused to answer)	17

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT] This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . I play something.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

svk0106 – stress control: self-control - consider what I can do (t,u,s, < 16 yr)

1	1: definitely not	14
2	2: mostly no	74
3	3: maybe	212
4	4: mostly yes	556
5	5: definitely	225
-81	-81: does not apply: can't read yet	0

-86	-86: inconclusive specification	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	19
-99	-99: not specified (refused to answer)	15

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT] This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . I think about what I can do.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

svk0107 – stress control: thoughts/resignation - rather avoid it (t,u,s, < 16 yr)

1	1: definitely not	129
2	2: mostly no	357
3	3: maybe	313
4	4: mostly yes	182
5	5: definitely	75
-81	-81: does not apply: can't read yet	0
-86	-86: inconclusive specification	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	45
-99	-99: not specified (refused to answer)	17

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT] This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . I'd prefer to avoid it.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1

Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

svk0108 – stress control: distraction - get comfy (t,u,s, < 16 yr)

1	1: definitely not	163
2	2: mostly no	354
3	3: maybe	294
4	4: mostly yes	173
5	5: definitely	72
-81	-81: does not apply: can't read yet	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5128
-98	-98: don't know	52
-99	-99: not specified (refused to answer)	11

Waves: F2F 2; F2F 4; F2F 5
Question text: `This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . . [ITEMBAT] This is about how you handle situations that put you under pressure. When other kids put pressure on me and I'm very excited, then. . .` [item text: `. . . I make myself really comfortable first.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & (age0110<=9 & age0110>=6); module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,200)) & age0110>=10 & age0110<=15 & mod1003==1
Source: Adapted from: Hampel, P., Petermann, F., & Dickow, B. (1997). Stressverarbeitungsbogen von Janke und Erdmann angepasst fuer Kinder und Jugendliche (SVF-KJ). Hogrefe. [URL link]

42 Quality of home environment

This chapter contains information on: quality of familial environment (existence of bedtime routine, general atmosphere at home).

hoe0100 – regular bedtime routine (t,u,s, >= 10 & <= 13 yr)

1	1: not correct at all	133
2	2: rather not correct	198
3	3: partly correct	235
4	4: rather correct	296
5	5: fully correct	163
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5120
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [IF age <= 21] Please indicate how these statements apply to your home. [IF age >= 22 AND new = 1] The following statements describe things that occur in many families at home. Please indicate to what extent these statements apply to your home.` [item text: `I have a regular bedtime routine (e. g. , same bedtime every night, having a bath before bed, reading a story, saying a prayer. . . ) .`]
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200) | inlist(ptyp,300,400,500,600)) & (age0110>=10) & (age0110<=14)
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0110 – regular bedtime routine (t,u,s, <=9 yr)

1	1: not correct at all	4
2	2: rather not correct	3
3	3: partly correct	10
4	4: rather correct	8
5	5: fully correct	13
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 5
Question text: `In the following, I would like to talk to you about your home. Please indicate to what extent these sentences apply to your home. Please answer using the following scale. The value 1 means: not true at all. That would be a "thumbs down". The value 5 means: exactly right. That would be the "thumbs up" with the values between 1 and 5, you can tell me again if your opinion is somewhere in between.` [item text: `Our bedtime routine is the same every night (e. g. the same bedtime every night, a bath before going to bed, reading a story, saying a prayer . . .).`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy

Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0200 – cannot think clearly at home (>= 10 yr)

1	1: not correct at all	3566
2	2: rather not correct	1660
3	3: partly correct	520
4	4: rather correct	257
5	5: fully correct	131
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	5

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [IF age <= 21] Please indicate how these statements apply to your home. [IF age >= 22 AND new = 1] The following statements describe things that occur in many families at home. Please indicate to what extent these statements apply to your home.` [item text: `You can't hear yourself think in our home.`]
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200) | inlist(ptyp,300,400,500,600)) & (age0110>=10)
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0210 – cannot think clearly at home (t,u,s, <=9 yr)

1	1: not correct at all	17
2	2: rather not correct	5
3	3: partly correct	7
4	4: rather correct	5
5	5: fully correct	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 5
Question text: `In the following, I would like to talk to you about your home. Please indicate to what extent these sentences apply to your home. Please answer using the following scale. The value 1 means: not true at all. That would be a "thumbs down". The value 5 means: exactly right. That would be the "thumbs up" with the values between 1 and 5, you can tell me again if your opinion is somewhere in between.` [item text: `You can't think in peace at home.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0300 – at home everything is chaotic. (>= 10 yr)

1	1: not correct at all	3218
2	2: rather not correct	1936
3	3: partly correct	743
4	4: rather correct	210
5	5: fully correct	31
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	3

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [IF age <= 21] Please indicate how these statements apply to your home. [IF age >= 22 AND new = 1] The following statements describe things that occur in many families at home. Please indicate to what extent these statements apply to your home.` [item text: `It's a real zoo in our home.`]
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200) | inlist(ptyp,300,400,500,600)) & (age0110>=10)
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0310 – at home everything is chaotic. (<= 9 yr)

1	1: not correct at all	10
2	2: rather not correct	7
3	3: partly correct	12
4	4: rather correct	6
5	5: fully correct	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 5
Question text: `In the following, I would like to talk to you about your home. Please indicate to what extent these sentences apply to your home. Please answer using the following scale. The value 1 means: not true at all. That would be a "thumbs down". The value 5 means: exactly right. That would be the "thumbs up" with the values between 1 and 5, you can tell me again if your opinion is somewhere in between.` [item text: `At home, everything is very wild and disorganized.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0400 – at home everything is under control. (>= 10 yr)

1	1: not correct at all	54
2	2: rather not correct	230
3	3: partly correct	531
4	4: rather correct	3195
5	5: fully correct	2125
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	6

Waves: F2F 1; F2F 2; F2F 5

Question text: `[ITEMBAT] [IF age <= 21] Please indicate how these statements apply to your home. [IF age >= 22 AND new = 1] The following statements describe things that occur in many families at home. Please indicate to what extent these statements apply to your home.` [item text: `We are usually able to stay on top of things.`]
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200) | inlist(ptyp,300,400,500,600)) & (age0110>=10)
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0410 – at home everything is under control. (t,u,s, <=9 yr)

1	1: not correct at all	2
2	2: rather not correct	2
3	3: partly correct	11
4	4: rather correct	13
5	5: fully correct	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 5
Question text: `In the following, I would like to talk to you about your home. Please indicate to what extent these sentences apply to your home. Please answer using the following scale. The value 1 means: not true at all. That would be a "thumbs down". The value 5 means: exactly right. That would be the "thumbs up" with the values between 1 and 5, you can tell me again if your opinion is somewhere in between.` [item text: `We normally have everything under control at home.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0500 – at home TV almost always on. (>= 10 yr)

1	1: not correct at all	2550
2	2: rather not correct	1705
3	3: partly correct	960
4	4: rather correct	673
5	5: fully correct	255
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [IF age <= 21] Please indicate how these statements apply to your home. [IF age >= 22 AND new = 1] The following statements describe things that occur in many families at home. Please indicate to what extent these statements apply to your home.` [item text: `There is usually a television turned on somewhere in our home.`]
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200) | inlist(ptyp,300,400,500,600)) & (age0110>=10)
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0510 – at home the TV is almost always on. (t,u,s, <=9 yr)

1	1: not correct at all	13
2	2: rather not correct	11
3	3: partly correct	8
4	4: rather correct	1
5	5: fully correct	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 5
Question text: `In the following, I would like to talk to you about your home. Please indicate to what extent these sentences apply to your home. Please answer using the following scale. The value 1 means: not true at all. That would be a "thumbs down". The value 5 means: exactly right. That would be`

`the "thumbs up" with the values between 1 and 5, you can tell me again if your opinion is somewhere in between.` [item text: `There's almost always a TV on somewhere in our house.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0600 – the atmosphere at home is quiet. (>= 10 yr)

1	1: not correct at all	80
2	2: rather not correct	653
3	3: partly correct	1222
4	4: rather correct	2750
5	5: fully correct	1438
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] [IF age <= 21] Please indicate how these statements apply to your home. [IF age >= 22 AND new = 1] The following statements describe things that occur in many families at home. Please indicate to what extent these statements apply to your home.` [item text: `The atmosphere in our house is calm.`]
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200) | inlist(ptyp,300,400,500,600)) & (age0110>=10)
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

hoe0610 – the atmosphere at home is calm. (t,u,s, <=9 yr)

1	1: not correct at all	4
2	2: rather not correct	6
3	3: partly correct	9
4	4: rather correct	14

5	5: fully correct	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 5
Question text: `In the following, I would like to talk to you about your home. Please indicate to what extent these sentences apply to your home. Please answer using the following scale. The value 1 means: not true at all. That would be a "thumbs down". The value 5 means: exactly right. That would be the "thumbs up" with the values between 1 and 5, you can tell me again if your opinion is somewhere in between.` [item text: `The atmosphere at home is calm and relaxed.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Anna D. Johnson, Anne Martin, Jeanne Brooks-Gunn, & Stephen A. Petrill. (2008). Order in the House! Associations among Household Chaos, the Home Literacy Environment, Maternal Reading Ability, and Children's Early Reading. Merrill-Palmer Quarterly, 54(4), 445-472. [URL link]; Matheny Jr., A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. Journal of Applied Developmental Psychology, 16(3), 429-444. [URL link]

43 Media use

This chapter contains information on: smartphone-use ; use of electronic media devices (time spent with, e.g., computer, internet, etc.), rules for media use.

med0100 – computer use: hrs/day during school or work week (>= 10 yr)

0	0: doesn't apply (device is not used)	156
-85	-85: information not evaluable	4
-86	-86: inconclusive specification	81
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	164
-99	-99: not specified (refused to answer)	94

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please`

`state as accurately as possible how much time you spend on the respective activity outside of working or school time.` [item text: `Computer/Laptop/Tablet/Smartphone (total time) - hours per day on school and work days`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med0200 – computer use: hrs/day on weekend (>= 10 yr)

0	0: doesn't apply (device is not used)	187
-85	-85: information not evaluable	1
-86	-86: inconclusive specification	90
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	175
-99	-99: not specified (refused to answer)	122

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time.` [item text: `Computer/Laptop/Tablet/Smartphone (total time) - hours per day on weekends`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med0300 – internet usage: hrs/day during school or work week (>= 10 yr)

0	0: doesn't apply (device is not used)	322
-85	-85: information not evaluable	6
-86	-86: inconclusive specification	59
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	250
-99	-99: not specified (refused to answer)	182

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time.` [item text: `Of which: on the Internet/online - hours per day on school and work days`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med0400 – internet usage: hrs/day on weekend (>= 10 yr)

0	0: doesn't apply (device is not used)	376
-85	-85: information not evaluable	6
-86	-86: inconclusive specification	57
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	257
-99	-99: not specified (refused to answer)	217

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time.` [item text: `Of which: on the Internet/online - hours per day on weekends`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med0500 – PC games: hrs/day during school or work week (>= 10 yr)

0	0: doesn't apply (device is not used)	4116
-85	-85: information not evaluable	4
-86	-86: inconclusive specification	23
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	192
-99	-99: not specified (refused to answer)	307

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time.` [item text: `Of which: computer games (including online) - hours per day on school and work days`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med0600 – PC games: hrs/day on weekend (>= 10 yr)

0	0: doesn't apply (device is not used)	3954
-85	-85: information not evaluable	2
-86	-86: inconclusive specification	20
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	213
-99	-99: not specified (refused to answer)	367

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time.` [item text: `Of which: computer games (including online) - hours per day on weekends`]

Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med0700 – game console: hrs/day during school or work week (>= 10 yr)

0	0: doesn't apply (device is not used)	5033
-85	-85: information not evaluable	5
-86	-86: inconclusive specification	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	155
-99	-99: not specified (refused to answer)	313

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time.` [item text: `Games consoles (e.g. Nintendo, PlayStation, Xbox) - hours per day on school and work days`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50
& age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med0800 – game console: hrs/day on weekend (>= 10 yr)

0	0: doesn't apply (device is not used)	4687
-85	-85: information not evaluable	3
-86	-86: inconclusive specification	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0

-98	-98: don't know	178
-99	-99: not specified (refused to answer)	405

Waves: F2F 1; F2F 2; F2F 5
Question text: [ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time. [item text: Games consoles (e.g. Nintendo, PlayStation, Xbox) - hours per day on weekends]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med0900 – TV/DVD: hrs/day during school or work week (>= 10 yr)

0	0: doesn't apply (device is not used)	1466
-85	-85: information not evaluable	7
-86	-86: inconclusive specification	45
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	224
-99	-99: not specified (refused to answer)	167

Waves: F2F 1; F2F 2; F2F 5
Question text: [ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time. [item text: Television, videos, DVDs - hours per day on school and work days]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med1000 – TV/DVD: hrs/day on weekend (>= 10 yr)

0	0: doesn't apply (device is not used)	1062

-85	-85: information not evaluable	4
-86	-86: inconclusive specification	53
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1081
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5
-96	-96: don't know/not specified	0
-98	-98: don't know	244
-99	-99: not specified (refused to answer)	167

Waves: F2F 1; F2F 2; F2F 5
Question text: `[ITEMBAT] The following is about your media usage. How long do you spend, on average, per day on the following devices or activities? Please state as accurately as possible how much time you spend on the respective activity outside of working or school time.` [item text: `Television, videos, DVDs - hours per day on weekends`]
Filter based on instrument: module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,50 & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Blossfeld, H. P., von Maurice, J., & Schneider, T. (2011). Grundidee, Konzeption und Design des Nationalen Bildungspanels fuer Deutschland (No. 1; NEPS Working Papers). Otto-Friedrich-University, German National Educational Panel Study (NEPS). [URL link]

med1100 – mobile phone: ownership

1	1: yes, since I was [variable med1101] years old	6021
2	2: no	112
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1043
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	32
-95	-95: doesn't apply (screened out)	5
-98	-98: don't know	75
-99	-99: not specified (refused to answer)	4

Waves: F2F 3; F2F 4; F2F 5
Question text: `Do you own a smartphone? [ITEMBAT] Do you own a cell phone/smartphone?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): age0110<=9; module 'PAPI questions as CASI' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1004==2; module 'PAPI children' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1; module 'PAPI adults' (PAPI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=10 & mod1003==1
Item developed for TwinLife.

med1101 – mobile phone: age at the beginning

0		2
1		4
2		3
3		4
4		2
5		3
6		21
7		26
8		52
9		128
9.5		1
10		608
10.5		2
11		527
12		554
...	(52 rows omitted)	3994
65		2
67		2
68		1
69		2
70		1
-85	-85: unknown	10
-86	-86: not available/empty/not codable	21
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1076
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	195
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	51

Waves: F2F 3; F2F 4; F2F 5
Question text: `Do you own a smartphone?` [item text: `Yes, since the age of [...] (please specify)`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): med1100==1; module 'PAPI questions as CASI' (CASI/CAWI): med1100==1; module 'PAPI children' (PAPI): med1100==1; module 'PAPI adults' (PAPI): med1100==1
Item developed for TwinLife.

med1200 – mobile phone: concentration

1	1: I do not agree at all	2644
2	2	1859
3	3	702
4	4	530
5	5	190
6	6: I strongly agree	56
-81	-81: does not apply	0
-86	-86: inconclusive specification	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1076
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	195
-98	-98: don't know	23
-99	-99: not specified (refused to answer)	17

Waves: F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] A number of statements are presented to you below. How much do you agree with each of the following statements?` [item text: `I find it difficult to concentrate at school, university or at work because of my cell phone/smartphone use.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): med1100==1; module 'PAPI questions as CASI' (CASI/CAWI): med1100==1; module 'PAPI children' (PAPI): med1100==1; module 'PAPI adults' (PAPI): med1100==1
Source: Adapted from: Montag, C. (2018). Appendix: Schnelltest Smartphone-Sucht. In C. Montag, Homo Digitalis (pp. 45-49). Springer Fachmedien Wiesbaden. [URL link]

med1201 – mobile phone: not miss anything

1	1: I do not agree at all	1562
2	2	1805
3	3	1188
4	4	839
5	5	438
6	6: I strongly agree	163
-81	-81: does not apply	0
-86	-86: inconclusive specification	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1076
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	195
-98	-98: don't know	12
-99	-99: not specified (refused to answer)	11

Waves: F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] A number of statements are presented to you below. How much do you agree with each of the following statements?` [item text: `I constantly check my cell phone/smartphone so that I don't miss any conversations between other people on channels such as Facebook, Whatsapp, Twitter or similar.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): med1100==1; module 'PAPI questions as CASI' (CASI/CAWI): med1100==1; module 'PAPI children' (PAPI): med1100==1; module 'PAPI adults' (PAPI): med1100==1
Source: Adapted from: Montag, C. (2018). Appendix: Schnelltest Smartphone-Sucht. In C. Montag, Homo Digitalis (pp. 45-49). Springer Fachmedien Wiesbaden. [URL link]

med1202 – mobile phone: longer use than intended

1	1: I do not agree at all	792
2	2	1182
3	3	1051
4	4	1345
5	5	1086
6	6: I strongly agree	524
-81	-81: does not apply	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1076
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	195
-98	-98: don't know	23
-99	-99: not specified (refused to answer)	18

Waves: F2F 3; F2F 4; F2F 5
Question text: `[ITEMBAT] A number of statements are presented to you below. How much do you agree with each of the following statements?` [item text: `I use my cell phone/smartphone for longer than intended.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): med1100==1; module 'PAPI questions as CASI' (CASI/CAWI): med1100==1; module 'PAPI children' (PAPI): med1100==1; module 'PAPI adults' (PAPI): med1100==1
Source: Adapted from: Montag, C. (2018). Appendix: Schnelltest Smartphone-Sucht. In C. Montag, Homo Digitalis (pp. 45-49). Springer Fachmedien Wiesbaden. [URL link]

med1203 – mobile phone: criticized by parents

1	1: I do not agree at all	2854
2	2	1590
3	3	701
4	4	461
5	5	259
6	6: I strongly agree	116
-81	-81: does not apply	0
-86	-86: inconclusive specification	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1076
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	195
-98	-98: don't know	28
-99	-99: not specified (refused to answer)	11

Waves: F2F 3; F2F 4; F2F 5

Question text: `[ITEMBAT] A number of statements are presented to you below. How much do you agree with each of the following statements?` [item text: `People around me tell me that I use my cell phone/smartphone too much.`]
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): med1100==1; module 'PAPI questions as CASI' (CASI/CAWI): med1100==1; module 'PAPI children' (PAPI): med1100==1; module 'PAPI adults' (PAPI): med1100==1
Source: Adapted from: Montag, C. (2018). Appendix: Schnelltest Smartphone-Sucht. In C. Montag, Homo Digitalis (pp. 45-49). Springer Fachmedien Wiesbaden. [URL link]

44 Experiences of discrimination

This chapter contains information on: discrimination on grounds of ethnic or cultural background, sex, religion, age, sexual identity, or disability, and burden of discrimination.

dis0100 – experience with discrimination (>= 13 yr)

1	1: yes	682
2	2: no	5248
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	18
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	199

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Now we have some questions about your personal experiences. During the last 12 months, have you felt that you were disadvantaged or discriminated against due to any personal characteristics (e. g. , your ethnic or cultural background, gender, religious beliefs)?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0200 – discrimination on grounds of ethnic or cultural background (>= 13 yr)

0	0: not mentioned	482
1	1: mentioned	200
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5462
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] Why do you think you were discriminated?` [item text: `ethnic background (e. g. nationality, skin colour)`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0100==1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0201 – burden of discrimination on grounds of ethnic or cultural background (>= 13 yr)

1	1: not at all	14
2	2: not strongly	91
3	3: strongly	69
4	4: very strongly	26
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5944
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How much stress did the discrimination due to [mentioned discrimination] cause you?` [item text: `your ethnic background (e. g. nationality, skin colour)`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0799 !=1 & dis0200 == 1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0300 – discrimination on grounds of sex (>= 13 yr)

0	0: not mentioned	358
1	1: mentioned	324
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5462
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] Why do you think you were discriminated?` [item text: `gender`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0100==1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0301 – burden of discrimination on grounds of sex (>= 13 yr)

1	1: not at all	12
2	2: not strongly	145
3	3: strongly	133
4	4: very strongly	34
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5820
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How much stress did the discrimination due to [mentioned discrimination] cause you?` [item text: `your sex`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0799 !=1 & dis0300 == 1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0400 – discrimination on grounds of religion (>= 13 yr)

0	0: not mentioned	573
1	1: mentioned	109
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5462
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] Why do you think you were discriminated?` [item text: `religious affiliation/belief`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0100==1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0401 – burden of discrimination on grounds of religion (>= 13 yr)

1	1: not at all	9
2	2: not strongly	47
3	3: strongly	30
4	4: very strongly	22
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6035
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How much stress did the discrimination due to [mentioned discrimination] cause you?` [item text: `your religious affiliation/belief`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0799 !=1 & dis0400 == 1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0500 – discrimination on grounds of age (>= 13 yr)

0	0: not mentioned	576
1	1: mentioned	106

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5462
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] Why do you think you were discriminated?` [item text: `age`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0100==1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0501 – burden of discrimination on grounds of age (>= 13 yr)

1	1: not at all	10
2	2: not strongly	58
3	3: strongly	33
4	4: very strongly	5
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6038
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How much stress did the discrimination due to [mentioned discrimination] cause you?` [item text: `your age`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0799 !=1 & dis0500 == 1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0600 – discrimination on grounds of sexual identity (>= 13 yr)

0	0: not mentioned	625
1	1: mentioned	57

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5462
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] Why do you think you were discriminated?` [item text: `sexual identity (e. g. homosexuality)`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0100==1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0601 – burden of discrimination on grounds of sexual identity (>= 13 yr)

1	1: not at all	2
2	2: not strongly	32
3	3: strongly	12
4	4: very strongly	10
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6087
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How much stress did the discrimination due to [mentioned discrimination] cause you?` [item text: `your sexual identity`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0799 !=1 & dis0600 == 1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0700 – discrimination on grounds of disability (>= 13 yr)

0	0: not mentioned	654

1	1: mentioned	28
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5462
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] Why do you think you were discriminated?` [item text: `disability`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0100==1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0701 – burden of discrimination on grounds of disability (>= 13 yr)

1	1: not at all	0
2	2: not strongly	6
3	3: strongly	14
4	4: very strongly	8
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6116
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How much stress did the discrimination due to [mentioned discrimination] cause you?` [item text: `your disability`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0799 !=1 & dis0700 == 1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0799 – discrimination because of: not specified (refused to answer) (>= 13 yr)

0	0: not mentioned	681

1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5462
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] Why do you think you were discriminated?` [item text: `not specified`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0100==1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0800 – discrimination due to: other (>= 13 yr)

0	0: not mentioned	531
1	1: mentioned	151
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5462
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[MCQ] Why do you think you were discriminated?` [item text: `for another reason button`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0100==1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

dis0801 – stress caused by discrimination due to: other (>= 13 yr)

1	1: not at all	3
2	2: not strongly	38
3	3: strongly	70
4	4: very strongly	40
-86	-86: inconclusive specification	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5993
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How much stress did the discrimination due to [mentioned discrimination] cause you?` [item text: `other`]
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=12 & dis0799 !=1 & dis0800 == 1
Source: Adapted from: Igel, U., Braehler, E., & Grande, G. (2010). Der Einfluss von Diskriminierungserfahrungen auf die Gesundheit von MigrantInnen. Psychiatrische Praxis, 37(04), 183-190. [URL link]; Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

45 Bullying

This chapter contains information on: verbal and physical bullying experience in childhood and adolescence.

bul0100 – bullying: frequency of teasing recently (>= 10 yr)

1	1: never	907
2	2: less than once a week	283
3	3: about once a week	82
4	4: most days	47
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4825
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often has anyone teased you or called you names recently?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=10 & (inlist(ptyp,1,2,110,120,200,300,400,5
& edu0100==2
Source: Adapted from: Bond, L., Wolfe, S., Tollit, M., Butler, H., & Patton, G. (2007). A Comparison of the Gatehouse Bullying Scale and the Peer Relations Questionnaire for Students in Secondary School. Journal of School Health, 77(2), 75-79. [URL link]

bul0101 – bullying: stress caused by teasing recently (>= 10 yr)

1	1: not at all	181
2	2: a little	192
3	3: I was quite upset	39
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5732
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How upsetting was it when you were teased?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=10 & (inlist(ptyp,1,2,110,120,200,300,400,5
& edu0100==2 & bul0100 >1
Source: Adapted from: Bond, L., Wolfe, S., Tollit, M., Butler, H., & Patton, G. (2007). A Comparison of the Gatehouse Bullying Scale and the Peer Relations Questionnaire for Students in Secondary School. Journal of School Health, 77(2), 75-79. [URL link]

bul0200 – bullying: frequency of rumors recently (>= 10 yr)

1	1: never	1081
2	2: less than once a week	198
3	3: about once a week	33
4	4: most days	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4825
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often has anyone spread rumors about you recently? (This includes rumors on the internet)`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=10 & (inlist(ptyp,1,2,110,120,200,300,400,5
& edu0100==2
Source: Adapted from: Bond, L., Wolfe, S., Tollit, M., Butler, H., & Patton, G. (2007). A Comparison of the Gatehouse Bullying Scale and the Peer Relations Questionnaire for Students in Secondary School. Journal of School Health, 77(2), 75-79. [URL link]

bul0201 – bullying: stress caused by rumors recently (>= 10 yr)

1	1: not at all	77

2	2: a little	137
3	3: I was quite upset	25
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5905
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How upsetting were the rumors?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=10 & (inlist(ptyp,1,2,110,120,200,300,400,5
& edu0100==2 & bul0200 >1
Source: Adapted from: Bond, L., Wolfe, S., Tollit, M., Butler, H., & Patton, G. (2007). A Comparison of the Gatehouse Bullying Scale and the Peer Relations Questionnaire for Students in Secondary School. Journal of School Health, 77(2), 75-79. [URL link]

bul0300 – bullying: frequency of exclusion recently (>= 10 yr)

1	1: never	992
2	2: less than once a week	258
3	3: about once a week	56
4	4: most days	13
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4825
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often have you been deliberately left out of things recently?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=10 & (inlist(ptyp,1,2,110,120,200,300,400,5
& edu0100==2
Source: Adapted from: Bond, L., Wolfe, S., Tollit, M., Butler, H., & Patton, G. (2007). A Comparison of the Gatehouse Bullying Scale and the Peer Relations Questionnaire for Students in Secondary School. Journal of School Health, 77(2), 75-79. [URL link]

bul0301 – bullying: stress caused by exclusion recently (>= 10 yr)

1	1: not at all	70
2	2: a little	180
3	3: I was quite upset	77
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5817
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How upsetting was it being left out of things?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=10 & (inlist(ptyp,1,2,110,120,200,300,400,5
& edu0100==2 & bul0300 >1
Source: Adapted from: Bond, L., Wolfe, S., Tollit, M., Butler, H., & Patton, G. (2007). A Comparison of the Gatehouse Bullying Scale and the Peer Relations Questionnaire for Students in Secondary School. Journal of School Health, 77(2), 75-79. [URL link]

bul0400 – bullying: frequency of physical threats recently (>= 10 yr)

1	1: never	1246
2	2: less than once a week	55
3	3: about once a week	12
4	4: most days	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4825
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often have you been threatened physically or actually hurt by another student recently?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=10 & (inlist(ptyp,1,2,110,120,200,300,400,5
& edu0100==2
Source: Adapted from: Bond, L., Wolfe, S., Tollit, M., Butler, H., & Patton, G. (2007). A Comparison of the Gatehouse Bullying Scale and the Peer Relations Questionnaire for Students in Secondary School. Journal of School Health, 77(2), 75-79. [URL link]

bul0401 – bullying: stress caused by physical threats recently (>= 10 yr)

1	1: not at all	40
2	2: a little	28
3	3: I was quite upset	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6069
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How upsetting was it being threatened or hurt?`
Filter based on instrument: module 'life events' (CASI/CAWI): age0110>=10 & (inlist(ptyp,1,2,110,120,200,300,400,5
& edu0100==2 & bul0400 >1
Source: Adapted from: Bond, L., Wolfe, S., Tollit, M., Butler, H., & Patton, G. (2007). A Comparison of the Gatehouse Bullying Scale and the Peer Relations Questionnaire for Students in Secondary School. Journal of School Health, 77(2), 75-79. [URL link]

bul0500 – bullying: frequency of teasing (t,u,s, <=10 yr)

1	1: never	11
2	2: occasionally	24
3	3: very often	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often do other kids yell at you or call you names?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Petermann, F., & von Marees, N. (2009). Der Bullying- und Viktimisierungsfragebogen fuer Kinder (BVF-K): Konstruktion und Analyse eines Verfahrens zur Erhebung von Bullying im Vor- und Grundschulalter. Praxis der Kinderpsychologie und Kinderpsychiatrie, 58(2), 96-109. [URL link]

bul0501 – bullying: stress caused by teasing (t,u,s, <=10 yr)

1	1: not bad at all	7
2	2: slightly bad	12
3	3: quite bad	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7262
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5

Question text: `How bad is it for you when you get yelled at or insulted by other children?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & bul0500 >1
Source: Adapted from: Petermann, F., & von Marees, N. (2009). Der Bullying- und Viktimisierungsfragebogen fuer Kinder (BVF-K): Konstruktion und Analyse eines Verfahrens zur Erhebung von Bullying im Vor- und Grundschulalter. Praxis der Kinderpsychologie und Kinderpsychiatrie, 58(2), 96-109. [URL link]

bul0600 – bullying: frequency of physical threat (t,u,s, <=10 yr)

1	1: never	19
2	2: occasionally	17
3	3: very often	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often do other children deliberately hurt you?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Petermann, F., & von Marees, N. (2009). Der Bullying- und Viktimisierungsfragebogen fuer Kinder (BVF-K): Konstruktion und Analyse eines Verfahrens zur Erhebung von Bullying im Vor- und Grundschulalter. Praxis der Kinderpsychologie und Kinderpsychiatrie, 58(2), 96-109. [URL link]

bul0601 – bullying: stress caused by physical threat (t,u,s, <=10 yr)

1	1: not bad at all	2
2	2: slightly bad	10
3	3: quite bad	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7270
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How bad is it for you if other children deliberately hurt you?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & bul0600 >1

Source: Adapted from: Petermann, F., & von Marees, N. (2009). Der Bullying- und Viktimisierungsfragebogen fuer Kinder (BVF-K): Konstruktion und Analyse eines Verfahrens zur Erhebung von Bullying im Vor- und Grundschulalter. Praxis der Kinderpsychologie und Kinderpsychiatrie, 58(2), 96-109. [URL link]

bul0700 – bullying: frequency of exclusion (t,u,s, <=10 yr)

1	1: never	17
2	2: occasionally	15
3	3: very often	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often do other children not let you play with them?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Petermann, F., & von Marees, N. (2009). Der Bullying- und Viktimisierungsfragebogen fuer Kinder (BVF-K): Konstruktion und Analyse eines Verfahrens zur Erhebung von Bullying im Vor- und Grundschulalter. Praxis der Kinderpsychologie und Kinderpsychiatrie, 58(2), 96-109. [URL link]

bul0701 – bullying: stress caused by exclusion (t,u,s, <=10 yr)

1	1: not bad at all	5
2	2: slightly bad	12
3	3: quite bad	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How bad is it for you if other children won't let you play with them?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & bul0700 >1
Source: Adapted from: Petermann, F., & von Marees, N. (2009). Der Bullying- und Viktimisierungsfragebogen fuer Kinder (BVF-K): Konstruktion und Analyse eines Verfahrens zur Erhebung von Bullying im Vor- und Grundschulalter. Praxis der Kinderpsychologie und Kinderpsychiatrie, 58(2), 96-109. [URL link]

bul0800 – bullying: frequency of rumors (t,u,s, <=10 yr)

1	1: never	28
2	2: occasionally	3
3	3: very often	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7251
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How often does another child say nasty things about you so that the others don't like you anymore?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9
Source: Adapted from: Petermann, F., & von Marees, N. (2009). Der Bullying- und Viktimisierungsfragebogen fuer Kinder (BVF-K): Konstruktion und Analyse eines Verfahrens zur Erhebung von Bullying im Vor- und Grundschulalter. Praxis der Kinderpsychologie und Kinderpsychiatrie, 58(2), 96-109. [URL link]

bul0801 – bullying: stress caused by rumors (t,u,s, <=10 yr)

1	1: not bad at all	1
2	2: slightly bad	4
3	3: quite bad	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7281
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `How bad is it for you when another child says nasty things about you so that the others don't like you anymore?`
Filter based on instrument: module 'children under 10' (CAPI/CAPIbyPhone): (ptyp==200) & age0110<=9 & bul0800 >1
Source: Adapted from: Petermann, F., & von Marees, N. (2009). Der Bullying- und Viktimisierungsfragebogen fuer Kinder (BVF-K): Konstruktion und Analyse eines Verfahrens zur Erhebung von Bullying im Vor- und Grundschulalter. Praxis der Kinderpsychologie und Kinderpsychiatrie, 58(2), 96-109. [URL link]

46 Life events

This chapter contains information on: occurence and subjective evaluation of different life events (e.g., marriage, death, unemployment).

lev0100 – life events: separation (>= 10 yr)

1	1: yes	94
2	2: yes, divorce (asked for >= 16 yrs)	27
3	3: yes, separated (asked for >= 16 yrs)	284
4	4: yes, as well divoced as separated (asked for >= 16 yrs)	2
5	5: no	4161
6	6: no, I have / had no boyfriend or partner / no girlfriend or partner	632
7	7: no, I've never had a boyfriend or partner / girlfriend or partner	927
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	10
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	10

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Have you and your partner separated or divorced from each other in the last 12 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & ((lev2121 !=1 & lev2100==1) | lev2100==2 | lev2100==-99)
Item developed for TwinLife.

lev0101 – life events: separation ever before (>= 10 yr)

1	1: yes	57
2	2: no	93
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5994
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & new==1 & (lev0100==5 | lev0100==6)
Item developed for TwinLife.

lev0103 – life events: separation subj. rating (>= 10 yr)

0	0: neither negative nor positive	61
1	1: rather positive	62
2	2: positive	26
3	3: very positive	17
-1	-1: rather negative	88
-2	-2: negative	105
-3	-3: very negative	98
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5680
-98	-98: don't know	7
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How was it for you?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & ((inlist(lev0100,1,2,3,4)) | (lev0101==1))
Item developed for TwinLife.

lev0300 – life events: separation parents (t,u,s,p,q, >= 10 yr)

1	1: yes	25
2	2: yes, divorce	25
3	3: yes, separated	30
4	4: yes, as well divoced as separated	7
5	5: no, neither nor	3711
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2300
-98	-98: don't know	42
-99	-99: not specified (refused to answer)	7

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Have your parents or one of your parents separated or divorced from each other in the last 12 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200))
Item developed for TwinLife.

lev0301 – life events: separation parents ever before (t,u,s,p,q, >= 10 yr)

1	1: yes	47
2	2: no	91
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6006
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200)) & new==1 & lev0300==5
Item developed for TwinLife.

lev0303 – life events: separation parents subj. rating (t,u,s,p,q, >= 10 yr)

0	0: neither negative nor positive	27
1	1: rather positive	10
2	2: positive	6
3	3: very positive	6
-1	-1: rather negative	17
-2	-2: negative	38
-3	-3: very negative	25
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6010
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How was it for you?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200)) & ((inlist(lev0300,1,2,3,4)) | lev0301==1)
Item developed for TwinLife.

lev0500 – life events: new relationship (>= 10 yr)

1	1: yes	149
2	2: yes, new relationship (asked for >= 16 yrs)	387
3	3. yes, married (asked for >= 16 yrs)	75
4	4: yes, as well new relationship as married (asked for >= 16 yrs)	2
5	5: no	4603
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	927
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Have you started a new relationship or got married in the last 12 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev0100 !=7)
Item developed for TwinLife.

lev0501 – life events: new relationship ever before (>= 10 yr)

1	1: yes	66
2	2: no	48
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6030
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & new==1 & lev0500==5
Item developed for TwinLife.

lev0503 – life events: new relationship (>= 10 yr)

0	0: neither negative nor positive	40
1	1: rather positive	80
2	2: positive	215

3	3: very positive	319
-1	-1: rather negative	7
-2	-2: negative	3
-3	-3: very negative	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5465
-98	-98: don't know	9
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How was it for you?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400
& ((inlist(lev0500,1,2,3,4)) | lev0501==1)
Item developed for TwinLife.

lev0900 – life events: money worries (>= 14 yr)

1	1: yes	406
2	2: no	4711
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1027
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Did you or have you had financial worries or serious financial problems in the last 12 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& (age0110>=15)
Item developed for TwinLife.

lev0901 – life events: money worries ever before (>= 14 yr)

1	1: yes	20
2	2: no	112
-84	-84: unassignable	0
-85	-85: information not evaluable	0

-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6012
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (new==1) & (lev0900==2)
Item developed for TwinLife.

lev1000 – life events: money worries family member (>= 10 yr)

1	1: yes	663
2	2: no	5474
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `[IF age >= 10 AND <= 15] Has anyone in your family experienced significant financial difficulties or serious financial problems in the last 12 months? By family, we mean your closest relatives, such as your parents and siblings. [IF age >= 16 AND IF ptyp = 1, 2, 110, 120 OR 200] Has anyone in your family experienced significant financial difficulties or serious financial problems in the last 12 months? By family, we mean your closest relatives, such as parents, siblings, and your partner. [IF age >= 16 AND IF ptyp = 300, 400, 500 OR 600] Has anyone in your family experienced significant financial difficulties or serious financial problems in the last 12 months? By family, we mean your closest relatives, such as parents, children, siblings, and your partner.`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400
Item developed for TwinLife.

lev1001 – life events: money worries family member ever before (>= 10 yr)

1	1: yes	25
2	2: no	108
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6011
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400
& new==1 & lev1000==2
Item developed for TwinLife.

lev1100 – life events: Pregnancy/ birth (>= 16 yr)

1	1: yes	0
2	2: yes, had a child	108
3	3: yes, was pregnant	18
4	4: yes, at the start of a pregnancy	72
5	5: no	4446
-81	-81: does not apply, had no partner	422
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `[IF sex = 2] Have you given birth to a child yourself in the last 12 months or were you pregnant during that time? [IF sex = 1] If you have had a partner in the last 12 months, has your partner given birth to a child or been pregnant during that period? [IF sex = 3] Have you given birth to a child in the last 12 months or were you or your partner pregnant during that time?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
& (age0110>=16)
Item developed for TwinLife.

lev1101 – life events: Pregnancy/ birth ever before (t,u,s,p,q,n,g, >= 16 yr)

1	1: yes	13
2	2: no	122
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6009
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (new==1) & !inlist(ptyp,300,400) & (lev1100==5)
Item developed for TwinLife.

lev1103 – life events: Pregnancy/ birth subj. Rating (>= 16 yr)

0	0: neither negative nor positive	5
1	1: rather positive	16
2	2: positive	55
3	3: very positive	120
-1	-1: rather negative	9
-2	-2: negative	4
-3	-3: very negative	2
-81	-81: I have not had a pregnancy or childbirth.	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5933
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How was it or how is it for you?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & ((lev1101==1) | (inlist(lev1100,2,3,4)))
Item developed for TwinLife.

lev1600 – life events: own accident/ illness (>= 10 yr)

1	1: yes	436
2	2: no	5708
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Did you have a serious accident, a serious injury, or a sudden serious illness in the last 12 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400
Item developed for TwinLife.

lev1601 – life events: own accident/ illness ever before (>= 10 yr)

1	1: yes	29
2	2: no	117
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400
& new==1 & lev1600==2
Item developed for TwinLife.

lev1800 – life events: own job loss (>= 16 yr)

1	1: yes	148

2	2: no	4315
-81	-81: does not apply, I did not work	355
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1326
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Did you lose your job in the last 12 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (age0110>=16) & (edu0100!=2 | age0110>=22)
Item developed for TwinLife.

lev1801 – life events: own job loss ever before (>= 16 yr)

1	1: yes	14
2	2: no	114
-81	-81: does not apply, I did not work	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6016
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (new==1) & ((lev1800==2) | (lev1800==-97)) & (edu0100!=2 | age0110>=22)
Item developed for TwinLife.

lev1803 – life events: own job loss subj. rating (>= 16 yr)

0	0: neither negative nor positive	27
1	1: rather positive	23
2	2: positive	13
3	3: very positive	8
-1	-1: rather negative	31
-2	-2: negative	30
-3	-3: very negative	30
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How was it for you?`
Filter based on instrument: module 'life events' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (lev1800==1 | lev1801==1)
Item developed for TwinLife.

lev2100 – life events: Death (>= 10 yr)

1	1: yes	1364
2	2: no	4776
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Generated variable
In CATI2 this question was not asked if deceased persons were already indicated in the family record. In this case, the variable was set automatically to 1: yes
Item developed for TwinLife.

lev2101 – life events: Death ever before (>= 10 yr)

1	1: yes	106
2	2: no	17
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6021

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400
& new==1 & lev2100==2
Item developed for TwinLife.

lev2103 – life events: Death subj. rating (>= 10 yr)

0	0: neither negative nor positive	128
1	1: rather positive	26
2	2: positive	14
3	3: very positive	2
-1	-1: rather negative	308
-2	-2: negative	505
-3	-3: very negative	457
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	29
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How was it for you?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400
& (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2111 – life events: Death twin 1 (>= 10 yr)

0	0: not mentioned	1468
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `[IF ptyp != 1] [name twin 1]`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400
& (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2112 – life events: Death twin 2 (>= 10 yr)

0	0: not mentioned	1469
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `[IF ptyp != 2] [name twin 2]`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2113 – life events: Death sibling (>= 10 yr)

0	0: not mentioned	1459
1	1: mentioned	11
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `(other) sibling (step-sibling, adoptive sibling)`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2114 – life events: Death child (>= 10 yr)

0	0: not mentioned	1467
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `(other) child (step-child, adoptive child)`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2115 – life events: Death parents (>= 10 yr)

0	0: not mentioned	1281
1	1: mentioned	189
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `parents`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2116 – life events: Death stepparents (>= 10 yr)

0	0: not mentioned	1462
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `step-parents, adoptive parents`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2117 – life events: Death parents-in- law (>= 10 yr)

0	0: not mentioned	1341
1	1: mentioned	129
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `parents-in-law, parents of partner`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2118 – life events: Death grandparents (>= 10 yr)

0	0: not mentioned	910
1	1: mentioned	560
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `grandparents`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2119 – life events: Death grandparents of the partner (>= 10 yr)

0	0: not mentioned	1402
1	1: mentioned	68
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `Who was that?` [item text: `grandparents of partner`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2120 – life events: Death aunt/uncle (>= 10 yr)

0	0: not mentioned	1262
1	1: mentioned	208
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `aunt, uncle`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2121 – life events: Death partner (>= 10 yr)

0	0: not mentioned	1460
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `partner`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2122 – life events: Death another familiar person (>= 10 yr)

0	0: not mentioned	1235
1	1: mentioned	235
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `other person within family`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2123 – life events: Death another non-familiar person (>= 10 yr)

0	0: not mentioned	1241
1	1: mentioned	229
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `important person outside family`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2197 – life events: Death not assigned (>= 10 yr)

0	0: not mentioned	1444
1	1: mentioned	26
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `cannot be allocated`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2199 – life events: Death not specified (>= 10 yr)

0	0: not mentioned	1470
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4674
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 2; F2F 3; F2F 4; F2F 5
Question text: `Who was that?` [item text: `not specified`]
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200,300,400 & (lev2100==1 | lev2101==1)
Item developed for TwinLife.

lev2600 – life events: school class repeated (t,u,s,p,q, >= 10 yr)

1	1: yes	25
2	2: no	1295
-81	-81: doesn't apply, didn't go to school (anymore)	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4825
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Have you had to repeat a class or school year in the past 12 months?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200)) & edu0100==2
Item developed for TwinLife.

lev2601 – life events: school class repeated ever before (t,u,s,p,q, >= 10 yr)

1	1: yes	0
2	2: no	6
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6138
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has it ever happened before?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200)) & lev2600==2 & new==1
Item developed for TwinLife.

lev2603 – life events: school class repeated subject. feeling (t,u,s,p,q, >= 10 yr)

0	0: neither negative nor positive	14
1	1: rather positive	3
2	2: positive	0
3	3: very positive	1
-1	-1: rather negative	1
-2	-2: negative	2
-3	-3: very negative	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6119
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text: `How was it for you?`
Filter based on instrument: module 'life events' (CASI/CAWI): (age0110>=10) & (inlist(ptyp,1,2,110,120,200)) & (lev2600==1 | lev2601==1)
Item developed for TwinLife.

47 Life transitions

This chapter contains information on: occurrence and subjective evaluation of important life transitions and developmental tasks (e.g. school enrolment, stays abroad, entering labor market, romantic relationships, change of social environment).

tra0100 – transitions: moving out of parental home (t,u,s)

1	1: yes	314
2	2: no	1089
-84	-84: unassignable	0
-85	-85: information not evaluable	0

-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5887
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Have you ever moved out of the parental home?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (age0110>=15) & (inlist(ptyp,1,2,200)) & (tra0100_preload!=1)
Item developed for TwinLife.

tra0100t – transitions twin 1: moving out of parental home (m,f,n,g)

1	1: yes	279
2	2: no	632
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	6365
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	5

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Has [name of child] ever moved out of the parental home?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & age0110t>=15 & (tra0100t_preload!=1)
Item developed for TwinLife.

tra0100u – transitions twin 2: moving out of parental home (m,f,n,g)

1	1: yes	301
2	2: no	644
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	6336
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	4

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Has [name of child] ever moved out of the parental home?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & age0110t>=15 & (tra0100u_preload!=1)
Item developed for TwinLife.

tra0100s – transitions sibling: moving out of parental home (m,f,n,g)

1	1: yes	165
2	2: no	555
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	34
-95	-95: doesn't apply (screened out)	6523
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	12

Waves: CATI 1; F2F 2; F2F 4; F2F 5
Question text: `Has [name of child] have ever moved out of the parental home?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & age0110s>=15 & (tra0100s_preload!=1)
Item developed for TwinLife.

tra0101 – transitions: moving out subj. rating (t,u,s)

0	0: neutral	46
1	1	27
2	2	57
3	3	71
4	4	35
5	5: very positive	49
-1	-1	13
-2	-2	7
-3	-3	4
-4	-4	1

-5	-5: very negative	4
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6975
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about moving out?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (age0110>=15) & (inlist(ptyp,1,2,200)) & (tra0100==1)
Item developed for TwinLife.

tra0101t – transitions twin 1: moving out parent subj. rating (m,f,n,g)

0	0: neutral	68
1	1	9
2	2	25
3	3	42
4	4	30
5	5: very positive	37
-1	-1	18
-2	-2	25
-3	-3	13
-4	-4	3
-5	-5: very negative	8
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7010
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the move out.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0100t==1)
Item developed for TwinLife.

tra0101u – transitions twin 2: moving out parent proxy rating (m,f,n,g)

0	0: neutral	78
1	1	9
2	2	20
3	3	41
4	4	30
5	5: very positive	49
-1	-1	19
-2	-2	30
-3	-3	12
-4	-4	6
-5	-5: very negative	4
-81	-81: Not yet had this experience	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6988
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the move out.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0100u==1)
Item developed for TwinLife.

tra0101s – transitions sibling: moving out parent proxy rating (m,f,n,g)

0	0: neutral	31
1	1	5
2	2	14
3	3	22
4	4	27
5	5: very positive	32
-1	-1	8
-2	-2	7
-3	-3	5
-4	-4	0
-5	-5: very negative	6
-81	-81: Not yet had this experience	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7124
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; F2F 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the move out.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0100s==1)
Item developed for TwinLife.

tra0200 – transitions: change from sec. school (t,u,s)

1	1: yes	565
2	2: no	111
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6614
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Have you moved from secondary school to university, vocational training, work, etc.?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (age0110>=15) & (inlist(ptyp,1,2,200)) & (tra0200_preload!=1) & (edu0100!=2 | age0110>=23)
Item developed for TwinLife.

tra0200t – transitions twin 1: change from sec. school (m,f,n,g)

1	1: yes	470
2	2: no	184
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	4
-95	-95: doesn't apply (screened out)	6625
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	4

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5

Question text: `Has [name of child] moved from secondary school to university, vocational training, work, etc.?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (age0110t>=15) & (tra0200t_preload!=1)
Item developed for TwinLife.

tra0200u – transitions twin 2: change from sec. school (m,f,n,g)

1	1: yes	462
2	2: no	215
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	4
-95	-95: doesn't apply (screened out)	6605
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Has [name of child] moved from secondary school to university, vocational training, work, etc.?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (age0110t>=15) & (tra0200u_preload!=1)
Item developed for TwinLife.

tra0200s – transitions sibling: change from sec. school (m,f,n,g)

1	1: yes	193
2	2: no	348
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	37
-95	-95: doesn't apply (screened out)	6699
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	12

Waves: CATI 1; F2F 2; F2F 4; F2F 5
Question text: `Has [name of child] moved from secondary school to university, vocational training, work, etc.?`

Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (age0110s>=15) & (tra0200s_preload!=1)
Item developed for TwinLife.

tra0201 – transitions: change from sec. school subj. rating (t,u,s)

0	0: neutral	81
1	1	31
2	2	81
3	3	127
4	4	87
5	5: very positive	82
-1	-1	36
-2	-2	23
-3	-3	8
-4	-4	3
-5	-5: very negative	4
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6725
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the transition.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (age0110>=15) & (inlist(ptyp,1,2,200)) & (tra0200==1)
Item developed for TwinLife.

tra0201t – transitions twin 1: change from sec. school parent subj. rating (m,f,n,g)

0	0: neutral	61
1	1	6
2	2	29
3	3	74
4	4	98
5	5: very positive	166
-1	-1	8
-2	-2	13
-3	-3	8
-4	-4	0
-5	-5: very negative	6
-81	-81: Not yet had this experience	1
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6819
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the transition.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0200t==1)
Item developed for TwinLife.

tra0201u – transitions twin 2: change from sec. school parent subj. rating (m,f,n,g)

0	0: neutral	55
1	1	9
2	2	27
3	3	67
4	4	96
5	5: very positive	175
-1	-1	12
-2	-2	11
-3	-3	5
-4	-4	3
-5	-5: very negative	1
-81	-81: Not yet had this experience	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6827
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the transition.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0200u==1)
Item developed for TwinLife.

tra0201s – transitions sibling: change from sec. school parent subj. rating (m,f,n,g)

0	0: neutral	23
1	1	3

2	2	15
3	3	23
4	4	25
5	5: very positive	88
-1	-1	5
-2	-2	5
-3	-3	1
-4	-4	1
-5	-5: very negative	0
-81	-81: Not yet had this experience	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7096
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the transition.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0200s==1)
Item developed for TwinLife.

tra0300 – transitions: dropping out from training/university (t,u,s)

1	1: yes	156
2	2: no	1944
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5189
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Have you ever dropped out from a training or university?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (age0110>=15) & (inlist(ptyp,1,2,200)) & (tra0200==1 | tra0200_preload==1) & (tra0300_preload!=1) & (edu0100!=2)
Item developed for TwinLife.

tra0300t – transitions twin 1: dropping out from training/university (m,f,n,g)

1	1: yes	44
2	2: no	425
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6820
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Has [name of child] ever dropped out from a training or university?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,300,400,500,600)) & (age0110t>=15 & tra0200t==1) & (tra0300t_preload!=1)
Item developed for TwinLife.

tra0300u – transitions twin 2: dropping out from training/university (m,f,n,g)

1	1: yes	37
2	2: no	425
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6827
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Has [name of child] ever dropped out from a training or university?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,300,400,500,600)) & (age0110t>=15 & tra0200u==1) & (tra0300u_preload!=1)
Item developed for TwinLife.

tra0300s – transitions sibling: dropping out from training/university (m,f,n,g)

1	1: yes	27

2	2: no	164
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7097
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 4; F2F 5
Question text: `Has [name of child] ever dropped out from a training or university?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inlist(ptyp,300,400,500,600)) & (age0110s>=15 & tra0200s==1) & (tra0300s_preload!=1)
Item developed for TwinLife.

tra0301 – transitions: dropping out from training/university subj. (t,u,s)

0	0: neutral	31
1	1	2
2	2	9
3	3	22
4	4	9
5	5: very positive	19
-1	-1	7
-2	-2	14
-3	-3	19
-4	-4	9
-5	-5: very negative	15
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7133
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `[IF tra0300 = 1] How was this dropout at that time for you personally? [IF (eca1205 = 2 OR eca1205 = 3)] You indicated that you dropped out from a training or university. How was this dropout at that time for you personally? [ALL] Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the dropout.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (age0110>=15) & (inlist(ptyp,1,2,200)) & (tra0300==1)

Item developed for TwinLife.

tra0301t – transitions twin 1: dropping out from training/uni parent subj. rating (m,f,n,g)

0	0: neutral	13
1	1	0
2	2	2
3	3	4
4	4	3
5	5: very positive	1
-1	-1	4
-2	-2	6
-3	-3	3
-4	-4	0
-5	-5: very negative	8
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7245
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the dropout.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0300t==1)
Item developed for TwinLife.

tra0301u – transitions twin 2: dropping out from training/uni parent subj. rating (m,f,n,g)

0	0: neutral	7
1	1	1
2	2	2
3	3	3
4	4	8
5	5: very positive	3
-1	-1	3
-2	-2	3
-3	-3	2
-4	-4	1
-5	-5: very negative	4
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7252
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the dropout.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0300u==1)
Item developed for TwinLife.

tra0301s – transitions sibling: dropping out from training/uni parent subj. (m,f,n,g)

0	0: neutral	11
1	1	0
2	2	2
3	3	3
4	4	0
5	5: very positive	0
-1	-1	2
-2	-2	4
-3	-3	3
-4	-4	0
-5	-5: very negative	1
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7262
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; F2F 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the dropout.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0300s==1)
Item developed for TwinLife.

tra0400t – transitions twin 1: enrollment (m,f,n,g)

1	1: yes	0
2	2: no	0
-84	-84: unassignable	0
-85	-85: information not evaluable	0

-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7289
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has [name of child] already been enrolled in school?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inrange(age0110t,1,8) & inlist(ptyp,300,400,500,600) & (tra0400t_preload!=1)
Item developed for TwinLife.

tra0400u – transitions twin 2: enrollment (m,f,n,g)

1	1: yes	0
2	2: no	0
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7289
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has [name of child] already been enrolled in school?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inrange(age0110t,1,8) & inlist(ptyp,300,400,500,600) & (tra0400u_preload!=1)
Item developed for TwinLife.

tra0400s – transitions sibling: enrollment (m,f,n,g)

1	1: yes	49
2	2: no	13
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7224
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Has [name of child] already been enrolled in school?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inrange(age0110s,1,8) & inlist(ptyp,300,400,500,600) & (tra0400s_preload!=1)
Item developed for TwinLife.

tra0401t – transitions twin 1: enrollment parent subj. rating (m,f,n,g)

0	0: neutral	0
1	1	0
2	2	0
3	3	0
4	4	0
5	5: very positive	0
-1	-1	0
-2	-2	0
-3	-3	0
-4	-4	0
-5	-5: very negative	0
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7289
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the enrollment.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0400t==1)
Item developed for TwinLife.

tra0401u – transitions twin 2: enrollment parent subj. rating (m,f,n,g)

0	0: neutral	0
1	1	0
2	2	0

3	3	0
4	4	0
5	5: very positive	0
-1	-1	0
-2	-2	0
-3	-3	0
-4	-4	0
-5	-5: very negative	0
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7289
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the enrollment.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0400u==1)
Item developed for TwinLife.

tra0401s – transitions sibling: enrollment parent subj. rating (m,f,n,g)

0	0: neutral	4
1	1	0
2	2	1
3	3	10
4	4	11
5	5: very positive	22
-1	-1	0
-2	-2	0
-3	-3	0
-4	-4	0
-5	-5: very negative	0
-81	-81: Not yet had this experience	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7240
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the enrollment.`

Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0400s==1)
Item developed for TwinLife.

tra0500 – transitions: change to sec.school (t,u,s, <= 14 yr)

1	1: yes	210
2	2: no	43
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7035
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Have you moved from primary to secondary school?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inrange(age0110,10,14)) & (inlist(ptyp,1,2,200)) & (tra0500_preload!=1)
Item developed for TwinLife.

tra0500t – transitions twin 1: change to sec.school (m,f,n,g)

1	1: yes	125
2	2: no	33
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7129
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Has [name of child] moved from primary to secondary school?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (inrange(age0110t,8,14)) & (tra0500t_preload!=1)
Item developed for TwinLife.

tra0500u – transitions twin 2: change to sec.school (m,f,n,g)

1	1: yes	127
2	2: no	34
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Has [name of child] moved from primary to secondary school?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (inrange(age0110t,8,14)) & (tra0500u_preload!=1)
Item developed for TwinLife.

tra0500s – transitions sibling: change to sec.school (m,f,n,g)

1	1: yes	50
2	2: no	59
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	7178
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: CATI 1; F2F 2; F2F 4; F2F 5
Question text: `Has [name of child] moved from primary to secondary school?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (inrange(age0110s,8,14)) & (tra0500s_preload!=1)
Item developed for TwinLife.

tra0501 – transitions: change to sec.school subj. rating (t,u,s, <= 14 yr)

0	0: neutral	58

1	1	7
2	2	12
3	3	32
4	4	39
5	5: very positive	39
-1	-1	9
-2	-2	7
-3	-3	5
-4	-4	1
-5	-5: very negative	1
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7079
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `You indicated you are going to a secondary school. Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the transition.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (inrange(age0110,10,14)) & (inlist(ptyp,1,2,200)) & (tra0500==1)
Item developed for TwinLife.

tra0501t – transitions twin 1: change to sec.school parent subj. rating (m,f,n,g)

0	0: neutral	23
1	1	1
2	2	9
3	3	18
4	4	27
5	5: very positive	38
-1	-1	3
-2	-2	3
-3	-3	1
-4	-4	1
-5	-5: very negative	1
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7164
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the transition.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0500t==1)
Item developed for TwinLife.

tra0501u – transitions twin 2: change to sec.school parent subj. rating (m,f,n,g)

0	0: neutral	25
1	1	1
2	2	13
3	3	22
4	4	23
5	5: very positive	34
-1	-1	4
-2	-2	3
-3	-3	1
-4	-4	1
-5	-5: very negative	0
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7162
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the transition.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0500u==1)
Item developed for TwinLife.

tra0501s – transitions sibling: change to sec.school parent subj. rating (m,f,n,g)

0	0: neutral	8
1	1	4
2	2	5
3	3	8
4	4	12
5	5: very positive	10
-1	-1	1
-2	-2	1
-3	-3	1
-4	-4	0

-5	-5: very negative	0
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7239
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 1; F2F 2; F2F 4; F2F 5
Question text: `Please indicate on a scale of -5, 'very negative', about 0 neutral, to 5 'very positive', how you personally felt about the transition.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0500s==1)
Item developed for TwinLife.

tra0600 – self - starting a family (t,u,s)

1	1: yes	104
2	2: no	2558
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4628
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Do you already have a family of your own? By this we mean are you already married or do you have children.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (age0110>=15) & (inlist(ptyp,1,2,200)) & (tra0600_preload!=1)
Item developed for TwinLife.

tra0600t – transitions twin 1: starting a family (m,f,n,g)

1	1: yes	100
2	2: no	1446
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0

-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	10
-95	-95: doesn't apply (screened out)	5723
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	6

Waves: F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Does [name of child] have a family of his/her own? By this we mean whether [name of child] has already married or had children.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & age0110t>=15 & (tra0600t_preload!=1)
Item developed for TwinLife.

tra0600u – transitions twin 2: starting a family (m,f,n,g)

1	1: yes	73
2	2: no	1479
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	8
-95	-95: doesn't apply (screened out)	5721
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	6

Waves: F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Does [name of child] have a family of his/her own? By this we mean whether [name of child] has already married or had children.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & age0110t>=15 & (tra0600u_preload!=1)
Item developed for TwinLife.

tra0600s – transitions sibling: starting a family (m,f,n,g)

1	1: yes	64
2	2: no	1045
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0

-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	77
-95	-95: doesn't apply (screened out)	6087
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	14

Waves: F2F 2; F2F 4; F2F 5
Question text: `Does [name of child] have a family of his/her own?`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & age0110s>=15 & (tra0600s_preload!=1)
Item developed for TwinLife.

tra0601 – transitions: starting a family - subj. feeling (t,u,s)

0	0: neutral	3
1	1	2
2	2	0
3	3	5
4	4	19
5	5: very positive	74
-1	-1	0
-2	-2	0
-3	-3	0
-4	-4	0
-5	-5: very negative	1
-81	-81: Not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7185
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale from -5 'very negative', through 0 'neutral', to 5 'very positive', how this family formation was for you personally at the time.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): (age0110>=15) & (inlist(ptyp,1,2,200)) & (tra0600==1)
Item developed for TwinLife.

tra0601t – transitions twin 1: starting a family - subj. feeling (m,f,n,g)

0	0: neutral	5

1	1	0
2	2	5
3	3	7
4	4	12
5	5: very positive	67
-1	-1	0
-2	-2	3
-3	-3	0
-4	-4	0
-5	-5: very negative	1
-81	-81: not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7189
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale from -5 'very negative', through 0 'neutral', to 5 'very positive', how this family formation was for you personally at the time.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0600t==1)
Item developed for TwinLife.

tra0601u – transitions twin 2: starting a family - subj. feeling (m,f,n,g)

0	0: neutral	5
1	1	1
2	2	3
3	3	8
4	4	10
5	5: very positive	44
-1	-1	0
-2	-2	0
-3	-3	0
-4	-4	2
-5	-5: very negative	0
-81	-81: not yet had this experience	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7216
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; CATI 3; F2F 4; CATI 4; F2F 5
Question text: `Please indicate on a scale from -5 'very negative', through 0 'neutral', to 5 'very positive', how this family formation was for you personally at the time.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0600u==1)
Item developed for TwinLife.

tra0601s – transitions sibling: starting a family - subj. feeling (m,f,n,g)

0	0: neutral	5
1	1	0
2	2	4
3	3	6
4	4	13
5	5: very positive	30
-1	-1	2
-2	-2	1
-3	-3	0
-4	-4	0
-5	-5: very negative	2
-81	-81: not yet had this experience	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	7225
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 4; F2F 5
Question text: `Please indicate on a scale from -5 'very negative', through 0 'neutral', to 5 'very positive', how this family formation was for you personally at the time.`
Filter based on instrument: module 'transition, trust' (CAPI/CAPIbyPhone): inlist(ptyp,300,400,500,600) & (tra0600s==1)
Item developed for TwinLife.

48 COVID-19 supplementary survey: current socio-economic situation, behavior and health

This chapter contains information on: COVID-19-related behavioral changes, resilience, coping; behavior, attitudes, stresses, and constraints during the Covid-19 pandemic; corona infections; evaluation of governmental restrictions; health during COVID-19 pandemic; perceived threat, stress and burden, psychological impairment.

cov0002t – health of twin 1 during the corona pandemic (m/f/n/g)

1	1: click to continue	491
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `In the following, we would like to ask you about the health of [name of child] during the pandemic.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov0002u – health of twin 2 during the corona pandemic (m/f/n/g)

1	1: click to continue	491
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `In the following, we would like to ask you about the health of [name of child] during the pandemic.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov0002s – health of sibling during the corona pandemic (m/f/n/g)

1	1: click to continue	170
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `In the following, we would like to ask you about the health of [name of child] during the pandemic.`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov0410 – difficulty: homeoffice (>=16 yr)

1	1: not difficult at all	834
2	2	298
3	3	224
4	4	79
5	5	89
6	6	45
7	7	34
8	8	43
9	9	10
10	10: extremely difficult	14
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5606
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	12

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `With the COVID-19 pandemic in mind, how difficult has it been for you to work from home so far?`
Filter based on instrument: module 'occupation' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,60
& age0110>=16 & emp0720 >1

cov0703 – have own children (t,u,s, >= 16 yr)

1	1: yes	163
2	2: no	768
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6359

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `The final section of this survey is about the impact of the COVID-19 pandemic on children. Do you have children of your own?`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (ptyp==200 | inlist(ptyp,110,120)) & age0110>=16

cov0704 – worries about future of children

1	1: does not apply	1496
2	2: mostly does not apply	511
3	3: partly applies/partly doesn't apply	441
4	4: mostly applies	352
5	5: does apply	174
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	4282
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	11

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `The final section of this survey is about the impact of the COVID-19 pandemic on children. To what extent does the following statement apply to you?` [item text: `I am concerned that at least one of my children has been denied opportunities for the future because of the pandemic.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2) & (flh==1 | fli==1 | flj==1 | flk==1 | fll==1)) | (inlist(ptyp,110,120,200) & cov0703==1) | (inlist(ptyp,300,400,500,600) & age0110>=16)

cov0711 – form of teaching

1	1: face-to-face teaching	789
2	2: homeschooling	0
3	3: alternation between face-to-face and homeschooling	7
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	18
-95	-95: doesn't apply (screened out)	6476
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `How do school lessons currently take place?`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & (edu0100==2 | edu0301==1) & cov3000==1

cov0713 – evaluation of own learning performance in the last 12 months

1	1: Learning was very easy for me.	141
2	2: Learning was somewhat easy for me.	482
3	3: Learning was neither easy nor difficult for me.	633
4	4: Learning was somewhat difficult for me.	261
5	5: Learning was very difficult for me.	36
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	37
-95	-95: doesn't apply (screened out)	5699
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `How difficult have you found it to learn in the last 12 months?`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200) | inlist(ptyp,300,400,500,600) | inlist(ptyp,110,120)) & (edu0100==2 | edu0301==1)
Item developed for TwinLife.

cov0720 – school-aged child present (>=16 yr)

1	1: yes	1314
2	2: no	1672
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	4282
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `Do you have at least one school-age child?`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2) & (flh==1 | fli==1 | flj==1 | flk==1 | fll==1)) | (inlist(ptyp,110,120,200) & cov0703==1) | (inlist(ptyp,300,400,500,600) & age0110>=16)

cov0721 – worries: lose touch (>=16 yr)

1	1: does not apply	592
2	2: mostly does not apply	227
3	3: partly applies/partly doesn't apply	217
4	4: mostly applies	166
5	5: does apply	109
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] To what extent do the following statements apply to you? Because of limited childcare and school options, I am concerned that at least one of my children. . .` [item text: `has lost or will lose touch with what they are learning in school.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): cov0720==1

cov0722 – worries: poorer school-leaving qualification (>=16 yr)

1	1: does not apply	634
2	2: mostly does not apply	245
3	3: partly applies/partly doesn't apply	175
4	4: mostly applies	164
5	5: does apply	91
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] To what extent do the following statements apply to you? Because of limited childcare and school options, I am concerned that at least one of my children. . .` [item text: `will achieve a poorer school-leaving qualification.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): cov0720==1

cov0723 – worries: impaired development (>=16 yr)

1	1: does not apply	578
2	2: mostly does not apply	257
3	3: partly applies/partly doesn't apply	231
4	4: mostly applies	165
5	5: does apply	80
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] To what extent do the following statements apply to you? Because of limited childcare and school options, I am concerned that at least one of my children. . .` [item text: `development will be impaired.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): cov0720==1

cov0724 – perception of competence: support in homeschooling (>=16 yr)

1	1: does not apply	83
2	2: mostly does not apply	127
3	3: partly applies/partly doesn't apply	301
4	4: mostly applies	319
5	5: does apply	463
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	18

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `I have felt able to support my child/children in working on school related tasks.`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): cov0720==1

cov0725 – utilization of support services (>=16 yr)

1	1: yes	372
2	2: no	937

-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5975
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	4

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `Are you currently using or have you used support services for any of your children (e. g. , tutoring, homework supervision, supplemental instruction) because of the pandemic?`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): cov0720==1

cov0900 – impact of corona: health (>=16 yr)

1	1: no threat to me at all	454
2		588
3		646
4		320
5		366
6		245
7		203
8		145
9		34
10	10: extreme threat to me	51
-81	-81: not applicable	7
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	5

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the COVID-19 pandemic as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your health`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Source: Adapted from: German Internet Panel (GIP). (2020). Mannheim Corona Study (MCS). [URL link]

cov0901 – impact of corona: economic situation (>=16 yr)

1	1: no threat to me at all	889
2		494
3		453
4		277
5		305
6		184
7		169
8		131
9		29
10	10: extreme threat to me	37
-81	-81: not applicable	87
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	8

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the COVID-19 pandemic as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your economic situation`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Source: Adapted from: German Internet Panel (GIP). (2020). Mannheim Corona Study (MCS). [URL link]

cov0902 – impact of corona: opportunities for education and training (>=16 yr)

1	1: no threat to me at all	1231
2		458
3		336
4		160
5		229
6		138
7		109
8		60
9		25
10	10: extreme threat to me	23
-81	-81: not applicable	285
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	6

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the COVID-19 pandemic as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your opportunities for education and training`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Source: Adapted from: German Internet Panel (GIP). (2020). Mannheim Corona Study (MCS). [URL link]

cov0903 – impact of corona: personal freedom (>=16 yr)

1	1: no threat to me at all	642
2		483
3		432
4		285
5		346
6		215
7		232
8		214
9		85
10	10: extreme threat to me	99
-81	-81: not applicable	25
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	5

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the COVID-19 pandemic as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your personal freedom`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Source: Adapted from: German Internet Panel (GIP). (2020). Mannheim Corona Study (MCS). [URL link]

cov0904 – impact of corona: social life (>=16 yr)

1	1: no threat to me at all	618
2		363
3		390
4		258
5		325
6		244
7		313
8		274
9		99
10	10: extreme threat to me	107
-81	-81: not applicable	67
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	5

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the COVID-19 pandemic as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your social life (e. g. , your possibilities for meeting new people, maintaining existing contacts)`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Source: Adapted from: German Internet Panel (GIP). (2020). Mannheim Corona Study (MCS). [URL link]

cov0905 – impact of corona: health (<=15 yr)

1	1: no threat to me at all	102
2		99
3		114
4		84
5		85
6		58
7		42
8		30
9		2
10	10: extreme threat to me	9
-81	-81: not applicable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19

-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the coronavirus as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your health`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1
Source: Adapted from: German Internet Panel (GIP). (2020). Mannheim Corona Study (MCS). [URL link]

cov0906 – impact of corona: performance at school (<=15 yr)

1	1: no threat to me at all	139
2		94
3		92
4		73
5		72
6		59
7		49
8		26
9		12
10	10: extreme threat to me	5
-81	-81: not applicable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the coronavirus as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your performance at school`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1
Source: Adapted from: German Internet Panel (GIP). (2020). Mannheim Corona Study (MCS). [URL link]

cov0907 – impact of corona: relationships with other people (<=15 yr)

1	1: no threat to me at all	124
2		122

3		77
4		66
5		91
6		50
7		43
8		22
9		15
10	10: extreme threat to me	9
-81	-81: not applicable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the coronavirus as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your relationships with other people`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1
Source: Adapted from: German Internet Panel (GIP). (2020). Mannheim Corona Study (MCS). [URL link]

cov0908 – impact of corona: professional situation (>=16 yr)

1	1: no threat to me at all	1203
2		530
3		318
4		189
5		219
6		119
7		107
8		63
9		36
10	10: extreme threat to me	36
-81	-81: not applicable	234
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	5
-99	-99: not specified (refused to answer)	5

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] How much do you perceive the COVID-19 pandemic as a threat to. . . You can grade your answers from 1 'no threat to me at all' to 10 'extreme threat to me'.` [item text: `your professional situation / your professional opportunities`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1

cov1000 – stress & strain: social isolation / loneliness (>=16 yr)

1	1: no burden	958
2		353
3		219
4		112
5		108
6		80
7		81
8		65
9		26
10	10: extreme burden	33
-81	-81: does not apply, does not occur in my case.	1022
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `social isolation and loneliness`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Source: Adapted from: Witthoeft, M., Jungmann, S. M., Germer, S., & Braescher, A.-K. (2022). Early Adverse Effects of Behavioural Preventive Strategies During the COVID-19 Pandemic in Germany: An Online General Population Survey. [URL link]

cov1001 – stress & strain: being separated from important people (>=16 yr)

1	1: no burden	887
2		290
3		194
4		107

5		147
6		68
7		107
8		105
9		42
10	10: extreme burden	74
-81	-81: does not apply, does not occur in my case.	1034
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `being separated from important people`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Source: Adapted from: Witthoeft, M., Jungmann, S. M., Germer, S., & Braescher, A.-K. (2022). Early Adverse Effects of Behavioural Preventive Strategies During the COVID-19 Pandemic in Germany: An Online General Population Survey. [URL link]

cov1002 – stress & strain: lack of leisure activities (>=16 yr)

1	1: no burden	958
2		235
3		175
4		120
5		150
6		107
7		118
8		85
9		38
10	10: extreme burden	40
-81	-81: does not apply, does not occur in my case.	1031
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `lack of leisure activities such as sports`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Source: Adapted from: Witthoeft, M., Jungmann, S. M., Germer, S., & Braescher, A.-K. (2022). Early Adverse Effects of Behavioural Preventive Strategies During the COVID-19 Pandemic in Germany: An Online General Population Survey. [URL link]

cov1003 – stress & strain: unregulated daily routine/weekly rhythm (>=16 yr)

1	1: no burden	1021
2		251
3		140
4		87
5		127
6		71
7		65
8		54
9		19
10	10: extreme burden	24
-81	-81: does not apply, does not occur in my case.	1198
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `unregulated daily routine or weekly rhythm`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Item developed for TwinLife.

cov1004 – stress & strain: increased need for childcare (>=16 yr)

1	1: no burden	332
2		57
3		43
4		19
5		34
6		19
7		27
8		20
9		9
10	10: extreme burden	19
-81	-81: does not apply, does not occur in my case.	2478
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `increased need for child care`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Item developed for TwinLife.

cov1005 – stress & strain: home schooling of children (>=16 yr)

1	1: no burden	227
2		37
3		26
4		15
5		19
6		22
7		11
8		25
9		5
10	10: extreme burden	23
-81	-81: does not apply, does not occur in my case.	2647
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `teaching the children at home`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Item developed for TwinLife.

cov1006 – stress & strain: overwork at job (>=16 yr)

1	1: no burden	657
2		202
3		163
4		77
5		117
6		92
7		100
8		93
9		24
10	10: extreme burden	51
-81	-81: does not apply, does not occur in my case.	695
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	786
-95	-95: doesn't apply (screened out)	4225
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	6

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `overuse on the job`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Item developed for TwinLife.

cov1007 – stress & strain: restriction of civil rights (>=16 yr)

1	1: no burden	1088
2		333
3		244
4		131
5		156
6		101
7		82
8		81
9		27
10	10: extreme burden	54
-81	-81: does not apply, does not occur in my case.	755
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	8

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `restriction of civil rights`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Item developed for TwinLife.

cov1008 – stress & strain: seeing friends and relatives less often (<=15 yr)

1	1: not at all bad	71
2		38
3		50
4		32
5		79
6		50
7		39
8		40
9		10
10	10: very bad	13
-81	-81: does not happen to me	203
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19

-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. If you are currently experiencing the following limitations, how bad are they for you? You can grade your answers from 1 'not bad at all' to 10 'very bad'.` [item text: `see friends and relatives less often`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1
Item developed for TwinLife.

cov1009 – stress & strain: sports less often (<=15 yr)

1	1: not at all bad	101
2		37
3		25
4		34
5		52
6		32
7		32
8		37
9		12
10	10: very bad	21
-81	-81: does not happen to me	242
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. If you are currently experiencing the following limitations, how bad are they for you? You can grade your answers from 1 'not bad at all' to 10 'very bad'.` [item text: `no longer go to the gym so often`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1
Item developed for TwinLife.

cov1010 – stress & strain: unregulated daily routine (<=15 yr)

1	1: not at all bad	87
2		59

3		38
4		38
5		55
6		25
7		32
8		24
9		8
10	10: very bad	8
-81	-81: does not happen to me	250
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. If you are currently experiencing the following limitations, how bad are they for you? You can grade your answers from 1 'not bad at all' to 10 'very bad'.` [item text: `have an unregulated daily routine`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1
Item developed for TwinLife.

cov1011 – stress & strain: schooling at home (<=15 yr)

1	1: not at all bad	85
2		32
3		33
4		36
5		37
6		16
7		19
8		22
9		10
10	10: very bad	8
-81	-81: does not happen to me	327
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. If you are currently experiencing the following limitations, how bad are they for you? You can grade your answers from 1 'not bad at all' to 10 'very bad'.` [item text: `to have schooling (also) at home`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1
Item developed for TwinLife.

cov1012 – stress & strain: compulsory mask-wearing (<=15 yr)

1	1: not at all bad	169
2		84
3		70
4		38
5		47
6		30
7		26
8		17
9		16
10	10: very bad	20
-81	-81: does not happen to me	108
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. If you are currently experiencing the following limitations, how bad are they for you? You can grade your answers from 1 'not bad at all' to 10 'very bad'.` [item text: `wear masks`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1

cov1013 – stress & strain: mandatory corona testing (<=15 yr)

1	1: not at all bad	146
2		70
3		73
4		46
5		48
6		19
7		18

8		8
9		11
10	10: very bad	12
-81	-81: does not happen to me	174
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	19
-95	-95: doesn't apply (screened out)	6646
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. If you are currently experiencing the following limitations, how bad are they for you? You can grade your answers from 1 'not bad at all' to 10 'very bad'.` [item text: `testing for the coronavirus`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & cov3000 == 1

cov1014 – stress & strain: compulsory mask-wearing (>=16 yr)

1	1: no burden	1139
2		460
3		281
4		111
5		173
6		80
7		86
8		99
9		57
10	10: extreme burden	125
-81	-81: does not apply, does not occur in my case.	446
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `compulsory`

mask-wearing]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1

cov1015 – stress & strain: mandatory corona testing (>=16 yr)

1	1: no burden	1134
2		357
3		235
4		100
5		166
6		72
7		61
8		96
9		43
10	10: extreme burden	82
-81	-81: does not apply, does not occur in my case.	710
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	8

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: [ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'. [item text: mandatory corona testing]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1

cov1016 – stress & strain: proof of vaccination or recovery status

1	1: no burden	1307
2		291
3		163
4		83
5		116
6		56
7		57
8		73
9		25
10	10: extreme burden	81
-81	-81: does not apply, does not occur in my case.	804

-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	8

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `Obligation to provide proof of vaccination status or recovered status`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Item developed for TwinLife.

cov1017 – stress & strain: children's home quarantine

1	1: no burden	283
2		45
3		52
4		24
5		33
6		21
7		34
8		24
9		9
10	10: extreme burden	29
-81	-81: does not apply, does not occur in my case.	2502
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	8

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] The COVID-19 pandemic continues to affect the daily lives of many people. To the extent that you are currently experiencing the following limitations, how much of a burden do they have on you? You can grade your answers from 1 'no burden' to 10 'extreme burden'.` [item text: `Domestic quarantine of children`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1

Item developed for TwinLife.

cov1020 – burden of pandemic in general

1	1: not burdened at all	364
2	2	583
3	3	1155
4	4	992
5	5	1077
6	6	934
7	7	1023
8	8	679
9	9	198
10	10: extremely burdened	229
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	9
-99	-99: not specified (refused to answer)	8

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `Overall, how much of a burden has the COVID-19 pandemic and all its implications been on you so far?`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))

cov1022 – positive effects of pandemic

1	1: nothing good at all	1226
2	2	886
3	3	1139
4	4	956
5	5	1446
6	6	766
7	7	484
8	8	221
9	9	53
10	10: exclusively good	31
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	31

-99	-99: not specified (refused to answer)	12

Waves: F2F 4; F2F 5; CoV 3; CoV 4
Question text: `Overall, how much good can you take from the COVID-19 pandemic and all its implications so far?`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))

cov1200 – stress & support: more arguments at home

1	1: not at all	2816
2	2: rarely	2075
3	3: once in a while	1608
4	4: more often	446
5	5: very often	77
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	34
-99	-99: not specified (refused to answer)	195

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently experience the following things in your home?` [item text: `more dispute at home`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
Source: Adapted from: Witthoeft, M., Jungmann, S. M., Germer, S., & Braescher, A.-K. (2022). Early Adverse Effects of Behavioural Preventive Strategies During the COVID-19 Pandemic in Germany: An Online General Population Survey. [URL link]

cov1201 – stress & support: worse mood at home

1	1: not at all	2803
2	2: rarely	2241
3	3: once in a while	1475
4	4: more often	445
5	5: very often	61
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	34
-99	-99: not specified (refused to answer)	192

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4

Question text: `[ITEMBAT] How often do you currently experience the following things in your home?` [item text: `a worse mood at home`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
Source: Adapted from: Witthoeft, M., Jungmann, S. M., Germer, S., & Braescher, A.-K. (2022). Early Adverse Effects of Behavioural Preventive Strategies During the COVID-19 Pandemic in Germany: An Online General Population Survey. [URL link]

cov1202 – stress & support: better family life at home

1	1: not at all	1561
2	2: rarely	671
3	3: once in a while	1960
4	4: more often	1913
5	5: very often	771
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	90
-99	-99: not specified (refused to answer)	285

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently experience the following things in your home?` [item text: `a better family life at home`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
Item developed for TwinLife.

cov1203 – stress & support: more cohesion at home

1	1: not at all	1244
2	2: rarely	530
3	3: once in a while	1769
4	4: more often	2254
5	5: very often	1113
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	87
-99	-99: not specified (refused to answer)	254

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4

Question text: `[ITEMBAT] How often do you currently experience the following things in your home?` [item text: `greater cohesion at home`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
Item developed for TwinLife.

cov1204 – stress & support: more activities at home together

1	1: not at all	1275
2	2: rarely	1149
3	3: once in a while	2042
4	4: more often	1894
5	5: very often	620
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	39
-99	-99: not specified (refused to answer)	232

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently experience the following things in your home?` [item text: `more joint activities (e. g. playing games, sports, walks) [IF age >= 16]`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
Item developed for TwinLife.

cov1205 – stress & support: more appreciation by other family members

1	1: not at all	1398
2	2: rarely	786
3	3: once in a while	2210
4	4: more often	1909
5	5: very often	624
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	84
-99	-99: not specified (refused to answer)	240

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently experience the following things in your home?` [item text: `more appreciation by other family members [IF age <= 15] more appreciation by other family members (e. g. more frequent`

`praise and affection)]`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
Item developed for TwinLife.

cov1206 – stress & support: socializing with friends or relatives

1	1: not at all	797
2	2: rarely	1038
3	3: once in a while	2229
4	4: more often	2311
5	5: very often	707
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	3
-98	-98: don't know	39
-99	-99: not specified (refused to answer)	130

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] How often do you currently experience the following things in your home?` [item text: `social gathering with friends or relatives`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600))
Item developed for TwinLife.

cov1400 – behavioral changes: washing/disinfecting hands (>=16 yr)

1	1: -3 (significantly less)	31
2	2: -2	37
3	3: -1	45
4	4: 0 (same)	2471
5	5: +1	1385
6	6: +2	1231
7	7: +3 (significantly more)	795
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	10

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What behaviors do you currently exhibit less of, the same of, or more of than before the COVID-19 pandemic outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly`

`more'.` [item text: `I wash/disinfect my hands.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1401 – behavioral changes: shopping super markets (>=16 yr)

1	1: -3 (significantly less)	31
2	2: -2	68
3	3: -1	127
4	4: 0 (same)	5200
5	5: +1	208
6	6: +2	181
7	7: +3 (significantly more)	147
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	42

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What behaviors do you currently exhibit less of, the same of, or more of than before the COVID-19 pandemic outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I shop in supermarkets.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1402 – behavioral changes: visiting public places/events (>=16 yr)

1	1: -3 (significantly less)	119
2	2: -2	314
3	3: -1	755
4	4: 0 (same)	3950
5	5: +1	331
6	6: +2	339
7	7: +3 (significantly more)	152
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	43

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What behaviors do you currently exhibit less of, the same of, or more of than before the COVID-19 pandemic outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I visit public places/ events.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1403 – behavioral changes: use of public transport (>=16 yr)

1	1: -3 (significantly less)	272
2	2: -2	308
3	3: -1	370
4	4: 0 (same)	4279
5	5: +1	251
6	6: +2	254
7	7: +3 (significantly more)	225
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	45

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What behaviors do you currently exhibit less of, the same of, or more of than before the COVID-19 pandemic outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I use public transport.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1404 – behavioral changes: staying at home (>=16 yr)

1	1: -3 (significantly less)	214
2	2: -2	304
3	3: -1	429

4	4: 0 (same)	3854
5	5: +1	665
6	6: +2	335
7	7: +3 (significantly more)	161
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	42

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What behaviors do you currently exhibit less of, the same of, or more of than before the COVID-19 pandemic outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I stay at home.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1405 – behavioral changes: visiting family (>=16 yr)

1	1: -3 (significantly less)	42
2	2: -2	135
3	3: -1	321
4	4: 0 (same)	4307
5	5: +1	543
6	6: +2	401
7	7: +3 (significantly more)	203
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	53

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What behaviors do you currently exhibit less of, the same of, or more of than before the COVID-19 pandemic outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I visit my family.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16

Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1406 – behavioral changes: meeting with acquaintances and friends (>=16 yr)

1	1: -3 (significantly less)	54
2	2: -2	184
3	3: -1	594
4	4: 0 (same)	3656
5	5: +1	668
6	6: +2	530
7	7: +3 (significantly more)	278
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1285
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	41

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What behaviors do you currently exhibit less of, the same of, or more of than before the COVID-19 pandemic outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I meet with acquaintances and friends.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1407 – behavioral changes: washing hands (<=15 yr)

1	1: -3 (significantly less)	5
2	2: -2	16
3	3: -1	23
4	4: 0 (same)	510
5	5: +1	233
6	6: +2	271
7	7: +3 (significantly more)	186
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	6007
-98	-98: don't know	1

-99	-99: not specified (refused to answer)	1

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What things do you currently do less often, the same amount, or more than you did before the coronavirus outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I wash my hands.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & age0110 > 0
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1408 – behavioral changes: shopping supermarkets (<=15 yr)

1	1: -3 (significantly less)	12
2	2: -2	21
3	3: -1	43
4	4: 0 (same)	869
5	5: +1	115
6	6: +2	108
7	7: +3 (significantly more)	55
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	6007
-98	-98: don't know	12
-99	-99: not specified (refused to answer)	11

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What things do you currently do less often, the same amount, or more than you did before the coronavirus outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I shop in supermarkets.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & age0110 > 0
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1409 – behavioral changes: visiting public places (<=15 yr)

1	1: -3 (significantly less)	23
2	2: -2	55
3	3: -1	156
4	4: 0 (same)	701
5	5: +1	123
6	6: +2	96

7	7: +3 (significantly more)	84
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	6007
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	4

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What things do you currently do less often, the same amount, or more than you did before the coronavirus outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I am in public places, e. g. playgrounds, sports fields`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & age0110 > 0
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1410 – behavioral changes: use of public transport (<=15 yr)

1	1: -3 (significantly less)	26
2	2: -2	28
3	3: -1	58
4	4: 0 (same)	653
5	5: +1	129
6	6: +2	170
7	7: +3 (significantly more)	174
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	6007
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	6

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What things do you currently do less often, the same amount, or more than you did before the coronavirus outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I take public transportation, such as the bus or train.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & age0110 > 0
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1411 – behavioral changes: staying at home (<=15 yr)

1	1: -3 (significantly less)	24
2	2: -2	71
3	3: -1	160
4	4: 0 (same)	672
5	5: +1	164
6	6: +2	110
7	7: +3 (significantly more)	42
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	6007
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What things do you currently do less often, the same amount, or more than you did before the coronavirus outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I stay at home.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & age0110 > 0
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1412 – behavioral changes: visiting family (<=15 yr)

1	1: -3 (significantly less)	12
2	2: -2	29
3	3: -1	107
4	4: 0 (same)	789
5	5: +1	144
6	6: +2	107
7	7: +3 (significantly more)	51
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	6007
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	7

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4

Question text: `[ITEMBAT] What things do you currently do less often, the same amount, or more than you did before the coronavirus outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I visit my family.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & age0110 > 0
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1413 – behavioral changes: meeting friends (<=15 yr)

1	1: -3 (significantly less)	22
2	2: -2	41
3	3: -1	155
4	4: 0 (same)	505
5	5: +1	200
6	6: +2	185
7	7: +3 (significantly more)	133
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	38
-95	-95: doesn't apply (screened out)	6007
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	4

Waves: F2F 4; F2F 5; CoV 2; CoV 3; CoV 4
Question text: `[ITEMBAT] What things do you currently do less often, the same amount, or more than you did before the coronavirus outbreak? You can grade your answers from -3 'significantly less' to 0 'same' to +3 'significantly more'.` [item text: `I meet with friends.`]
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,200)) & age0110<=15 & age0110 > 0
Source: Adapted from: Survey EMOTIONS-C. (2020). Westfaelische Wilhelms-Universitaet Muenster. [URL link]

cov1900 – attitude towards general mandatory corona vaccination (>=16 yrs.)

1	1: I reject this completely	407
2	2: I rather reject	412
3	3: Neither against nor in favor	710
4	4: I am rather in favor	939
5	5: I am fully in favor	579
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4226
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	11

Waves: F2F 5; CoV 4
Question text: `What do you think about mandatory vaccination against coronavirus?`
Filter based on instrument: module 'covid-19' (CAPI/CAPIbyPhone): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16 & cov3000 == 1
Item developed for TwinLife.

cov2000 – number of COVID infections

0		894
1		2709
2		1124
3		265
4		49
5		15
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	4
-99	-99: not specified (refused to answer)	7

Waves: F2F 5; CoV 4
Question text: `How many times have you been infected with the coronavirus?`
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Item developed for TwinLife.

cov2000t – number of COVID infections twin 1 (m/f/n/g)

0		88
1		286
2		100
3		16
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1

-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `How many times has [name of child] been infected with the coronavirus?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2000u – number of COVID infections twin 2 (m/f/n/g)

0		77
1		309
2		90
3		13
4		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `How many times has [name of child] been infected with the coronavirus?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2000s – number of COVID infections sibling (m/f/n/g)

0		23
1		106
2		31
3		9
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: How many times has [name of child] been infected with the coronavirus?
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2101 – 1. detection of infection: PCR test

0	0: not mentioned	1503
1	1: mentioned	2659
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?
[item text: 1: PCR test]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2101t – 1. detection of infection in twin 1: PCR test (m/f/n/g)

0	0: not mentioned	146
1	1: mentioned	256
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the

`[LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2101u – 1. detection of infection in twin 2: PCR test (m/f/n/g)

0	0: not mentioned	130
1	1: mentioned	283
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2101s – 1. detection of infection in sibling: PCR test (m/f/n/g)

0	0: not mentioned	47
1	1: mentioned	99
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 1: PCR test]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2102 – 1. detection of infection: officially confirmed rapid test

0	0: not mentioned	3190
1	1: mentioned	972
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2102t – 1. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	311
1	1: mentioned	91
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2102u – 1. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	322
1	1: mentioned	91
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2102s – 1. detection of infection in sibling: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	115

1	1: mentioned	31
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `2: Officially confirmed rapid test (e. g. at the test center)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2103 – 1. detection of infection: self-administered rapid test

0	0: not mentioned	2246
1	1: mentioned	1916
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2103t – 1. detection of infection in twin 1: self-administered rapid test (m/f/n/g)

0	0: not mentioned	232
1	1: mentioned	170
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2103u – 1. detection of infection in twin 2: self-administered rapid test (m/f/n/g)

0	0: not mentioned	240
1	1: mentioned	173
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `3: Self-administered rapid test`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2103s – 1. detection of infection in sibling: self-administered rapid test (m/f/n/g)

0	0: not mentioned	81
1	1: mentioned	65
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2104 – 1. detection of infection: self-diagnosis (without test)

0	0: not mentioned	4081
1	1: mentioned	81
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona`

infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected? [item text: 4: Self-diagnosis (without test)]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2104t – 1. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	394
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 4: Self-diagnosis (without test)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2104u – 1. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	405
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the

`[LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2104s – 1. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	142
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2105 – 1. detection of infection: don't know

0	0: not mentioned	4161
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected? [item text: -98: Don't know]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2105t – 1. detection of infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	401
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: -98: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2105u – 1. detection of infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	413
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2105s – 1. detection of infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	146
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2106 – 1. detection of infection: not specified

0	0: not mentioned	4158
1	1: mentioned	4
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2106t – 1. detection of infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	402
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2106u – 1. detection of infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	412
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2106s – 1. detection of infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	146
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2107 – month of the first COVID detection

1		302
2		451
3		605
4		469
5		260
6		399
7		295
8		203
9		213
10		307
11		236
12		280
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	47
-99	-99: not specified (refused to answer)	95

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2107t – month of the first COVID detection in twin 1 (m/f/n/g)

1	42
2	61
3	64
4	39
5	20
6	24
7	32
8	16

9		13
10		28
11		25
12		29
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	6

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2107u – month of the first COVID detection in twin 2 (m/f/n/g)

1		43
2		59
3		59
4		42
5		23
6		31
7		29
8		10
9		10
10		38
11		28
12		30
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	8

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2107s – month of the first COVID detection in sibling (m/f/n/g)

1		17
2		32
3		18
4		16
5		9
6		13
7		7
8		6
9		7
10		6
11		5
12		8
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first`

detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Month [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2108 – year of the first COVID detection

2020		326
2021		771
2022		2709
2023		233
2024		7
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	47
-99	-99: not specified (refused to answer)	69

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2108t – year of the first COVID detection in twin 1 (m/f/n/g)

2020		26
2021		93

2022		256
2023		17
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	7

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Year [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2108u – year of the first COVID detection in twin 2 (m/f/n/g)

2020		28
2021		90
2022		264
2023		21
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	7

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When`

was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2108s – year of the first COVID detection in sibling (m/f/n/g)

2020		8
2021		29
2022		97
2023		10
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2109 – course of the first COVID infection

1	1: no symptoms	282
2	2: without hospitalization with mild symptoms	1867

3	3: without hospitalization with moderate symptoms	1667
4	4: without hospitalization with severe symptoms	298
5	5: with hospitalization, without administration of oxygen	39
6	6: with hospitalization, with administration of oxygen	5
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	4

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. Infection? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. Infection? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2109t – course of the first COVID infection in twin 1 (m/f/n/g)

1	1: no symptoms	50
2	2: without hospitalization with mild symptoms	252
3	3: without hospitalization with moderate symptoms	92
4	4: without hospitalization with severe symptoms	8
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop !=`

`number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2109u – course of the first COVID infection in twin 2 (m/f/n/g)

1	1: no symptoms	47
2	2: without hospitalization with mild symptoms	275
3	3: without hospitalization with moderate symptoms	82
4	4: without hospitalization with severe symptoms	9
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2109s – course of the first COVID infection in sibling (m/f/n/g)

1	1: no symptoms	20
2	2: without hospitalization with mild symptoms	100
3	3: without hospitalization with moderate symptoms	25
4	4: without hospitalization with severe symptoms	1
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2110 – severity of restriction due to first COVID infection

0	0: 0 not restricted at all	306
1	1: 1	280
2	2: 2	409
3	3: 3	391
4	4: 4	293
5	5: 5	386
6	6: 6	343
7	7: 7	477
8	8: 8	477
9	9: 9	178
10	10: 10 very severely restricted	330
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much has the [LOOP]. (most recent) corona infection restricted you in your daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your`

daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop = number of corona infections, cov2000] How severely has the last (most recent) corona infection restricted you in your everyday activities?
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Item developed for TwinLife.

cov2110t – severity of restriction due to first COVID infection in twin 1 (m/f/n/g)

0	0: 0 not restricted at all	46
1	1: 1	55
2	2: 2	57
3	3: 3	44
4	4: 4	40
5	5: 5	30
6	6: 6	25
7	7: 7	20
8	8: 8	15
9	9: 9	5
10	10: 10 very severely restricted	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Item developed for TwinLife.

cov2110u – severity of restriction due to first COVID infection in twin 2 (m/f/n/g)

0	0: 0 not restricted at all	48
1	1: 1	60
2	2: 2	67
3	3: 3	53
4	4: 4	34
5	5: 5	29
6	6: 6	22
7	7: 7	23
8	8: 8	17
9	9: 9	6
10	10: 10 very severely restricted	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Item developed for TwinLife.

cov2110s – severity of restriction due to first COVID infection in sibling (m/f/n/g)

0	0: 0 not restricted at all	26
1	1: 1	19
2	2: 2	26
3	3: 3	13
4	4: 4	10
5	5: 5	9
6	6: 6	8
7	7: 7	6
8	8: 8	7
9	9: 9	2
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Item developed for TwinLife.

cov2111 – duration of restriction due to 1st COVID infection in months

0		2433
1		380
2		152
3		99
4		29
5		16
6		33
7		4
8		4
9		4
10		3
12		10
16		1
25		1
-81	-81: I still have restrictions	154
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2580
-98	-98: don't know	113
-99	-99: not specified (refused to answer)	128

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2110>0
Item developed for TwinLife.

cov2111t – duration of restriction due to 1st COVID infection in mths for twin 1 (m/f/n/g)

0		254
1		26
2		3
3		3
6		1
-81	-81: child still has restrictions	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5838
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	10

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2110t >0
Item developed for TwinLife.

cov2111u – duration of restriction due to 1st COVID infection in mths for twin 2 (m/f/n/g)

0		267
1		25
2		7
3		3
6		1
14		1
-81	-81: child still has restrictions	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5826
-98	-98: don't know	7
-99	-99: not specified (refused to answer)	6

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2110u >0
Item developed for TwinLife.

cov2111s – duration of restriction due to 1st COVID infection in mths for sibling (m/f/n/g)

0		91
1		5
2		2
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6044

-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2110s >0
Item developed for TwinLife.

cov2112 – duration of restriction due to 1st COVID infection in days

0		422
1		39
2		95
3		217
4		141
5		315
6		111
7		383
8		103
9		40
10		366
11		20
12		53
13		17
14		426
...	(11 rows omitted)	317
26		1
27		2
28		11
29		1
30		67
31		22
-81	-81: I still have restrictions	154
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2580
-98	-98: don't know	113
-99	-99: not specified (refused to answer)	128

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2110>0
Item developed for TwinLife.

cov2112t – duration of restriction due to 1st COVID infection in days for twin 1 (m/f/n/g)

0		24
1		1
2		18
3		28
4		20
5		41
6		11
7		46
8		12
10		32
13		1
14		33
15		6
20		4
21		7
28		1
30		2
-81	-81: child still has restrictions	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5838
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	10

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in days [OPEN, format: 0 - 31, numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2110t >0
Item developed for TwinLife.

cov2112u – duration of restriction due to 1st COVID infection in days for twin 2 (m/f/n/g)

0		30
1		2
2		11
3		29
4		22
5		44
6		21
7		43
8		8
9		6
10		38
11		1
12		2
14		29
15		5
21		11
30		2
-81	-81: child still has restrictions	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5826
-98	-98: don't know	7
-99	-99: not specified (refused to answer)	6

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last

due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in days [OPEN, format: 0 - 31, numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2110u >0
Item developed for TwinLife.

cov2112s – duration of restriction due to 1st COVID infection in days for sibling (m/f/n/g)

0		8
1		2
2		9
3		8
4		11
5		12
6		1
7		19
8		3
9		1
10		11
12		1
13		1
14		8
20		2
21		1
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6044
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long

`did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2110s >0
Item developed for TwinLife.

cov2121 – COVID symptoms with 1st infection: fatigue

0	0: not mentioned	1316
1	1: mentioned	2560
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2121t – COVID symptoms with 1st infection in twin 1: fatigue (m/f/n/g)

0	0: not mentioned	138
1	1: mentioned	214
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fatigue]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2121u – COVID symptoms with 1st infection in twin 2: fatigue (m/f/n/g)

0	0: not mentioned	129
1	1: mentioned	237
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fatigue]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2121s – COVID symptoms with 1st infection in sibling: fatigue (m/f/n/g)

0	0: not mentioned	50
1	1: mentioned	76
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2122 – COVID symptoms with 1st infection: nausea

0	0: not mentioned	3576
1	1: mentioned	300
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1

Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2122t – COVID symptoms with 1st infection in twin 1: nausea (m/f/n/g)

0	0: not mentioned	323
1	1: mentioned	29
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2122u – COVID symptoms with 1st infection in twin 2: nausea (m/f/n/g)

0	0: not mentioned	326
1	1: mentioned	40
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. ( furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection?`

`[IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2122s – COVID symptoms with 1st infection in sibling: nausea (m/f/n/g)

0	0: not mentioned	115
1	1: mentioned	11
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2123 – COVID symptoms with 1st infection: pain in the limbs

0	0: not mentioned	1590
1	1: mentioned	2286
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2123t – COVID symptoms with 1st infection in twin 1: pain in the limbs (m/f/n/g)

0	0: not mentioned	222
1	1: mentioned	130
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2123u – COVID symptoms with 1st infection in twin 2: pain in the limbs (m/f/n/g)

0	0: not mentioned	198
1	1: mentioned	168
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2123s – COVID symptoms with 1st infection in sibling: pain in the limbs (m/f/n/g)

0	0: not mentioned	91
1	1: mentioned	35
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2124 – COVID symptoms with 1st infection: diarrhea

0	0: not mentioned	3680
1	1: mentioned	196
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2124t – COVID symptoms with 1st infection in twin 1: diarrhea (m/f/n/g)

0	0: not mentioned	342
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. ( furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000]`

What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2124u – COVID symptoms with 1st infection in twin 2: diarrhea (m/f/n/g)

0	0: not mentioned	349
1	1: mentioned	17
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2124s – COVID symptoms with 1st infection in sibling: diarrhea (m/f/n/g)

0	0: not mentioned	119
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2125 – COVID symptoms with 1st infection: sore throat

0	0: not mentioned	1564
1	1: mentioned	2312
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2125t – COVID symptoms with 1st infection in twin 1: sore throat (m/f/n/g)

0	0: not mentioned	137
1	1: mentioned	215
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2125u – COVID symptoms with 1st infection in twin 2: sore throat (m/f/n/g)

0	0: not mentioned	127
1	1: mentioned	239
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2125s – COVID symptoms with 1st infection in sibling: sore throat (m/f/n/g)

0	0: not mentioned	49
1	1: mentioned	77
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2126 – COVID symptoms with 1st infection: respiratory problems

0	0: not mentioned	3025
1	1: mentioned	851
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Respiratory problems]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2126t – COVID symptoms with 1st infection in twin 1: respiratory problems (m/f/n/g)

0	0: not mentioned	323
1	1: mentioned	29
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Respiratory problems]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2126u – COVID symptoms with 1st infection in twin 2: respiratory problems (m/f/n/g)

0	0: not mentioned	335
1	1: mentioned	31
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2126s – COVID symptoms with 1st infection in sibling: respiratory problems (m/f/n/g)

0	0: not mentioned	118
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2127 – COVID symptoms with 1st infection: fever

0	0: not mentioned	1974
1	1: mentioned	1902
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2127t – COVID symptoms with 1st infection in twin 1: fever (m/f/n/g)

0	0: not mentioned	160
1	1: mentioned	192
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2127u – COVID symptoms with 1st infection in twin 2: fever (m/f/n/g)

0	0: not mentioned	164
1	1: mentioned	202
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2127s – COVID symptoms with 1st infection in sibling: fever (m/f/n/g)

0	0: not mentioned	53
1	1: mentioned	73
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fever]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2128 – COVID symptoms with 1st infection: cough

0	0: not mentioned	1496
1	1: mentioned	2380
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2128t – COVID symptoms with 1st infection in twin 1: cough (m/f/n/g)

0	0: not mentioned	154
1	1: mentioned	198
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2128u – COVID symptoms with 1st infection in twin 2: cough (m/f/n/g)

0	0: not mentioned	163
1	1: mentioned	203
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2128s – COVID symptoms with 1st infection in sibling: cough (m/f/n/g)

0	0: not mentioned	49
1	1: mentioned	77
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Cough`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2129 – COVID symptoms with 1st infection: olfactory disorder

0	0: not mentioned	3063
1	1: mentioned	813
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2129t – COVID symptoms with 1st infection in twin 1: olfactory disorder (m/f/n/g)

0	0: not mentioned	325
1	1: mentioned	27
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2129u – COVID symptoms with 1st infection in twin 2: olfactory disorder (m/f/n/g)

0	0: not mentioned	335
1	1: mentioned	31
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2129s – COVID symptoms with 1st infection in sibling: olfactory disorder (m/f/n/g)

0	0: not mentioned	119
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2130 – COVID symptoms with 1st infection: headache

0	0: not mentioned	1571
1	1: mentioned	2305
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2130t – COVID symptoms with 1st infection in twin 1: headache (m/f/n/g)

0	0: not mentioned	188
1	1: mentioned	164
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2130u – COVID symptoms with 1st infection in twin 2: headache (m/f/n/g)

0	0: not mentioned	196
1	1: mentioned	170
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2130s – COVID symptoms with 1st infection in sibling: headache (m/f/n/g)

0	0: not mentioned	79
1	1: mentioned	47
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Headache]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2131 – COVID symptoms with 1st infection: shivering

0	0: not mentioned	2497
1	1: mentioned	1379
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2131t – COVID symptoms with 1st infection in twin 1: shivering (m/f/n/g)

0	0: not mentioned	309
1	1: mentioned	43
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2131u – COVID symptoms with 1st infection in twin 2: shivering (m/f/n/g)

0	0: not mentioned	298
1	1: mentioned	68
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2131s – COVID symptoms with 1st infection in sibling: shivering (m/f/n/g)

0	0: not mentioned	115
1	1: mentioned	11
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2132 – COVID symptoms with 1st infection: sniffles

0	0: not mentioned	1724
1	1: mentioned	2152
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2132t – COVID symptoms with 1st infection in twin 1: sniffles (m/f/n/g)

0	0: not mentioned	171
1	1: mentioned	181
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2132u – COVID symptoms with 1st infection in twin 2: sniffles (m/f/n/g)

0	0: not mentioned	168
1	1: mentioned	198
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sniffles]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2132s – COVID symptoms with 1st infection in sibling: sniffles (m/f/n/g)

0	0: not mentioned	60
1	1: mentioned	66
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sniffles]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2133 – COVID symptoms with 1st infection: taste disorder

0	0: not mentioned	2916
1	1: mentioned	960
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Taste disorder]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2133t – COVID symptoms with 1st infection in twin 1: taste disorder (m/f/n/g)

0	0: not mentioned	321
1	1: mentioned	31
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Taste disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2133u – COVID symptoms with 1st infection in twin 2: taste disorder (m/f/n/g)

0	0: not mentioned	327
1	1: mentioned	39
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2133s – COVID symptoms with 1st infection in sibling: taste disorder (m/f/n/g)

0	0: not mentioned	119
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2134 – COVID symptoms with 1st infection: other selected

0	0: not mentioned	3701
1	1: mentioned	175
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2134t – COVID symptoms with 1st infection in twin 1: other selected (m/f/n/g)

0	0: not mentioned	344
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last

`(most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2134u – COVID symptoms with 1st infection in twin 2: other selected (m/f/n/g)

0	0: not mentioned	365
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2134s – COVID symptoms with 1st infection in sibling: other selected (m/f/n/g)

0	0: not mentioned	126
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2137 – COVID symptoms with 1st infection: none of these

0	0: not mentioned	3842
1	1: mentioned	34
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: None of the symptoms mentioned]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2137t – COVID symptoms with 1st infection in twin 1: none of these (m/f/n/g)

0	0: not mentioned	345
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2137u – COVID symptoms with 1st infection in twin 2: none of these (m/f/n/g)

0	0: not mentioned	361
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2137s – COVID symptoms with 1st infection in sibling: none of these (m/f/n/g)

0	0: not mentioned	125
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2138 – COVID symptoms with 1st infection: don't know

0	0: not mentioned	3874
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2138t – COVID symptoms with 1st infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	352
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2138u – COVID symptoms with 1st infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	365
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2138s – COVID symptoms with 1st infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	126
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2139 – COVID symptoms with 1st infection: not specified

0	0: not mentioned	3875
1	1: mentioned	1
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	2268
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2109>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2139t – COVID symptoms with 1st infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	352
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5792
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2139u – COVID symptoms with 1st infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	366
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5778
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2139s – COVID symptoms with 1st infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	126
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6018
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2109s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2140 – acute strain due to first COVID infection

0	0: 0 not at all burdensome	811
1	1: 1	451
2	2: 2	584
3	3: 3	493
4	4: 4	315
5	5: 5	379
6	6: 6	277
7	7: 7	336
8	8: 8	235
9	9: 9	82
10	10: 10 very burdensome	159
-81	-81: infection was less than 4 weeks ago	36
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	3

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life within the first four weeks after infection detection?
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16
Item developed for TwinLife.

cov2140t – acute strain due to first COVID infection of twin 1 (m/f/n/g)

0	0: 0 not at all burdensome	146
1	1: 1	58
2	2: 2	69
3	3: 3	35
4	4: 4	24
5	5: 5	24
6	6: 6	17
7	7: 7	8
8	8: 8	5
9	9: 9	5
10	10: 10 very burdensome	7
-81	-81: infection was less than 4 weeks ago	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2140u – acute strain due to first COVID infection of twin 2 (m/f/n/g)

0	0: 0 not at all burdensome	142
1	1: 1	68
2	2: 2	57
3	3: 3	49
4	4: 4	30
5	5: 5	19
6	6: 6	13
7	7: 7	14

8	8: 8	10
9	9: 9	3
10	10: 10 very burdensome	6
-81	-81: infection was less than 4 weeks ago	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2140s – acute strain due to first COVID infection of sibling (m/f/n/g)

0	0: 0 not at all burdensome	68
1	1: 1	21
2	2: 2	24
3	3: 3	5
4	4: 4	6
5	5: 5	8
6	6: 6	7
7	7: 7	1
8	8: 8	1
9	9: 9	3
10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2141 – long-term strain due to 1st COVID infection (>4 weeks)

0	0: 0 not at all burdensome	1978
1	1: 1	479
2	2: 2	423
3	3: 3	340
4	4: 4	199
5	5: 5	231
6	6: 6	141
7	7: 7	124
8	8: 8	69
9	9: 9	26
10	10: 10 very burdensome	51
-81	-81: infection was less than 4 weeks ago	85
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1982
-98	-98: don't know	7
-99	-99: not specified (refused to answer)	9

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life beyond`

the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)?

Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=1 & age0110>=16

Item developed for TwinLife.

cov2141t – long-term strain due to 1st COVID infection of twin 1 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	257
1	1: 1	53
2	2: 2	36
3	3: 3	23
4	4: 4	12
5	5: 5	8
6	6: 6	3
7	7: 7	3
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	4
-81	-81: infection was less than 4 weeks ago	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5742
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the

`first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2141u – long-term strain due to 1st COVID infection of twin 2 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	257
1	1: 1	56
2	2: 2	40
3	3: 3	20
4	4: 4	20
5	5: 5	7
6	6: 6	4
7	7: 7	1
8	8: 8	1
9	9: 9	0
10	10: 10 very burdensome	2
-81	-81: infection was less than 4 weeks ago	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5731
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=1 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2141s – long-term strain due to 1st COVID infection of sibling (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	105
1	1: 1	20
2	2: 2	13
3	3: 3	4
4	4: 4	1
5	5: 5	0
6	6: 6	2
7	7: 7	1
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5998
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=1 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2201 – 2. detection of infection: PCR test

0	0: not mentioned	953
1	1: mentioned	500
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2201t – 2. detection of infection in twin 1: PCR test (m/f/n/g)

0	0: not mentioned	78
1	1: mentioned	38
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2201u – 2. detection of infection in twin 2: PCR test (m/f/n/g)

0	0: not mentioned	71

1	1: mentioned	33
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2201s – 2. detection of infection in sibling: PCR test (m/f/n/g)

0	0: not mentioned	27
1	1: mentioned	13
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2202 – 2. detection of infection: officially confirmed rapid test

0	0: not mentioned	1166
1	1: mentioned	287
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `2: Officially confirmed rapid test (e. g. at the test center)`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2202t – 2. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	89
1	1: mentioned	27
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `2: Officially confirmed rapid test (e. g. at the test center)`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2202u – 2. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	79
1	1: mentioned	25
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `2: Officially confirmed rapid test (e. g. at the test center)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2202s – 2. detection of infection in sibling: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	37
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number`

of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2203 – 2. detection of infection: self-administered rapid test

0	0: not mentioned	552
1	1: mentioned	901
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2203t – 2. detection of infection in twin 1: self-administered rapid test (m/f/n/g)

0	0: not mentioned	42
1	1: mentioned	74
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2203u – 2. detection of infection in twin 2: self-administered rapid test (m/f/n/g)

0	0: not mentioned	38
1	1: mentioned	66
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2203s – 2. detection of infection in sibling: self-administered rapid test (m/f/n/g)

0	0: not mentioned	13
1	1: mentioned	27
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2204 – 2. detection of infection: self-diagnosis (without test)

0	0: not mentioned	1401
1	1: mentioned	52
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2204t – 2. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	115
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2204u – 2. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	102
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2204s – 2. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	40
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2205 – 2. detection of infection: don't know

0	0: not mentioned	1448
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2205t – 2. detection of infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	116
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2205u – 2. detection of infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	104
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2205s – 2. detection of infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	40
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2206 – 2. detection of infection: not specified

0	0: not mentioned	1452
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona`

infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected? [item text: -99: Not specified]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2206t – 2. detection of infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	116
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: -99: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2206u – 2. detection of infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	104
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the

`[LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2206s – 2. detection of infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	40
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2207 – month of the second COVID detection

1	96
2	128
3	135
4	95
5	69
6	90
7	74
8	77
9	120
10	168

11		137
12		195
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	37
-99	-99: not specified (refused to answer)	32

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2207t – month of the second COVID detection in twin 1 (m/f/n/g)

1		6
2		12
3		11
4		10
5		4
6		10
7		10
8		4
9		4
10		15
11		14
12		12
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	3

-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2207u – month of the second COVID detection in twin 2 (m/f/n/g)

1		4
2		10
3		11
4		15
5		6
6		7
7		5
8		4
9		9
10		15
11		8
12		6
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop`

=4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Month [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2207s – month of the second COVID detection in sibling (m/f/n/g)

1		1
2		6
3		3
4		4
5		4
6		4
7		1
9		2
10		7
11		3
12		2
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Month [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2208 – year of the second COVID detection

2020		16
2021		156
2022		691
2023		495
2024		36
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	37
-99	-99: not specified (refused to answer)	22

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time?` [item text: `Year [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2208t – year of the second COVID detection in twin 1 (m/f/n/g)

2021		17
2022		60
2023		32
2024		2
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2208u – year of the second COVID detection in twin 2 (m/f/n/g)

2021		14
2022		56
2023		28
2024		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2208s – year of the second COVID detection in sibling (m/f/n/g)

2021		5
2022		22
2023		9
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Year [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2209 – course of the second COVID infection (>= 16 yr)

1	1: no symptoms	208
2	2: without hospitalization with mild symptoms	811
3	3: without hospitalization with moderate symptoms	358
4	4: without hospitalization with severe symptoms	60
5	5: with hospitalization, without administration of oxygen	10
6	6: with hospitalization, with administration of oxygen	1
7	7: with hospitalization, severe course	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	3

Waves: F2F 5; CoV 4

Generated variable
The complete value label for category 7 is: 'with hospitalization, severe course (e.g. non-invasive ventilation, intubation and mechanical ventilation, additional organ support)', German: 'Mit Krankenhausaufenthalt, schwerer Verlauf (z.B. nicht-invasive Beatmung, Intubation und mechanische Beatmung, zusaetzliche Organunterstuetzung)'
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2209t – course of the second COVID infection in twin 1 (m/f/n/g)

1	1: no symptoms	15
2	2: without hospitalization with mild symptoms	84
3	3: without hospitalization with moderate symptoms	16
4	4: without hospitalization with severe symptoms	1
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Generated variable
The complete value label for category 7 is: 'with hospitalization, severe course (e.g. non-invasive ventilation, intubation and mechanical ventilation, additional organ support)', German: 'Mit Krankenhausaufenthalt, schwerer Verlauf (z.B. nicht-invasive Beatmung, Intubation und mechanische Beatmung, zusaetzliche Organunterstuetzung)'
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2209u – course of the second COVID infection in twin 2 (m/f/n/g)

1	1: no symptoms	20
2	2: without hospitalization with mild symptoms	69
3	3: without hospitalization with moderate symptoms	14
4	4: without hospitalization with severe symptoms	1
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Generated variable
The complete value label for category 7 is: 'with hospitalization, severe course (e.g. non-invasive ventilation, intubation and mechanical ventilation, additional organ support)', German: 'Mit Krankenhausaufenthalt, schwerer Verlauf (z.B. nicht-invasive Beatmung, Intubation und mechanische Beatmung, zusaetzliche Organunterstuetzung)'
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2209s – course of the second COVID infection in sibling (m/f/n/g)

1	1: no symptoms	4
2	2: without hospitalization with mild symptoms	29
3	3: without hospitalization with moderate symptoms	6
4	4: without hospitalization with severe symptoms	0
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	1
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Generated variable
The complete value label for category 7 is: 'with hospitalization, severe course (e.g. non-invasive ventilation, intubation and mechanical ventilation, additional organ support)', German: 'Mit Krankenhausaufenthalt, schwerer Verlauf (z.B. nicht-invasive Beatmung, Intubation und mechanische Beatmung, zusaetzliche Organunterstuetzung)'
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2210 – severity of restriction due to second COVID infection

0	0: 0 not restricted at all	120
1	1: 1	142
2	2: 2	197
3	3: 3	172
4	4: 4	125
5	5: 5	144
6	6: 6	113

7	7: 7	92
8	8: 8	77
9	9: 9	19
10	10: 10 very severely restricted	41
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much has the [LOOP]. (most recent) corona infection restricted you in your daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop = number of corona infections, cov2000] How severely has the last (most recent) corona infection restricted you in your everyday activities?`
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Item developed for TwinLife.

cov2210t – severity of restriction due to second COVID infection in twin 1 (m/f/n/g)

0	0: 0 not restricted at all	15
1	1: 1	22
2	2: 2	17
3	3: 3	13
4	4: 4	16
5	5: 5	8
6	6: 6	5
7	7: 7	2
8	8: 8	1
9	9: 9	0
10	10: 10 very severely restricted	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Item developed for TwinLife.

cov2210u – severity of restriction due to second COVID infection in twin 2 (m/f/n/g)

0	0: 0 not restricted at all	11
1	1: 1	16
2	2: 2	15
3	3: 3	12
4	4: 4	8
5	5: 5	9
6	6: 6	5
7	7: 7	1
8	8: 8	3
9	9: 9	1
10	10: 10 very severely restricted	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?

Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Item developed for TwinLife.

cov2210s – severity of restriction due to second COVID infection in sibling (m/f/n/g)

0	0: 0 not restricted at all	8
1	1: 1	7
2	2: 2	4
3	3: 3	4
4	4: 4	2
5	5: 5	2
6	6: 6	5
7	7: 7	2
8	8: 8	1
9	9: 9	1
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Item developed for TwinLife.

cov2211 – duration of restriction due to 2nd COVID infection in months

0	863
1	101
2	27
3	12
4	4

5		1
6		1
8		2
9		3
10		1
15		1
-81	-81: I still have restrictions	54
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5022
-98	-98: don't know	31
-99	-99: not specified (refused to answer)	21

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2210>0
Item developed for TwinLife.

cov2211t – duration of restriction due to 2nd COVID infection in mths for twin 1 (m/f/n/g)

0		70
1		6
2		2
3		1
-81	-81: child still has restrictions	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6058
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2210t >0
Item developed for TwinLife.

cov2211u – duration of restriction due to 2nd COVID infection in mths for twin 2 (m/f/n/g)

0		62
1		5
2		1
3		1
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6072
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]

Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2210u >0
Item developed for TwinLife.

cov2211s – duration of restriction due to 2nd COVID infection in mths for sibling (m/f/n/g)

0		21
1		4
2		1
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6116
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2210s >0
Item developed for TwinLife.

cov2212 – duration of restriction due to 2nd COVID infection in days

0	96
1	20
2	40
3	64
4	58
5	187
6	45
7	144

8		39
9		11
10		88
11		4
12		5
13		3
14		119
...	(5 rows omitted)	52
21		20
24		3
25		1
28		2
30		11
31		4
-81	-81: I still have restrictions	54
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5022
-98	-98: don't know	31
-99	-99: not specified (refused to answer)	21

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2210>0
Item developed for TwinLife.

cov2212t – duration of restriction due to 2nd COVID infection in days for twin 1 (m/f/n/g)

0	6
1	2
2	3
3	10
4	4
5	20
6	2
7	16

8		2
9		1
10		8
13		1
14		1
20		1
21		1
30		1
-81	-81: child still has restrictions	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6058
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2210t >0
Item developed for TwinLife.

cov2212u – duration of restriction due to 2nd COVID infection in days for twin 2 (m/f/n/g)

0	5
1	1
2	3
3	5
4	6
5	17
6	1
7	13
8	4
9	2
10	6

14		4
15		1
20		1
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6072
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2210u >0
Item developed for TwinLife.

cov2212s – duration of restriction due to 2nd COVID infection in days for sibling (m/f/n/g)

0		4
1		1
2		1
3		2
5		7
6		1
7		6
10		4
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6116
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2210s >0
Item developed for TwinLife.

cov2221 – COVID symptoms with 2nd infection: fatigue

0	0: not mentioned	471
1	1: mentioned	771
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2221t – COVID symptoms with 2nd infection in twin 1: fatigue (m/f/n/g)

0	0: not mentioned	48
1	1: mentioned	53
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2221u – COVID symptoms with 2nd infection in twin 2: fatigue (m/f/n/g)

0	0: not mentioned	37
1	1: mentioned	47
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2221s – COVID symptoms with 2nd infection in sibling: fatigue (m/f/n/g)

0	0: not mentioned	21
1	1: mentioned	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2222 – COVID symptoms with 2nd infection: nausea

0	0: not mentioned	1149
1	1: mentioned	93
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Nausea]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2222t – COVID symptoms with 2nd infection in twin 1: nausea (m/f/n/g)

0	0: not mentioned	93
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Nausea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2222u – COVID symptoms with 2nd infection in twin 2: nausea (m/f/n/g)

0	0: not mentioned	74
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2222s – COVID symptoms with 2nd infection in sibling: nausea (m/f/n/g)

0	0: not mentioned	34
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2223 – COVID symptoms with 2nd infection: pain in the limbs

0	0: not mentioned	658
1	1: mentioned	584
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2223t – COVID symptoms with 2nd infection in twin 1: pain in the limbs (m/f/n/g)

0	0: not mentioned	74
1	1: mentioned	27
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2223u – COVID symptoms with 2nd infection in twin 2: pain in the limbs (m/f/n/g)

0	0: not mentioned	62
1	1: mentioned	22
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2223s – COVID symptoms with 2nd infection in sibling: pain in the limbs (m/f/n/g)

0	0: not mentioned	29
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2224 – COVID symptoms with 2nd infection: diarrhea

0	0: not mentioned	1185
1	1: mentioned	57
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2224t – COVID symptoms with 2nd infection in twin 1: diarrhea (m/f/n/g)

0	0: not mentioned	96
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2224u – COVID symptoms with 2nd infection in twin 2: diarrhea (m/f/n/g)

0	0: not mentioned	75
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2224s – COVID symptoms with 2nd infection in sibling: diarrhea (m/f/n/g)

0	0: not mentioned	34
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2225 – COVID symptoms with 2nd infection: sore throat

0	0: not mentioned	522
1	1: mentioned	720
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2225t – COVID symptoms with 2nd infection in twin 1: sore throat (m/f/n/g)

0	0: not mentioned	50
1	1: mentioned	51
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2225u – COVID symptoms with 2nd infection in twin 2: sore throat (m/f/n/g)

0	0: not mentioned	36
1	1: mentioned	48
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sore throat]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2225s – COVID symptoms with 2nd infection in sibling: sore throat (m/f/n/g)

0	0: not mentioned	16
1	1: mentioned	20
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sore throat]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2226 – COVID symptoms with 2nd infection: respiratory problems

0	0: not mentioned	1052
1	1: mentioned	190
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2226t – COVID symptoms with 2nd infection in twin 1: respiratory problems (m/f/n/g)

0	0: not mentioned	97
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2226u – COVID symptoms with 2nd infection in twin 2: respiratory problems (m/f/n/g)

0	0: not mentioned	77
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2226s – COVID symptoms with 2nd infection in sibling: respiratory problems (m/f/n/g)

0	0: not mentioned	34
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms`

`did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2227 – COVID symptoms with 2nd infection: fever

0	0: not mentioned	776
1	1: mentioned	466
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2227t – COVID symptoms with 2nd infection in twin 1: fever (m/f/n/g)

0	0: not mentioned	60
1	1: mentioned	41
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fever]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2227u – COVID symptoms with 2nd infection in twin 2: fever (m/f/n/g)

0	0: not mentioned	49
1	1: mentioned	35
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fever]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2227s – COVID symptoms with 2nd infection in sibling: fever (m/f/n/g)

0	0: not mentioned	19
1	1: mentioned	17

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2228 – COVID symptoms with 2nd infection: cough

0	0: not mentioned	531
1	1: mentioned	711
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Cough`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2228t – COVID symptoms with 2nd infection in twin 1: cough (m/f/n/g)

0	0: not mentioned	57
1	1: mentioned	44
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Cough`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2228u – COVID symptoms with 2nd infection in twin 2: cough (m/f/n/g)

0	0: not mentioned	44
1	1: mentioned	40
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2228s – COVID symptoms with 2nd infection in sibling: cough (m/f/n/g)

0	0: not mentioned	17
1	1: mentioned	19
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2229 – COVID symptoms with 2nd infection: olfactory disorder

0	0: not mentioned	1070
1	1: mentioned	172
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2229t – COVID symptoms with 2nd infection in twin 1: olfactory disorder (m/f/n/g)

0	0: not mentioned	94
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2229u – COVID symptoms with 2nd infection in twin 2: olfactory disorder (m/f/n/g)

0	0: not mentioned	78
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2229s – COVID symptoms with 2nd infection in sibling: olfactory disorder (m/f/n/g)

0	0: not mentioned	34
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2230 – COVID symptoms with 2nd infection: headache

0	0: not mentioned	598
1	1: mentioned	644
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2230t – COVID symptoms with 2nd infection in twin 1: headache (m/f/n/g)

0	0: not mentioned	65
1	1: mentioned	36
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2230u – COVID symptoms with 2nd infection in twin 2: headache (m/f/n/g)

0	0: not mentioned	47
1	1: mentioned	37
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2230s – COVID symptoms with 2nd infection in sibling: headache (m/f/n/g)

0	0: not mentioned	27
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Headache]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2231 – COVID symptoms with 2nd infection: shivering

0	0: not mentioned	964
1	1: mentioned	278
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2231t – COVID symptoms with 2nd infection in twin 1: shivering (m/f/n/g)

0	0: not mentioned	97
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2231u – COVID symptoms with 2nd infection in twin 2: shivering (m/f/n/g)

0	0: not mentioned	76
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2231s – COVID symptoms with 2nd infection in sibling: shivering (m/f/n/g)

0	0: not mentioned	35
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2232 – COVID symptoms with 2nd infection: sniffles

0	0: not mentioned	536
1	1: mentioned	706
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2232t – COVID symptoms with 2nd infection in twin 1: sniffles (m/f/n/g)

0	0: not mentioned	50
1	1: mentioned	51
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2232u – COVID symptoms with 2nd infection in twin 2: sniffles (m/f/n/g)

0	0: not mentioned	36
1	1: mentioned	48
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sniffles]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2232s – COVID symptoms with 2nd infection in sibling: sniffles (m/f/n/g)

0	0: not mentioned	10
1	1: mentioned	26
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sniffles]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2233 – COVID symptoms with 2nd infection: taste disorder

0	0: not mentioned	1052
1	1: mentioned	190
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2233t – COVID symptoms with 2nd infection in twin 1: taste disorder (m/f/n/g)

0	0: not mentioned	95
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2233u – COVID symptoms with 2nd infection in twin 2: taste disorder (m/f/n/g)

0	0: not mentioned	79
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2233s – COVID symptoms with 2nd infection in sibling: taste disorder (m/f/n/g)

0	0: not mentioned	36
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Taste disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2234 – COVID symptoms with 2nd infection: other selected

0	0: not mentioned	1203
1	1: mentioned	39
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2234t – COVID symptoms with 2nd infection in twin 1: other selected (m/f/n/g)

0	0: not mentioned	100
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2234u – COVID symptoms with 2nd infection in twin 2: other selected (m/f/n/g)

0	0: not mentioned	84
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2234s – COVID symptoms with 2nd infection in sibling: other selected (m/f/n/g)

0	0: not mentioned	36
1	1: mentioned	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2237 – COVID symptoms with 2nd infection: none of these

0	0: not mentioned	1227
1	1: mentioned	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2237t – COVID symptoms with 2nd infection in twin 1: none of these (m/f/n/g)

0	0: not mentioned	95
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2237u – COVID symptoms with 2nd infection in twin 2: none of these (m/f/n/g)

0	0: not mentioned	82
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: None of the symptoms mentioned]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2237s – COVID symptoms with 2nd infection in sibling: none of these (m/f/n/g)

0	0: not mentioned	35
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: None of the symptoms mentioned]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2238 – COVID symptoms with 2nd infection: don't know

0	0: not mentioned	1242
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2238t – COVID symptoms with 2nd infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	101
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2238u – COVID symptoms with 2nd infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	83
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2238s – COVID symptoms with 2nd infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	36
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2239 – COVID symptoms with 2nd infection: not specified

0	0: not mentioned	1241
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4902
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2209>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2239t – COVID symptoms with 2nd infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	101
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6043
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2239u – COVID symptoms with 2nd infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	84
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6060
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2239s – COVID symptoms with 2nd infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	36
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6108
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2209s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2240 – acute strain due to second COVID infection

0	0: 0 not at all burdensome	425
1	1: 1	202
2	2: 2	216
3	3: 3	161
4	4: 4	102
5	5: 5	99
6	6: 6	86
7	7: 7	65
8	8: 8	41
9	9: 9	12
10	10: 10 very burdensome	19
-81	-81: infection was less than 4 weeks ago	21
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life within

`the first four weeks after infection detection?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2240t – acute strain due to second COVID infection of twin 1 (m/f/n/g)

0	0: 0 not at all burdensome	41
1	1: 1	22
2	2: 2	19
3	3: 3	14
4	4: 4	7
5	5: 5	5
6	6: 6	2
7	7: 7	2
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	2
-81	-81: infection was less than 4 weeks ago	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2240u – acute strain due to second COVID infection of twin 2 (m/f/n/g)

0	0: 0 not at all burdensome	40

1	1: 1	15
2	2: 2	18
3	3: 3	12
4	4: 4	6
5	5: 5	5
6	6: 6	3
7	7: 7	3
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	2
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2240s – acute strain due to second COVID infection of sibling (m/f/n/g)

0	0: 0 not at all burdensome	20
1	1: 1	5
2	2: 2	4
3	3: 3	3
4	4: 4	3
5	5: 5	2
6	6: 6	3
7	7: 7	0
8	8: 8	0

9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2241 – long-term strain due to 2nd COVID infection (>4 weeks)

0	0: 0 not at all burdensome	800
1	1: 1	156
2	2: 2	140
3	3: 3	106
4	4: 4	53
5	5: 5	50
6	6: 6	40
7	7: 7	24
8	8: 8	17
9	9: 9	3
10	10: 10 very burdensome	9
-81	-81: infection was less than 4 weeks ago	43
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	4691
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	6

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=2 & age0110>=16
Item developed for TwinLife.

cov2241t – long-term strain due to 2nd COVID infection of twin 1 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	64
1	1: 1	24
2	2: 2	9
3	3: 3	9
4	4: 4	4
5	5: 5	0
6	6: 6	1
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6028
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections,`

cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2241u – long-term strain due to 2nd COVID infection of twin 2 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	66
1	1: 1	12
2	2: 2	12
3	3: 3	5
4	4: 4	4
5	5: 5	0
6	6: 6	1
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6040
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the

first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=2 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2241s – long-term strain due to 2nd COVID infection of sibling (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	27
1	1: 1	4
2	2: 2	2
3	3: 3	2
4	4: 4	1
5	5: 5	1
6	6: 6	2
7	7: 7	0
8	8: 8	1
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6104
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=2 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2301 – 3. detection of infection: PCR test

0	0: not mentioned	260
1	1: mentioned	69
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2301t – 3. detection of infection in twin 1: PCR test (m/f/n/g)

0	0: not mentioned	14
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2301u – 3. detection of infection in twin 2: PCR test (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2301s – 3. detection of infection in sibling: PCR test (m/f/n/g)

0	0: not mentioned	7
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2302 – 3. detection of infection: officially confirmed rapid test

0	0: not mentioned	281
1	1: mentioned	48
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `2: Officially confirmed rapid test (e. g. at the test center)`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2302t – 3. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	13
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of`

corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2302u – 3. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2302s – 3. detection of infection in sibling: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	6
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2303 – 3. detection of infection: self-administered rapid test

0	0: not mentioned	111
1	1: mentioned	218
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2303t – 3. detection of infection in twin 1: self-administered rapid test (m/f/n/g)

0	0: not mentioned	4
1	1: mentioned	12
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2303u – 3. detection of infection in twin 2: self-administered rapid test (m/f/n/g)

0	0: not mentioned	4
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2303s – 3. detection of infection in sibling: self-administered rapid test (m/f/n/g)

0	0: not mentioned	5
1	1: mentioned	4
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2304 – 3. detection of infection: self-diagnosis (without test)

0	0: not mentioned	299
1	1: mentioned	30
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2304t – 3. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	15
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2304u – 3. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	13
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2304s – 3. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2305 – 3. detection of infection: don't know

0	0: not mentioned	326
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2305t – 3. detection of infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	16
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2305u – 3. detection of infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	14
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2305s – 3. detection of infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2306 – 3. detection of infection: not specified

0	0: not mentioned	325
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona`

`infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2306t – 3. detection of infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	16
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2306u – 3. detection of infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	13
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the`

`[LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2306s – 3. detection of infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2307 – month of the third COVID detection

1	30
2	26
3	31
4	14
5	19
6	12
7	11
8	16
9	16
10	33

11		43
12		57
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	10
-99	-99: not specified (refused to answer)	11

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2307t – month of the third COVID detection in twin 1 (m/f/n/g)

2		1
3		2
7		1
9		3
10		4
12		4
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When`

was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Month [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2307u – month of the third COVID detection in twin 2 (m/f/n/g)

2		2
3		1
6		1
9		2
10		3
12		4
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Month [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2307s – month of the third COVID detection in sibling (m/f/n/g)

1		2
3		1
5		1
9		2
12		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2308 – year of the third COVID detection

2020		1
2021		15
2022		124
2023		150
2024		19
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	10
-99	-99: not specified (refused to answer)	10

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2308t – year of the third COVID detection in twin 1 (m/f/n/g)

2021		1
2022		4
2023		10
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2308u – year of the third COVID detection in twin 2 (m/f/n/g)

2021		2
2022		2

2023		9
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Year [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2308s – year of the third COVID detection in sibling (m/f/n/g)

2022		4
2023		3
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop`

=4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2309 – course of the third COVID infection

1	1: no symptoms	65
2	2: without hospitalization with mild symptoms	184
3	3: without hospitalization with moderate symptoms	61
4	4: without hospitalization with severe symptoms	12
5	5: with hospitalization, without administration of oxygen	2
6	6: with hospitalization, with administration of oxygen	1
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	3

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. Infection? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. Infection? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection?
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2309t – course of the third COVID infection in twin 1 (m/f/n/g)

1	1: no symptoms	1
2	2: without hospitalization with mild symptoms	12
3	3: without hospitalization with moderate symptoms	1
4	4: without hospitalization with severe symptoms	2
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2309u – course of the third COVID infection in twin 2 (m/f/n/g)

1	1: no symptoms	2
2	2: without hospitalization with mild symptoms	10
3	3: without hospitalization with moderate symptoms	1
4	4: without hospitalization with severe symptoms	1
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))

Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2309s – course of the third COVID infection in sibling (m/f/n/g)

1	1: no symptoms	0
2	2: without hospitalization with mild symptoms	7
3	3: without hospitalization with moderate symptoms	2
4	4: without hospitalization with severe symptoms	0
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2310 – severity of restriction due to third COVID infection

0	0: 0 not restricted at all	25
1	1: 1	44
2	2: 2	48
3	3: 3	28
4	4: 4	32
5	5: 5	24
6	6: 6	23
7	7: 7	13
8	8: 8	16
9	9: 9	2
10	10: 10 very severely restricted	5
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much has the [LOOP]. (most recent) corona infection restricted you in your daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop = number of corona infections, cov2000] How severely has the last (most recent) corona infection restricted you in your everyday activities?`
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Item developed for TwinLife.

cov2310t – severity of restriction due to third COVID infection in twin 1 (m/f/n/g)

0	0: 0 not restricted at all	2
1	1: 1	4
2	2: 2	4
3	3: 3	2
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	2
8	8: 8	0
9	9: 9	0
10	10: 10 very severely restricted	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number`

`of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Item developed for TwinLife.

cov2310u – severity of restriction due to third COVID infection in twin 2 (m/f/n/g)

0	0: 0 not restricted at all	2
1	1: 1	3
2	2: 2	1
3	3: 3	1
4	4: 4	1
5	5: 5	0
6	6: 6	2
7	7: 7	1
8	8: 8	0
9	9: 9	0
10	10: 10 very severely restricted	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Item developed for TwinLife.

cov2310s – severity of restriction due to third COVID infection in sibling (m/f/n/g)

0	0: 0 not restricted at all	2
1	1: 1	1
2	2: 2	1
3	3: 3	1
4	4: 4	1
5	5: 5	0
6	6: 6	2
7	7: 7	0
8	8: 8	1
9	9: 9	0
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Item developed for TwinLife.

cov2311 – duration of restriction due to 3rd COVID infection in months

0		183
1		19
2		4
3		1
5		1
12		1
-81	-81: I still have restrictions	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	5909
-98	-98: don't know	6
-99	-99: not specified (refused to answer)	5

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2310>0
Item developed for TwinLife.

cov2311t – duration of restriction due to 3rd COVID infection in mths for twin 1 (m/f/n/g)

0		10
1		2
-81	-81: child still has restrictions	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6131
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]

Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2310t >0
Item developed for TwinLife.

cov2311u – duration of restriction due to 3rd COVID infection in mths for twin 2 (m/f/n/g)

0		7
1		2
-81	-81: child still has restrictions	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2310u >0
Item developed for TwinLife.

cov2311s – duration of restriction due to 3rd COVID infection in mths for sibling (m/f/n/g)

0		7
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6137

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2310s >0
Item developed for TwinLife.

cov2312 – duration of restriction due to 3rd COVID infection in days

0		13
1		5
2		5
3		12
4		15
5		25
6		11
7		47
8		12
9		2
10		19
12		6
14		23
15		5
16		1
20		3
21		3
25		1
30		1
-81	-81: I still have restrictions	15
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5909

-98	-98: don't know	6
-99	-99: not specified (refused to answer)	5

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2310>0
Item developed for TwinLife.

cov2312t – duration of restriction due to 3rd COVID infection in days for twin 1 (m/f/n/g)

0		1
1		1
2		1
3		2
4		1
5		5
7		1
-81	-81: child still has restrictions	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6131
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child]`

in everyday activities last due to the last (most recent) corona infection?
[item text: Duration in days [OPEN, format: 0 - 31, numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2310t >0
Item developed for TwinLife.

cov2312u – duration of restriction due to 3rd COVID infection in days for twin 2 (m/f/n/g)

0		1
2		2
5		3
6		1
8		1
10		1
-81	-81: child still has restrictions	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?
[item text: Duration in days [OPEN, format: 0 - 31, numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2310u >0
Item developed for TwinLife.

cov2312s – duration of restriction due to 3rd COVID infection in days for sibling (m/f/n/g)

2	1
3	1
5	1
7	1
10	2

20		1
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6137
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2310s >0
Item developed for TwinLife.

cov2321 – COVID symptoms with 3rd infection: fatigue

0	0: not mentioned	104
1	1: mentioned	156
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2321t – COVID symptoms with 3rd infection in twin 1: fatigue (m/f/n/g)

0	0: not mentioned	10
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2321u – COVID symptoms with 3rd infection in twin 2: fatigue (m/f/n/g)

0	0: not mentioned	6
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fatigue]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2321s – COVID symptoms with 3rd infection in sibling: fatigue (m/f/n/g)

0	0: not mentioned	3
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fatigue]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2322 – COVID symptoms with 3rd infection: nausea

0	0: not mentioned	245
1	1: mentioned	15
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2322t – COVID symptoms with 3rd infection in twin 1: nausea (m/f/n/g)

0	0: not mentioned	15
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2322u – COVID symptoms with 3rd infection in twin 2: nausea (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2322s – COVID symptoms with 3rd infection in sibling: nausea (m/f/n/g)

0	0: not mentioned	8
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

`of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2323 – COVID symptoms with 3rd infection: pain in the limbs

0	0: not mentioned	150
1	1: mentioned	110
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2323t – COVID symptoms with 3rd infection in twin 1: pain in the limbs (m/f/n/g)

0	0: not mentioned	13
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2323u – COVID symptoms with 3rd infection in twin 2: pain in the limbs (m/f/n/g)

0	0: not mentioned	7
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2323s – COVID symptoms with 3rd infection in sibling: pain in the limbs (m/f/n/g)

0	0: not mentioned	5
1	1: mentioned	4
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2324 – COVID symptoms with 3rd infection: diarrhea

0	0: not mentioned	247
1	1: mentioned	13
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2324t – COVID symptoms with 3rd infection in twin 1: diarrhea (m/f/n/g)

0	0: not mentioned	14
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2324u – COVID symptoms with 3rd infection in twin 2: diarrhea (m/f/n/g)

0	0: not mentioned	11
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2324s – COVID symptoms with 3rd infection in sibling: diarrhea (m/f/n/g)

0	0: not mentioned	8
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2325 – COVID symptoms with 3rd infection: sore throat

0	0: not mentioned	104
1	1: mentioned	156
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Sore throat]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2325t – COVID symptoms with 3rd infection in twin 1: sore throat (m/f/n/g)

0	0: not mentioned	10
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sore throat]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2325u – COVID symptoms with 3rd infection in twin 2: sore throat (m/f/n/g)

0	0: not mentioned	2
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2325s – COVID symptoms with 3rd infection in sibling: sore throat (m/f/n/g)

0	0: not mentioned	4
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2326 – COVID symptoms with 3rd infection: respiratory problems

0	0: not mentioned	211
1	1: mentioned	49
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2326t – COVID symptoms with 3rd infection in twin 1: respiratory problems (m/f/n/g)

0	0: not mentioned	14
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2326u – COVID symptoms with 3rd infection in twin 2: respiratory problems (m/f/n/g)

0	0: not mentioned	11
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2326s – COVID symptoms with 3rd infection in sibling: respiratory problems (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Respiratory problems]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2327 – COVID symptoms with 3rd infection: fever

0	0: not mentioned	181
1	1: mentioned	79
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Fever]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2327t – COVID symptoms with 3rd infection in twin 1: fever (m/f/n/g)

0	0: not mentioned	11
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2327u – COVID symptoms with 3rd infection in twin 2: fever (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2327s – COVID symptoms with 3rd infection in sibling: fever (m/f/n/g)

0	0: not mentioned	4
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2328 – COVID symptoms with 3rd infection: cough

0	0: not mentioned	114
1	1: mentioned	146
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: Cough]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2328t – COVID symptoms with 3rd infection in twin 1: cough (m/f/n/g)

0	0: not mentioned	5
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2328u – COVID symptoms with 3rd infection in twin 2: cough (m/f/n/g)

0	0: not mentioned	3
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2328s – COVID symptoms with 3rd infection in sibling: cough (m/f/n/g)

0	0: not mentioned	8
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2329 – COVID symptoms with 3rd infection: olfactory disorder

0	0: not mentioned	222
1	1: mentioned	38
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2329t – COVID symptoms with 3rd infection in twin 1: olfactory disorder (m/f/n/g)

0	0: not mentioned	15
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2329u – COVID symptoms with 3rd infection in twin 2: olfactory disorder (m/f/n/g)

0	0: not mentioned	11
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2329s – COVID symptoms with 3rd infection in sibling: olfactory disorder (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2330 – COVID symptoms with 3rd infection: headache

0	0: not mentioned	131
1	1: mentioned	129
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Headache]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2330t – COVID symptoms with 3rd infection in twin 1: headache (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Headache]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2330u – COVID symptoms with 3rd infection in twin 2: headache (m/f/n/g)

0	0: not mentioned	6
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Headache]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2330s – COVID symptoms with 3rd infection in sibling: headache (m/f/n/g)

0	0: not mentioned	7
1	1: mentioned	2
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2331 – COVID symptoms with 3rd infection: shivering

0	0: not mentioned	205
1	1: mentioned	55
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2331t – COVID symptoms with 3rd infection in twin 1: shivering (m/f/n/g)

0	0: not mentioned	14
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2331u – COVID symptoms with 3rd infection in twin 2: shivering (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2331s – COVID symptoms with 3rd infection in sibling: shivering (m/f/n/g)

0	0: not mentioned	8
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2332 – COVID symptoms with 3rd infection: sniffles

0	0: not mentioned	105
1	1: mentioned	155
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Sniffles]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2332t – COVID symptoms with 3rd infection in twin 1: sniffles (m/f/n/g)

0	0: not mentioned	5
1	1: mentioned	10
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sniffles]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2332u – COVID symptoms with 3rd infection in twin 2: sniffles (m/f/n/g)

0	0: not mentioned	5
1	1: mentioned	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2332s – COVID symptoms with 3rd infection in sibling: sniffles (m/f/n/g)

0	0: not mentioned	4
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2333 – COVID symptoms with 3rd infection: taste disorder

0	0: not mentioned	217
1	1: mentioned	43
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2333t – COVID symptoms with 3rd infection in twin 1: taste disorder (m/f/n/g)

0	0: not mentioned	15
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2333u – COVID symptoms with 3rd infection in twin 2: taste disorder (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2333s – COVID symptoms with 3rd infection in sibling: taste disorder (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Taste disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2334 – COVID symptoms with 3rd infection: other selected

0	0: not mentioned	251
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2334t – COVID symptoms with 3rd infection in twin 1: other selected (m/f/n/g)

0	0: not mentioned	15
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2334u – COVID symptoms with 3rd infection in twin 2: other selected (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2334s – COVID symptoms with 3rd infection in sibling: other selected (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2337 – COVID symptoms with 3rd infection: none of these

0	0: not mentioned	255
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2337t – COVID symptoms with 3rd infection in twin 1: none of these (m/f/n/g)

0	0: not mentioned	15
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2337u – COVID symptoms with 3rd infection in twin 2: none of these (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: None of the symptoms mentioned]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2337s – COVID symptoms with 3rd infection in sibling: none of these (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: None of the symptoms mentioned]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2338 – COVID symptoms with 3rd infection: don't know

0	0: not mentioned	260
1	1: mentioned	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2338t – COVID symptoms with 3rd infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	15
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2338u – COVID symptoms with 3rd infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2338s – COVID symptoms with 3rd infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2339 – COVID symptoms with 3rd infection: not specified

0	0: not mentioned	260
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5884
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Not specified]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2309>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2339t – COVID symptoms with 3rd infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	15
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2339u – COVID symptoms with 3rd infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	12
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6132
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2339s – COVID symptoms with 3rd infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	9
1	1: mentioned	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2309s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2340 – acute strain due to third COVID infection

0	0: 0 not at all burdensome	100
1	1: 1	54
2	2: 2	51
3	3: 3	28
4	4: 4	23
5	5: 5	23
6	6: 6	10
7	7: 7	13
8	8: 8	9
9	9: 9	4
10	10: 10 very burdensome	4
-81	-81: infection was less than 4 weeks ago	7
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life within`

the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life within the first four weeks after infection detection?
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2340t – acute strain due to third COVID infection of twin 1 (m/f/n/g)

0	0: 0 not at all burdensome	1
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	8
-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after

`infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2340u – acute strain due to third COVID infection of twin 2 (m/f/n/g)

0	0: 0 not at all burdensome	3
1	1: 1	2
2	2: 2	2
3	3: 3	0
4	4: 4	1
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2340s – acute strain due to third COVID infection of sibling (m/f/n/g)

0	0: 0 not at all burdensome	1
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	1
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	12
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2341 – long-term strain due to 3rd COVID infection (>4 weeks)

0	0: 0 not at all burdensome	174
1	1: 1	49
2	2: 2	26
3	3: 3	21
4	4: 4	11
5	5: 5	10
6	6: 6	4
7	7: 7	6

8	8: 8	5
9	9: 9	1
10	10: 10 very burdensome	4
-81	-81: infection was less than 4 weeks ago	13
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	5815
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=3 & age0110>=16
Item developed for TwinLife.

cov2341t – long-term strain due to 3rd COVID infection of twin 1 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	1
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	8

-95	-95: doesn't apply (screened out)	6135
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=3 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2341u – long-term strain due to 3rd COVID infection of twin 2 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	5
1	1: 1	0
2	2: 2	1
3	3: 3	1
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	7
-95	-95: doesn't apply (screened out)	6128
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life`

of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))

Item developed for TwinLife.

cov2341s – long-term strain due to 3rd COVID infection of sibling (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	2
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	12
-95	-95: doesn't apply (screened out)	6130
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th

`week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=3 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2401 – 4. detection of infection: PCR test

0	0: not mentioned	45
1	1: mentioned	19
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?`
[item text: `1: PCR test`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Item developed for TwinLife.

cov2401t – 4. detection of infection in twin 1: PCR test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2401u – 4. detection of infection in twin 2: PCR test (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2401s – 4. detection of infection in sibling: PCR test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2402 – 4. detection of infection: officially confirmed rapid test

0	0: not mentioned	55
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `2: Officially confirmed rapid test (e. g. at the test center)`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Item developed for TwinLife.

cov2402t – 4. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2402u – 4. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2402s – 4. detection of infection in sibling: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `2: Officially confirmed rapid test (e. g. at the test center)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2403 – 4. detection of infection: self-administered rapid test

0	0: not mentioned	30
1	1: mentioned	34
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?`

[item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Item developed for TwinLife.

cov2403t – 4. detection of infection in twin 1: self-administered rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2403u – 4. detection of infection in twin 2: self-administered rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child]`

`detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2403s – 4. detection of infection in sibling: self-administered rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `3: Self-administered rapid test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2404 – 4. detection of infection: self-diagnosis (without test)

0	0: not mentioned	55
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Item developed for TwinLife.

cov2404t – 4. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2404u – 4. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 4: Self-diagnosis (without test)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2404s – 4. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 4: Self-diagnosis (without test)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2405 – 4. detection of infection: don't know

0	0: not mentioned	63
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Item developed for TwinLife.

cov2405t – 4. detection of infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2405u – 4. detection of infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	1

1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2405s – 4. detection of infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2406 – 4. detection of infection: not specified

0	0: not mentioned	62
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Item developed for TwinLife.

cov2406t – 4. detection of infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2406u – 4. detection of infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2406s – 4. detection of infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-99: Not specified`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2407 – month of the fourth COVID detection

1		4
2		6
3		4
4		6
5		2
6		1
7		1
8		5
9		3
10		7
11		4
12		11
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Item developed for TwinLife.

cov2407t – month of the fourth COVID detection in twin 1 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Month [Range: January 2020 - Interview month, year]]`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2407u – month of the fourth COVID detection in twin 2 (m/f/n/g)

12		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Month [Range: January 2020 - Interview month, year]]`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))

Item developed for TwinLife.

cov2407s – month of the fourth COVID detection in sibling (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2408 – year of the fourth COVID detection

2021		3
2022		16
2023		30
2024		3
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	8
-99	-99: not specified (refused to answer)	4

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Item developed for TwinLife.

cov2408t – year of the fourth COVID detection in twin 1 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2408u – year of the fourth COVID detection in twin 2 (m/f/n/g)

2023		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2408s – year of the fourth COVID detection in sibling (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2409 – course of the fourth COVID infection

1	1: no symptoms	18
2	2: without hospitalization with mild symptoms	28
3	3: without hospitalization with moderate symptoms	13
4	4: without hospitalization with severe symptoms	2
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. Infection? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. Infection? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110 >= 16
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2409t – course of the fourth COVID infection in twin 1 (m/f/n/g)

1	1: no symptoms	0
2	2: without hospitalization with mild symptoms	0
3	3: without hospitalization with moderate symptoms	0
4	4: without hospitalization with severe symptoms	0
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2409u – course of the fourth COVID infection in twin 2 (m/f/n/g)

1	1: no symptoms	0
2	2: without hospitalization with mild symptoms	0
3	3: without hospitalization with moderate symptoms	1
4	4: without hospitalization with severe symptoms	0
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2409s – course of the fourth COVID infection in sibling (m/f/n/g)

1	1: no symptoms	0
2	2: without hospitalization with mild symptoms	0

3	3: without hospitalization with moderate symptoms	0
4	4: without hospitalization with severe symptoms	0
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2410 – severity of restriction due to fourth COVID infection

0	0: 0 not restricted at all	6
1	1: 1	6
2	2: 2	9
3	3: 3	5
4	4: 4	3
5	5: 5	4
6	6: 6	2
7	7: 7	1
8	8: 8	5
9	9: 9	1
10	10: 10 very severely restricted	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How much has the [LOOP]. (most recent) corona infection restricted you in your daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop = number of corona infections, cov2000] How severely has the last (most recent) corona infection restricted you in your everyday activities?
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Item developed for TwinLife.

cov2410t – severity of restriction due to fourth COVID infection in twin 1 (m/f/n/g)

0	0: 0 not restricted at all	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Item developed for TwinLife.

cov2410u – severity of restriction due to fourth COVID infection in twin 2 (m/f/n/g)

0	0: 0 not restricted at all	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	1
8	8: 8	0
9	9: 9	0
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Item developed for TwinLife.

cov2410s – severity of restriction due to fourth COVID infection in sibling (m/f/n/g)

0	0: 0 not restricted at all	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0

9	9: 9	0
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Item developed for TwinLife.

cov2411 – duration of restriction due to 4th COVID infection in months

0		22
1		4
3		1
-81	-81: I still have restrictions	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6107
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	3

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted?`

`[IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2410>0
Item developed for TwinLife.

cov2411t – duration of restriction due to 4th COVID infection in mths for twin 1 (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2410t >0
Item developed for TwinLife.

cov2411u – duration of restriction due to 4th COVID infection in mths for twin 2 (m/f/n/g)

0		1
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2410u >0
Item developed for TwinLife.

cov2411s – duration of restriction due to 4th COVID infection in mths for sibling (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?`

[item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric ]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2410s >0
Item developed for TwinLife.

cov2412 – duration of restriction due to 4th COVID infection in days

0		3
2		1
3		5
4		1
5		1
6		2
7		4
9		1
10		2
13		1
14		4
21		1
30		1
-81	-81: I still have restrictions	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6107
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	3

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2410>0
Item developed for TwinLife.

cov2412t – duration of restriction due to 4th COVID infection in days for twin 1 (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2410t >0
Item developed for TwinLife.

cov2412u – duration of restriction due to 4th COVID infection in days for twin 2 (m/f/n/g)

8		1
-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona`

infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in days [OPEN, format: 0 - 31, numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2410u >0
Item developed for TwinLife.

cov2412s – duration of restriction due to 4th COVID infection in days for sibling (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in days [OPEN, format: 0 - 31, numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2410s >0
Item developed for TwinLife.

cov2421 – COVID symptoms with 4th infection: fatigue

0	0: not mentioned	17
1	1: mentioned	26
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Fatigue]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2421t – COVID symptoms with 4th infection in twin 1: fatigue (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fatigue]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2421u – COVID symptoms with 4th infection in twin 2: fatigue (m/f/n/g)

0	0: not mentioned	0

1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2421s – COVID symptoms with 4th infection in sibling: fatigue (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fatigue`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2422 – COVID symptoms with 4th infection: nausea

0	0: not mentioned	35
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2422t – COVID symptoms with 4th infection in twin 1: nausea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. ( furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection?`

`[IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2422u – COVID symptoms with 4th infection in twin 2: nausea (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2422s – COVID symptoms with 4th infection in sibling: nausea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Nausea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2423 – COVID symptoms with 4th infection: pain in the limbs

0	0: not mentioned	25
1	1: mentioned	18
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2423t – COVID symptoms with 4th infection in twin 1: pain in the limbs (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2423u – COVID symptoms with 4th infection in twin 2: pain in the limbs (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2423s – COVID symptoms with 4th infection in sibling: pain in the limbs (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2424 – COVID symptoms with 4th infection: diarrhea

0	0: not mentioned	38
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2424t – COVID symptoms with 4th infection in twin 1: diarrhea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2424u – COVID symptoms with 4th infection in twin 2: diarrhea (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2424s – COVID symptoms with 4th infection in sibling: diarrhea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2425 – COVID symptoms with 4th infection: sore throat

0	0: not mentioned	17
1	1: mentioned	26
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Sore throat]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2425t – COVID symptoms with 4th infection in twin 1: sore throat (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last

`(most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2425u – COVID symptoms with 4th infection in twin 2: sore throat (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2425s – COVID symptoms with 4th infection in sibling: sore throat (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sore throat]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2426 – COVID symptoms with 4th infection: respiratory problems

0	0: not mentioned	35
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Respiratory problems]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2426t – COVID symptoms with 4th infection in twin 1: respiratory problems (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2426u – COVID symptoms with 4th infection in twin 2: respiratory problems (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2426s – COVID symptoms with 4th infection in sibling: respiratory problems (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2427 – COVID symptoms with 4th infection: fever

0	0: not mentioned	25
1	1: mentioned	18
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2427t – COVID symptoms with 4th infection in twin 1: fever (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2427u – COVID symptoms with 4th infection in twin 2: fever (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fever]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2427s – COVID symptoms with 4th infection in sibling: fever (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fever]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2428 – COVID symptoms with 4th infection: cough

0	0: not mentioned	21
1	1: mentioned	22
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: Cough]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2428t – COVID symptoms with 4th infection in twin 1: cough (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2428u – COVID symptoms with 4th infection in twin 2: cough (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Cough`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2428s – COVID symptoms with 4th infection in sibling: cough (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2429 – COVID symptoms with 4th infection: olfactory disorder

0	0: not mentioned	35
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2429t – COVID symptoms with 4th infection in twin 1: olfactory disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2429u – COVID symptoms with 4th infection in twin 2: olfactory disorder (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2429s – COVID symptoms with 4th infection in sibling: olfactory disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2430 – COVID symptoms with 4th infection: headache

0	0: not mentioned	15
1	1: mentioned	28
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2430t – COVID symptoms with 4th infection in twin 1: headache (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2430u – COVID symptoms with 4th infection in twin 2: headache (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Headache]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2430s – COVID symptoms with 4th infection in sibling: headache (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Headache]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2431 – COVID symptoms with 4th infection: shivering

0	0: not mentioned	34
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2431t – COVID symptoms with 4th infection in twin 1: shivering (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2431u – COVID symptoms with 4th infection in twin 2: shivering (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2431s – COVID symptoms with 4th infection in sibling: shivering (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2432 – COVID symptoms with 4th infection: sniffles

0	0: not mentioned	18
1	1: mentioned	25
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2432t – COVID symptoms with 4th infection in twin 1: sniffles (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2432u – COVID symptoms with 4th infection in twin 2: sniffles (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2432s – COVID symptoms with 4th infection in sibling: sniffles (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sniffles]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2433 – COVID symptoms with 4th infection: taste disorder

0	0: not mentioned	34
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Taste disorder]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2433t – COVID symptoms with 4th infection in twin 1: taste disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2433u – COVID symptoms with 4th infection in twin 2: taste disorder (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2433s – COVID symptoms with 4th infection in sibling: taste disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2434 – COVID symptoms with 4th infection: other selected

0	0: not mentioned	39
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2434t – COVID symptoms with 4th infection in twin 1: other selected (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2434u – COVID symptoms with 4th infection in twin 2: other selected (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2434s – COVID symptoms with 4th infection in sibling: other selected (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2437 – COVID symptoms with 4th infection: none of these

0	0: not mentioned	42
1	1: mentioned	1
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2437t – COVID symptoms with 4th infection in twin 1: none of these (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2437u – COVID symptoms with 4th infection in twin 2: none of these (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2437s – COVID symptoms with 4th infection in sibling: none of these (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

`of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2438 – COVID symptoms with 4th infection: don't know

0	0: not mentioned	43
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2438t – COVID symptoms with 4th infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2438u – COVID symptoms with 4th infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2438s – COVID symptoms with 4th infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2439 – COVID symptoms with 4th infection: not specified

0	0: not mentioned	43
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6101
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2409>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2439t – COVID symptoms with 4th infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2439u – COVID symptoms with 4th infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	1
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2439s – COVID symptoms with 4th infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2409s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2440 – acute strain due to fourth COVID infection

0	0: 0 not at all burdensome	19
1	1: 1	9
2	2: 2	7
3	3: 3	6
4	4: 4	4
5	5: 5	1
6	6: 6	3
7	7: 7	3
8	8: 8	4
9	9: 9	1

10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life within the first four weeks after infection detection?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110>=16
Item developed for TwinLife.

cov2440t – acute strain due to fourth COVID infection of twin 1 (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2440u – acute strain due to fourth COVID infection of twin 2 (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	1
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection

detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2440s – acute strain due to fourth COVID infection of sibling (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2441 – long-term strain due to 4th COVID infection (>4 weeks)

0	0: 0 not at all burdensome	26
1	1: 1	9
2	2: 2	6
3	3: 3	5
4	4: 4	4
5	5: 5	1
6	6: 6	3
7	7: 7	3
8	8: 8	1
9	9: 9	0
10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6080
-98	-98: don't know	2
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=4 & age0110>=16
Item developed for TwinLife.

cov2441t – long-term strain due to 4th COVID infection of twin 1 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0

6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2441u – long-term strain due to 4th COVID infection of twin 2 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	1
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6143
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=4 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2441s – long-term strain due to 4th COVID infection of sibling (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=4 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2501 – 5. detection of infection: PCR test

0	0: not mentioned	9
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected? [item text: 1: PCR test]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Item developed for TwinLife.

cov2501t – 5. detection of infection in twin 1: PCR test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2501u – 5. detection of infection in twin 2: PCR test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2501s – 5. detection of infection in sibling: PCR test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `1: PCR test`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2502 – 5. detection of infection: officially confirmed rapid test

0	0: not mentioned	13
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `2: Officially confirmed rapid test (e. g. at the test center)`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Item developed for TwinLife.

cov2502t – 5. detection of infection in twin 1: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2502u – 5. detection of infection in twin 2: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name`

of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2502s – 5. detection of infection in sibling: officially confirmed rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 2: Officially confirmed rapid test (e. g. at the test center)]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2503 – 5. detection of infection: self-administered rapid test

0	0: not mentioned	6
1	1: mentioned	9
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2

and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Item developed for TwinLife.

cov2503t – 5. detection of infection in twin 1: self-administered rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2503u – 5. detection of infection in twin 2: self-administered rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2503s – 5. detection of infection in sibling: self-administered rapid test (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: 3: Self-administered rapid test]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2504 – 5. detection of infection: self-diagnosis (without test)

0	0: not mentioned	14
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0

-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Item developed for TwinLife.

cov2504t – 5. detection of infection in twin 1: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2504u – 5. detection of infection in twin 2: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2504s – 5. detection of infection in sibling: self-diagnosis (without test) (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `4: Self-diagnosis (without test)`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2505 – 5. detection of infection: don't know

0	0: not mentioned	14
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Item developed for TwinLife.

cov2505t – 5. detection of infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2505u – 5. detection of infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2505s – 5. detection of infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected?` [item text: `-98: Don't know`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2506 – 5. detection of infection: not specified

0	0: not mentioned	15
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[ITEMBAT] [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (most recent) infection detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. Infection detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection detected?` [item text: `-99: Not specified`]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Item developed for TwinLife.

cov2506t – 5. detection of infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of`

corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: -99: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2506u – 5. detection of infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: -99: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2506s – 5. detection of infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How was the [LOOP]. (furthest back) infection of [name of child] was detected? [IF loop =2 and loop != number of corona infections, cov2000] How was the

[LOOP]. infection of [name of child] detected? [IF loop =3 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop =4 and loop != number of corona infections, cov2000] How was the [LOOP]. infection of [name of child] detected? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child] detected? [item text: -99: Not specified]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2507 – month of the fifth COVID detection

1		1
2		1
3		1
4		2
5		2
6		1
8		1
9		1
10		1
11		1
12		2
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time? [item text: Month [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Item developed for TwinLife.

cov2507t – month of the fifth COVID detection in twin 1 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2507u – month of the fifth COVID detection in twin 2 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of`

`[name of child] detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2507s – month of the fifth COVID detection in sibling (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Month [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2508 – year of the fifth COVID detection

2022		5
2023		7
2024		2
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	1

-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection was detected for the first time? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. Infection detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Item developed for TwinLife.

cov2508t – year of the fifth COVID detection in twin 1 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time? [item text: Year [Range: January 2020 - Interview month, year]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2508u – year of the fifth COVID detection in twin 2 (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Year [Range: January 2020 - Interview month, year]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2508s – year of the fifth COVID detection in sibling (m/f/n/g)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] When was the [LOOP]. (furthest back) infection of [name of child] was first detected? [IF loop =2 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =3 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop =4 and loop != number of corona infections, cov2000] When was the [LOOP]. infection of [name of child] detected for the first time? [IF loop = number of corona infections, cov2000] When was the last (most recent) infection of [name of child] detected for the first time?` [item text: `Year [Range: January 2020 - Interview month, year]`]

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2509 – course of the fifth COVID infection

1	1: no symptoms	4
2	2: without hospitalization with mild symptoms	6
3	3: without hospitalization with moderate symptoms	3
4	4: without hospitalization with severe symptoms	1
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. Infection? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. Infection? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>= 5 & age0110 >= 16
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2509t – course of the fifth COVID infection in twin 1 (m/f/n/g)

1	1: no symptoms	0
2	2: without hospitalization with mild symptoms	0
3	3: without hospitalization with moderate symptoms	0
4	4: without hospitalization with severe symptoms	0
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2509u – course of the fifth COVID infection in twin 2 (m/f/n/g)

1	1: no symptoms	0
2	2: without hospitalization with mild symptoms	0
3	3: without hospitalization with moderate symptoms	0
4	4: without hospitalization with severe symptoms	0
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2509s – course of the fifth COVID infection in sibling (m/f/n/g)

1	1: no symptoms	0
2	2: without hospitalization with mild symptoms	0
3	3: without hospitalization with moderate symptoms	0
4	4: without hospitalization with severe symptoms	0
5	5: with hospitalization, without administration of oxygen	0
6	6: with hospitalization, with administration of oxygen	0
7	7: with hospitalization, severe course	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How did the [LOOP]. (furthest back) infection of [name of child]? [IF loop =2 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =3 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop =4 and loop != number of corona infections, cov2000] How did the [LOOP]. infection of [name of child]? [IF loop = number of corona infections, cov2000] How was the last (most recent) infection of [name of child]?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Source: Adapted from: COVID-19 Therapeutic Trial Synopsis. Retrieved May 8, 2025, from [URL link]

cov2510 – severity of restriction due to fifth COVID infection

0	0: 0 not restricted at all	0
1	1: 1	1
2	2: 2	3
3	3: 3	1
4	4: 4	0
5	5: 5	2
6	6: 6	0
7	7: 7	1
8	8: 8	0
9	9: 9	1
10	10: 10 very severely restricted	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much has the [LOOP]. (most recent) corona infection restricted you in your daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted you in your daily activities? [IF loop = number of corona infections, cov2000] How severely has the last (most recent) corona infection restricted you in your everyday activities?`
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Item developed for TwinLife.

cov2510t – severity of restriction due to fifth COVID infection in twin 1 (m/f/n/g)

0	0: 0 not restricted at all	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted`

`[name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Item developed for TwinLife.

cov2510u – severity of restriction due to fifth COVID infection in twin 2 (m/f/n/g)

0	0: 0 not restricted at all	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Item developed for TwinLife.

cov2510s – severity of restriction due to fifth COVID infection in sibling (m/f/n/g)

0	0: 0 not restricted at all	0
1	1: 1	0

2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very severely restricted	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How much did the [LOOP]. (furthest back) corona infection restricted [name of child] in his*her daily activities? [IF loop =2 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =3 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop =4 and loop != number of corona infections, cov2000] How much has the [LOOP]. Corona infection restricted [name of child] in his*her daily activities? [IF loop = number of corona infections, cov2000] How much has the last (most recent) corona infection restricted [name of child] in his/her daily activities?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Item developed for TwinLife.

cov2511 – duration of restriction due to 5th COVID infection in months

0		3
1		2
2		1
-81	-81: I still have restrictions	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2510>0
Item developed for TwinLife.

cov2511t – duration of restriction due to 5th COVID infection in mths for twin 1 (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2510t >0
Item developed for TwinLife.

cov2511u – duration of restriction due to 5th COVID infection in mths for twin 2 (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?` [item text: `Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2510u >0
Item developed for TwinLife.

cov2511s – duration of restriction due to 5th COVID infection in mths for sibling (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to`

the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection? [item text: Duration in months [OPEN, format, 0 - (number of months between January 2020 and interview date), numeric]]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2510s >0
Item developed for TwinLife.

cov2512 – duration of restriction due to 5th COVID infection in days

0		2
2		1
3		1
5		1
19		1
-81	-81: I still have restrictions	3
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	1
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions on your everyday activities last due to your [LOOP]. (furthest back) corona infection lasted? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of your daily activities last due to your [LOOP]. Corona infection lasted? [IF loop = number of corona infections, cov2000] How long did your last (most recent) corona infection restrict your everyday activities? [item text: Duration in days [OPEN, format: 0 - 31, numeric]]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2510>0
Item developed for TwinLife.

cov2512t – duration of restriction due to 5th COVID infection in days for twin 1 (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?`
[item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2510t >0
Item developed for TwinLife.

cov2512u – duration of restriction due to 5th COVID infection in days for twin 2 (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?`

[item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2510u >0
Item developed for TwinLife.

cov2512s – duration of restriction due to 5th COVID infection in days for sibling (m/f/n/g)

-81	-81: child still has restrictions	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =3 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop =4 and loop != number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the [LOOP]. Corona infection last? [IF loop = number of corona infections, cov2000] How long did the restrictions of [name of child] in everyday activities last due to the last (most recent) corona infection?`
[item text: `Duration in days [OPEN, format: 0 - 31, numeric]`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2510s >0
Item developed for TwinLife.

cov2521 – COVID symptoms with 5th infection: fatigue

0	0: not mentioned	6
1	1: mentioned	4
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Fatigue]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2521t – COVID symptoms with 5th infection in twin 1: fatigue (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fatigue]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2521u – COVID symptoms with 5th infection in twin 2: fatigue (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2521s – COVID symptoms with 5th infection in sibling: fatigue (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fatigue`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2522 – COVID symptoms with 5th infection: nausea

0	0: not mentioned	8
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Nausea]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2522t – COVID symptoms with 5th infection in twin 1: nausea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last

`(most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2522u – COVID symptoms with 5th infection in twin 2: nausea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Nausea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2522s – COVID symptoms with 5th infection in sibling: nausea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Nausea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2523 – COVID symptoms with 5th infection: pain in the limbs

0	0: not mentioned	4
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2523t – COVID symptoms with 5th infection in twin 1: pain in the limbs (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2523u – COVID symptoms with 5th infection in twin 2: pain in the limbs (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Pain in the limbs]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2523s – COVID symptoms with 5th infection in sibling: pain in the limbs (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Pain in the limbs`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2524 – COVID symptoms with 5th infection: diarrhea

0	0: not mentioned	9
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2524t – COVID symptoms with 5th infection in twin 1: diarrhea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Diarrhea`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2524u – COVID symptoms with 5th infection in twin 2: diarrhea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2524s – COVID symptoms with 5th infection in sibling: diarrhea (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Diarrhea]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2525 – COVID symptoms with 5th infection: sore throat

0	0: not mentioned	6
1	1: mentioned	4
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2525t – COVID symptoms with 5th infection in twin 1: sore throat (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2525u – COVID symptoms with 5th infection in twin 2: sore throat (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sore throat`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2525s – COVID symptoms with 5th infection in sibling: sore throat (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sore throat]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2526 – COVID symptoms with 5th infection: respiratory problems

0	0: not mentioned	8
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Respiratory problems]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2526t – COVID symptoms with 5th infection in twin 1: respiratory problems (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Respiratory problems]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2526u – COVID symptoms with 5th infection in twin 2: respiratory problems (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Respiratory problems]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2526s – COVID symptoms with 5th infection in sibling: respiratory problems (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Respiratory problems`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2527 – COVID symptoms with 5th infection: fever

0	0: not mentioned	8
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2527t – COVID symptoms with 5th infection in twin 1: fever (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Fever`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2527u – COVID symptoms with 5th infection in twin 2: fever (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fever]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2527s – COVID symptoms with 5th infection in sibling: fever (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Fever]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2528 – COVID symptoms with 5th infection: cough

0	0: not mentioned	2
1	1: mentioned	8
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2528t – COVID symptoms with 5th infection in twin 1: cough (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Cough]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2528u – COVID symptoms with 5th infection in twin 2: cough (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866

-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Cough`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2528s – COVID symptoms with 5th infection in sibling: cough (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Cough`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2529 – COVID symptoms with 5th infection: olfactory disorder

0	0: not mentioned	8
1	1: mentioned	2
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2529t – COVID symptoms with 5th infection in twin 1: olfactory disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last`

`(most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2529u – COVID symptoms with 5th infection in twin 2: olfactory disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Olfactory disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2529s – COVID symptoms with 5th infection in sibling: olfactory disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Olfactory disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2530 – COVID symptoms with 5th infection: headache

0	0: not mentioned	4
1	1: mentioned	6
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Headache]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2530t – COVID symptoms with 5th infection in twin 1: headache (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: Headache]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2530u – COVID symptoms with 5th infection in twin 2: headache (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: Headache]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2530s – COVID symptoms with 5th infection in sibling: headache (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Headache`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2531 – COVID symptoms with 5th infection: shivering

0	0: not mentioned	5
1	1: mentioned	5
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection?`

`[IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2531t – COVID symptoms with 5th infection in twin 1: shivering (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Shivering`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2531u – COVID symptoms with 5th infection in twin 2: shivering (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2531s – COVID symptoms with 5th infection in sibling: shivering (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Shivering]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2532 – COVID symptoms with 5th infection: sniffles

0	0: not mentioned	6
1	1: mentioned	4
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2532t – COVID symptoms with 5th infection in twin 1: sniffles (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2532u – COVID symptoms with 5th infection in twin 2: sniffles (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Sniffles`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2532s – COVID symptoms with 5th infection in sibling: sniffles (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Sniffles]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2533 – COVID symptoms with 5th infection: taste disorder

0	0: not mentioned	9
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Taste disorder]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2533t – COVID symptoms with 5th infection in twin 1: taste disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Taste disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2533u – COVID symptoms with 5th infection in twin 2: taste disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Taste disorder]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2533s – COVID symptoms with 5th infection in sibling: taste disorder (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Taste disorder`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2534 – COVID symptoms with 5th infection: other selected

0	0: not mentioned	10
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2534t – COVID symptoms with 5th infection in twin 1: other selected (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Other`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2534u – COVID symptoms with 5th infection in twin 2: other selected (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name`

of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2534s – COVID symptoms with 5th infection in sibling: other selected (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Other]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2537 – COVID symptoms with 5th infection: none of these

0	0: not mentioned	9
1	1: mentioned	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: None of the symptoms mentioned]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2537t – COVID symptoms with 5th infection in twin 1: none of these (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: None of the symptoms mentioned]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2537u – COVID symptoms with 5th infection in twin 2: none of these (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2537s – COVID symptoms with 5th infection in sibling: none of these (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `None of the symptoms mentioned`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1

Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2538 – COVID symptoms with 5th infection: don't know

0	0: not mentioned	10
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection?` [item text: `Don't know`]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2538t – COVID symptoms with 5th infection in twin 1: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4`

and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2538u – COVID symptoms with 5th infection in twin 2: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2538s – COVID symptoms with 5th infection in sibling: don't know (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection? [item text: Don't know]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2539 – COVID symptoms with 5th infection: not specified

0	0: not mentioned	10
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6134
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: [MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did you have during your [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did you have during your last (most recent) corona infection? [item text: Not specified]
Filter based on instrument: module 'health' (CASI/CAWI): age0110>=16 & cov2509>1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2539t – COVID symptoms with 5th infection in twin 1: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509t >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2539u – COVID symptoms with 5th infection in twin 2: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509u >1

Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2539s – COVID symptoms with 5th infection in sibling: not specified (m/f/n/g)

0	0: not mentioned	0
1	1: mentioned	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[MCQ] [IF loop =1 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. (furthest back) corona infection? [IF loop =2 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =3 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop =4 and loop != number of corona infections, cov2000] What symptoms did [name of child] have during the [LOOP]. Corona infection? [IF loop = number of corona infections, cov2000] What symptoms did [name of child] have during the last (most recent) corona infection?` [item text: `Not specified`]
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600)) & cov2509s >1
Source: Adapted from: GINIplus. (2023). Questionnaire on the Corona pandemic (Version 1.0). Health Study Hub. [URL link]

cov2540 – acute strain due to fifth COVID infection

0	0: 0 not at all burdensome	6
1	1: 1	0
2	2: 2	3
3	3: 3	0
4	4: 4	0
5	5: 5	3
6	6: 6	0
7	7: 7	1
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life within the first four weeks after infection detection?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=5 & age0110>=16
Item developed for TwinLife.

cov2540t – acute strain due to fifth COVID infection of twin 1 (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful`

was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?

Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))

Item developed for TwinLife.

cov2540u – acute strain due to fifth COVID infection of twin 2 (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4

Question text: [IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection

`in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2540s – acute strain due to fifth COVID infection of sibling (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] within the first four weeks after infection detection? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] within the first four weeks after infection detection?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2541 – long-term strain due to 5th COVID infection (>4 weeks)

0	0: 0 not at all burdensome	7
1	1: 1	1
2	2: 2	2
3	3: 3	0
4	4: 4	1
5	5: 5	2
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	1
-81	-81: infection was less than 4 weeks ago	1
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6129
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in everyday life beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'health' (CASI/CAWI): cov2000>=5 & age0110>=16
Item developed for TwinLife.

cov2541t – long-term strain due to 5th COVID infection of twin 1 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0

9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000t>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2541u – long-term strain due to 5th COVID infection of twin 2 (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0

-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000u>=5 & (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2541s – long-term strain due to 5th COVID infection of sibling (>4 weeks) (m/f/n/g)

0	0: 0 not at all burdensome	0
1	1: 1	0
2	2: 2	0
3	3: 3	0
4	4: 4	0
5	5: 5	0
6	6: 6	0
7	7: 7	0
8	8: 8	0
9	9: 9	0
10	10: 10 very burdensome	0
-81	-81: infection was less than 4 weeks ago	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	6144
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 5; CoV 4
Question text: `[IF loop =1 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. (furthest back) infection in the everyday life`

of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =2 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =3 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop =4 and loop != number of corona infections, cov2000] How stressful was the [LOOP]. infection in the everyday life of [name of child]beyond the first four weeks after infection detection (i. e. from the 5th week)? [IF loop = number of corona infections, cov2000] How stressful was the last (most recent) infection in the everyday life of [name of child] beyond the first four weeks after infection detection (i. e. from the 5th week)?
Filter based on instrument: module 'parents on child' (CASI/CAWI): cov2000s>=5 & (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2600 – number of COVID19 vaccine doses received

0		262
1		83
2		903
3		3206
4		512
5		77
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1078
-98	-98: don't know	3
-99	-99: not specified (refused to answer)	21

Waves: F2F 5; CoV 4
Question text: How many doses of coronavirus vaccine have you received so far?
Filter based on instrument: module 'health' (CASI/CAWI): (inlist(ptyp,1,2,110,120,200,300,400,500,600)) & age0110>=16
Item developed for TwinLife.

cov2600t – number of COVID19 vaccine doses received in twin 1 (m/f/n/g)

0	162
1	30
2	171
3	121
4	4

5		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `How many doses of coronavirus vaccine has [name of child] received so far?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2600u – number of COVID19 vaccine doses received in twin 2 (m/f/n/g)

0		159
1		32
2		169
3		124
4		4
5		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	1
-95	-95: doesn't apply (screened out)	5652
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	2

Waves: F2F 5; CoV 4
Question text: `How many doses of coronavirus vaccine has [name of child] received so far?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110t,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

cov2600s – number of COVID19 vaccine doses received in sibling (m/f/n/g)

0		57
1		11

2		51
3		49
4		1
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	5
-95	-95: doesn't apply (screened out)	5969
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	1

Waves: F2F 5; CoV 4
Question text: `How many doses of coronavirus vaccine has [name of child] received so far?`
Filter based on instrument: module 'parents on child' (CASI/CAWI): (inrange(age0110s,5,15)) & euek==1 & (inlist(ptyp,300,400,500,600))
Item developed for TwinLife.

49 Survey and module participation

This chapter contains information on: module participation; participation parent's questionnaire about children; survey mode.

euek – respondent parents about child

0	0: not true	8129
1	1: true	651
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	375
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Filter based on instrument: always asked/always generated

f2f_mcapi – participation CAPI (gen)

0	0: not true	0
1	1: true	7292
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0

-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variables **f2f** and **f2f_m*** indicate whether a person participated in F2F 1 overall (**f2f**) or in the single modules of F2F 1 and F2F 2 (**f2f_m***). Here it is irrelevant whether the person completed the module or dropped out in between.

f2f_mcasi – participation CASI (gen)

0	0: not true	0
1	1: true	6147
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	1145
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variables **f2f** and **f2f_m*** indicate whether a person participated in F2F 1 overall (**f2f**) or in the single modules of F2F 1 and F2F 2 (**f2f_m***). Here it is irrelevant whether the person completed the module or dropped out in between.

f2f_mcer – recorded certificates (gen)

0	0: not true	0
1	1: true	619
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1859
-92	-92: no participation in survey module	6677
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5

Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variables **f2f** and **f2f_m*** indicate whether a person participated in F2F 1 overall (**f2f**) or in the single modules of F2F 1 and F2F 2 (**f2f_m***). Here it is irrelevant whether the person completed the module or dropped out in between.

f2f_mhh – participation hh questionnaire (gen)

0	0: not true	0
1	1: true	9141
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variables **f2f** and **f2f_m*** indicate whether a person participated in F2F 1 overall (**f2f**) or in the single modules of F2F 1 and F2F 2 (**f2f_m***). Here it is irrelevant whether the person completed the module or dropped out in between.

f2f_miva1 – information on living environment by interviewer (gen)

0	0: not true	0
1	1: true	8250
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	269
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variables **f2f** and **f2f_m*** indicate whether a person participated in F2F 1 overall (**f2f**) or in the single modules of F2F 1 and F2F 2 (**f2f_m***). Here it is irrelevant whether the person completed the module or dropped out in between.

f2f_miva2 – information on interview by interviewer (gen)

0	0: not true	0
1	1: true	6409
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	883
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
The variables **f2f** and **f2f_m*** indicate whether a person participated in F2F 1 overall (**f2f**) or in the single modules of F2F 1 and F2F 2 (**f2f_m***). Here it is irrelevant whether the person completed the module or dropped out in between.

mod1002 – survey mode due pandemic (hh questionnaire)

1	1: in household of respondent(s) (CAPI, CASI)	3791
2	2: telephone (CAPIbyPhone) or online (CAWI)	5350
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Generated variable
Due to the Covid-19 pandemic, a new interview mode was introduced in F2F 4: CAPIbyPhone (Computer-Assisted Personal Interview by Phone). This means that face-to-face interviewers who were already known to the families conducted the CAPI part of the face-to-face interviews by telephone without any personal contact. The self-administered parts of the questionnaire, which had been administered as CASI (Computer-Assisted Self Interview) on a tablet in earlier face-to-face interviews, were administered online as CAWI (Computer-Assisted Web Interview) following the CAPIbyPhone interview.

mod1003 – survey mode due pandemic (individual questionnaire)

1	1: in household of respondent(s) (CAPI, CASI)	3138
2	2: telephone (CAPIbyPhone) or online (CAWI)	4154
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1863
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 4; F2F 5
Generated variable
Due to the Covid-19 pandemic, a new interview mode was introduced in F2F 4: CAPIby-Phone (Computer-Assisted Personal Interview by Phone). This means that face-to-face interviewers who were already known to the families conducted the CAPI part of the face-to-face interviews by telephone without any personal contact. The self-administered parts of the questionnaire, which had been administered as CASI (Computer-Assisted Self Interview) on a tablet in earlier face-to-face interviews, were administered online as CAWI (Computer-Assisted Web Interview) following the CAPIbyPhone interview.

50 Interviewer variables

This chapter contains information on: interviewer information; interviewer variables.

iid – interviewer ID

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	929
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	141
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

ini0100 – interviewer: year of birth

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	929
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	141
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated
TNS Infratest Sozialforschung.

ini0101 – interviewer: sex

1	1: male	3589
2	2: female	4496
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	929
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	141
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated
TNS Infratest Sozialforschung.

ini0102 – interviewer: educational qualification

1	1: school for handicaped children	0
2	2: integrated lower level secondary school, GDR: grade 8	819
3	3: intermediate level secondary school, GDR: grade 10	2304
4	4: vocationally-oriented upper secondary school	1530
5	5: higher secondary school	3389
6	6: other school-leaving certificate	0
7	7: no school-leaving certificate	43
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	929
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	141
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated
TNS Infratest Sozialforschung.

ini0103 – interviewer: year of joining survey institute

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0

-87	-87: multiple answers	0
-90	-90: no participation in survey wave	929
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	141
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated
TNS Infratest Sozialforschung.

51 Interviewer assessments

This chapter contains information on: interviewer ratings about process of interview (household); interviewer ratings on the home environment (household).

iva0100 – dwelling is neat/messy (intr)

1	1: neat	1624
2	2	863
3	3	537
4	4	136
5	5: messy	55
-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your general impression of the home?` [item text: `tidy - untidy`]
Filter based on instrument: module 'interviewer' (CAPI/CAPIbyPhone): mod1003==1
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

iva0101 – home furnishings are simple/expensive (intr)

1	1: simple furnishings	57
2	2	280
3	3	1655
4	4	959
5	5: expensive furnishings	264
-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your general impression of the home?` [item text: `cheap furnishings - expensive furnishings`]
Filter based on instrument: module 'interviewer' (CAPI/CAPIbyPhone): mod1003==1
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

iva0102 – dwelling is well-kept/neglected (intr)

1	1: well-kept	1561
2	2	938
3	3	576
4	4	110
5	5: neglected	30
-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5

Question text: `What is your general impression of the home?` [item text: `tidy - neglected`]
Filter based on instrument: module 'interviewer' (CAPI/CAPIbyPhone): mod1003==1
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

iva0103 – dwelling is cramped/spacious (intr)

1	1: cramped	45
2	2	176
3	3	1013
4	4	944
5	5: spacious	1037
-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `What is your general impression of the home?` [item text: `restricted - roomy`]
Filter based on instrument: module 'interviewer' (CAPI/CAPIbyPhone): mod1003==1
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
Source: Adapted from: Motel-Klingebiel, A., Tesch-Roemer, C., Wurm, S., Engstler, H., Huxhold, O., Juergens, O., Mahne, K., Schoellgen, I., & Wiest, M. (2010). German Ageing Survey (DEAS): The second half of life. Research Instruments of the Third Wave. 52. [URL link]

iva0104 – number of books in the household (intr)

1	1: none or very few	164

2	2: enough to fill one shelf	325
3	3: enough to fill several shelves	348
4	4: enough to fill a small book cabinet	129
5	5: enough to fill a large book cabinet	267
6	6: enough to fill a wall-sized bookcase	327
-81	-81: can't give an answer	1655
-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
Source: Adapted from: National Educational Panel Study (NEPS). (2013). Staring Cohort 4: 9th Grade (SC4) Waves 1 and 2 Questionnaires (SUF Version 1.1.0). University of Bamberg, National Educational Panel Study (NEPS). [URL link]

iva0402 – interference of children with each other in int./tests (intr)

1	1: yes, often	0
2	2: yes, sometimes	30
3	3: no	2233
-81	-81: doesn't apply (explicit response)	371
-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	883
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	3771
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Did other persons interfere in the interview?` [item text: `From the children themselves`]
Filter based on instrument: module 'interviewer' (CAPI/CAPIbyPhone): mod1003==1
iva04, ***iva11***, **iva12**, ***iva13***: The interviewer was asked questions about the interview process

or disturbances during the interview at the end of the last person interview in a household. The questions refer to the group of respondents interviewed by the interviewer that day. In some cases, however, interviewers had answered the same questions more than once. Since complete interviewer assessments may not be available until after the last individual interview, only this last information is retained. Exception to this rule: If there is more than one assessment for multiple households in a family on a given day, the information for each household is retained. As a result, the information is assigned to all persons in a family (or at the household level in exceptional cases) with the same interview date.
Engstler, H., Groh, A., Klaus, D., Mahne, K., Spuling, S., Wetzel, M., Wolff, J., & Tesch-Roemer, C. (2015). German Ageing Survey (DEAS): Instruments of the Fifth Wave 2014. [URL link]

iva0403 – interference of parents with each other in int./tests (intr)

1	1: yes, often	1
2	2: yes, sometimes	34
3	3: no	2131
-81	-81: doesn't apply (explicit response)	468
-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	883
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	3771
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `Did other persons interfere in the interview?` [item text: `By the parents among themselves`]
Filter based on instrument: module 'interviewer' (CAPI/CAPIbyPhone): mod1003==1
iva04, ***iva11***, **iva12**, ***iva13***: The interviewer was asked questions about the interview process or disturbances during the interview at the end of the last person interview in a household. The questions refer to the group of respondents interviewed by the interviewer that day. In some cases, however, interviewers had answered the same questions more than once. Since complete interviewer assessments may not be available until after the last individual interview, only this last information is retained. Exception to this rule: If there is more than one assessment for multiple households in a family on a given day, the information for each household is retained. As a result, the information is assigned to all persons in a family (or at the household level in exceptional cases) with the same interview date.
Engstler, H., Groh, A., Klaus, D., Mahne, K., Spuling, S., Wetzel, M., Wolff, J., & Tesch-Roemer, C. (2015). German Ageing Survey (DEAS): Instruments of the Fifth Wave 2014. [URL link]

iva0404 – parents' intervention in survey/testing of twins (intr)

1	1: yes, often	6
2	2: yes, sometimes	80
3	3: no	2264
-81	-81: doesn't apply (explicit response)	284

-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	883
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	3771
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `Did other persons interfere in the interview?` [item text: `By the parents in the interview of the twins`]
Filter based on instrument: module 'interviewer' (CAPI/CAPIbyPhone): mod1003==1
iva04, ***iva11***, **iva12**, ***iva13***: The interviewer was asked questions about the interview process or disturbances during the interview at the end of the last person interview in a household. The questions refer to the group of respondents interviewed by the interviewer that day. In some cases, however, interviewers had answered the same questions more than once. Since complete interviewer assessments may not be available until after the last individual interview, only this last information is retained. Exception to this rule: If there is more than one assessment for multiple households in a family on a given day, the information for each household is retained. As a result, the information is assigned to all persons in a family (or at the household level in exceptional cases) with the same interview date.

iva0405 – intervention of parents in survey / testing of sibling (intr)

1	1: yes, often	3
2	2: yes, sometimes	40
3	3: no	1901
-81	-81: doesn't apply (explicit response)	690
-85	-85: no information available	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	883
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	3771
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 5
Question text: `Did other persons interfere in the interview?` [item text: `By the parents in the interview of the sibling`]
Filter based on instrument: module 'interviewer' (CAPI/CAPIbyPhone): mod1003==1
iva04, ***iva11***, **iva12**, ***iva13***: The interviewer was asked questions about the interview process or disturbances during the interview at the end of the last person interview in a household. The questions refer to the group of respondents interviewed by the interviewer that day. In some cases, however, interviewers had answered the same questions more than once. Since complete interviewer assessments may not be available until after the last individual interview, only this last information is retained. Exception to this rule: If there is more than

one assessment for multiple households in a family on a given day, the information for each household is retained. As a result, the information is assigned to all persons in a family (or at the household level in exceptional cases) with the same interview date.

iva0406 – frequency of disturbances during the interview

1	1: yes, more than three times	17
2	2 yes, two to three times	24
3	3: yes, once	81
4	4: no	3650
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	883
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	6
-95	-95: doesn't apply (screened out)	2629
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: CATI 2; CATI 3; F2F 4; CATI 4; F2F 5
Generated variable
iva04, ***iva11***, **iva12**, ***iva13***: The interviewer was asked questions about the interview process or disturbances during the interview at the end of the last person interview in a household. The questions refer to the group of respondents interviewed by the interviewer that day. In some cases, however, interviewers had answered the same questions more than once. Since complete interviewer assessments may not be available until after the last individual interview, only this last information is retained. Exception to this rule: If there is more than one assessment for multiple households in a family on a given day, the information for each household is retained. As a result, the information is assigned to all persons in a family (or at the household level in exceptional cases) with the same interview date.

iva0901 – type of building (intr)

1	1: farmhouse / agricultural residence	38
2	2: detached single-family or two-family house	1259
3	3: single-family or two-family house, either row house or duplex	862
4	4: apartment house with 3 to 4 apartments	267
5	5: apartment house with 5 to 8 apartments	441
6	6: apartment house with 9 or more apartments (but less than 9 floors, thus no high-rise building)	295
7	7: high-rise building (9 or more floors)	15
8	8: other house / building	38
-87	-87: multiple answers	0
-89	-89: no interviewer at location since HH moved or not participating	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785

-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
GESIS-Leibniz-Institut Fuer Sozialwissenschaften. (2013). ALLBUS/GGSS 2012 (Allgemeine Bevoelkerungsumfrage der Sozialwissenschaften/German General Social Survey 2012) Allgemeine Bevoelkerungsumfrage der Sozialwissenschaften ALLBUS 2012. GESIS Data Archive. [URL link]

iva0902 – condition of the house (intr)

1	1: very good condition	1117
2	2: good condition	1715
3	3: somewhat in need of renovation	343
4	4: in extreme need of renovation	40
-87	-87: multiple answers	0
-89	-89: no interviewer at location since HH moved or not participating	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
GESIS-Leibniz-Institut Fuer Sozialwissenschaften. (2013). ALLBUS/GGSS 2012 (Allgemeine Bevoelkerungsumfrage der Sozialwissenschaften/German General Social Survey 2012) Allgemeine Bevoelkerungsumfrage der Sozialwissenschaften ALLBUS 2012. GESIS Data Archive. [URL link]

iva0903 – safety assessment of the residential area (intr)

1	1: very secure and comfortable	1861
2	2: overall fairly secure and comfortable	1271

3	3: not very secure, rather uncomfortable	70
4	4: very uncomfortable, somewhat threatening	13
-87	-87: multiple answers	0
-89	-89: no interviewer at location since HH moved or not participating	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
Item developed for TwinLife.

iva0904 – description of the residential area (intr)

1	1: a residential area, predominantly old buildings	1049
2	2: a residential area, predominantly new buildings	964
3	3: a residential area, a mix of new and old buildings	795
4	4: a mixed use area with apartments, shops and business establishments	387
5	5: a commercial center (shops, banks, administrative buildings) with a few apartments	7
6	6: a commercial or industrial area with a few apartments	13
-87	-87: multiple answers	0
-89	-89: no interviewer at location since HH moved or not participating	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.

GESIS-Leibniz-Institut Fuer Sozialwissenschaften. (2013). ALLBUS/GGSS 2012 (Allgemeine Bevoelkerungsumfrage der Sozialwissenschaften/German General Social Survey 2012) Allgemeine Bevoelkerungsumfrage der Sozialwissenschaften ALLBUS 2012. GESIS Data Archive. [URL link]

iva0905 – environmental pollution in residential area (intr)

1	1: not at all	1198
2	2: little	1258
3	3: on average	625
4	4: strongly	128
5	5: very strongly	6
-87	-87: multiple answers	0
-89	-89: no interviewer at location since HH moved or not participating	0
-90	-90: no participation in survey wave	1445
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	74
-95	-95: doesn't apply (screened out)	3785
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.
Item developed for TwinLife.

iva1000 – household edited in previous wave (intr)

1	1: yes	5989
2	2: no	2164
-84	-84: unassignable	0
-85	-85: information not evaluable	0
-86	-86: inconclusive specification	0
-87	-87: multiple answers	0
-89	-89: illegible	0
-90	-90: no participation in survey wave	269
-92	-92: no participation in survey module	636
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	97
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5

Generated variable
iva01, ***iva0500***, ***iva09***, **iva1000**: The interviewer was asked questions about the home and neighborhood where the interview took place following the last person interview. There are a few families that conduct all interviews in one location, although not all of these family members live in the same household. Since the location of the interview is not known, it is assumed that the interviewer was given information about the home and neighborhood of the last person interviewed. Accordingly, the information is assigned to all family members sharing the same household ID of the last person interviewed.

iva1100 – ease of interview (intr)

1	1: very easy	2020
2	2: easy (from F2F3: rather easy)	588
3	3: less easy (from F2F3: rather difficult)	26
4	4: not easy at all (from F2F3: very difficult)	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1864
-92	-92: no participation in survey module	883
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	3
-95	-95: doesn't apply (screened out)	3771
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Generated variable
iva04, ***iva11***, **iva12**, ***iva13***: The interviewer was asked questions about the interview process or disturbances during the interview at the end of the last person interview in a household. The questions refer to the group of respondents interviewed by the interviewer that day. In some cases, however, interviewers had answered the same questions more than once. Since complete interviewer assessments may not be available until after the last individual interview, only this last information is retained. Exception to this rule: If there is more than one assessment for multiple households in a family on a given day, the information for each household is retained. As a result, the information is assigned to all persons in a family (or at the household level in exceptional cases) with the same interview date.

iva1210 – technical problems during interview (intr)

1	1: yes (only CATI)	0
2	2: no	0
3	3: yes, often (only F2F)	3738
4	4: yes, sometimes (only F2F)	34
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1865
-92	-92: no participation in survey module	883
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	6
-95	-95: doesn't apply (screened out)	2629
-98	-98: don't know	0

-99	-99: not specified (refused to answer)	0

Waves: CATI 2; CATI 3; F2F 4; CATI 4; F2F 5
Generated variable
iva04, ***iva11***, **iva12**, ***iva13***: The interviewer was asked questions about the interview process or disturbances during the interview at the end of the last person interview in a household. The questions refer to the group of respondents interviewed by the interviewer that day. In some cases, however, interviewers had answered the same questions more than once. Since complete interviewer assessments may not be available until after the last individual interview, only this last information is retained. Exception to this rule: If there is more than one assessment for multiple households in a family on a given day, the information for each household is retained. As a result, the information is assigned to all persons in a family (or at the household level in exceptional cases) with the same interview date.

52 Para data

This chapter contains information on: para data.

mon_fq – month family questionnaire was conducted (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

mon_hq – month household questionnaire was conducted (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `generated/assigned variable`
Filter based on instrument: always asked/always generated

mon_pq – month individual questionnaire was conducted (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1866
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text: `generated/assigned variable`
Filter based on instrument: always asked/always generated

yea_fq – year family questionnaire was conducted (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5
Filter based on instrument: always asked/always generated

yea_hq – year household questionnaire was conducted (gen)

2022		1578
2023		3468
2024		4095
-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	9
-92	-92: no participation in survey module	5
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; F2F 2; F2F 3; F2F 4; F2F 5
Question text: `generated/assigned variable`
Filter based on instrument: always asked/always generated

yea_pq – year individual questionnaire was conducted (gen)

-85	-85: unknown	0
-86	-86: not available/empty/not codable	0
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	0
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	1866
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 1; CATI 1; F2F 2; CATI 2; F2F 3; CATI 3; F2F 4; CATI 4; F2F 5; CoV 1; CoV 2; CoV 3; CoV 4
Question text: `generated/assigned variable`
Filter based on instrument: always asked/always generated

53

new – new respondent - first F2F interview (gen)

0	0: not true	7061
1	1: true	228
-87	-87: multiple answers	0
-90	-90: no participation in survey wave	1866
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
Family members are defined as new survey participants if this is their first time participating in an F2F interview.

news – new sibling - first F2F interview (gen)

0	0: not true	6782
1	1: true	620
-87	-87: multiple answers	0

-90	-90: no participation in survey wave	1753
-92	-92: no participation in survey module	0
-93	-93: unclear classification of system missing	0
-94	-94: technical error / faulty insertion	0
-95	-95: doesn't apply (screened out)	0
-98	-98: don't know	0
-99	-99: not specified (refused to answer)	0

Waves: F2F 2; F2F 3; F2F 4; F2F 5
Question text:
Filter based on instrument: always asked/always generated
Generated variable
Family members are defined as new survey participants if this is their first time participating in an F2F interview.